

FULLSAN

FULLSAN is a low sudsing cleaner that kills a wide range of Gram-positive and Gram-negative bacteria and fungi at a 1:64 dilution. FULLSAN contains a blend of "quat" type germicides and a biodegradable detergent that disinfects hard, non-porous surfaces contaminated by bacteria. Designed for use by hospitals, schools, institutions, public facilities and households. Cleans and disinfects hard, non-porous surfaces such as floors, walls, table tops, bed frames, tubs, tile surfaces, basins and telephones. Use FULLSAN wherever the control of infectious bacteria is essential to the environment. FULLSAN is a pleasantly fragrant cleaner, disinfectant and deodorizer recommended for bathrooms and showers and any other hard, non-porous surface found in schools, hotels, motels, office buildings, restaurants, locker rooms, commercial and institutional buildings, and the home. Recommended specifically for use in and on toilet bowls, urinals, lavatories, glazed ceramic tile and fiberglass showers, bathtubs, hard surface floor and other water washable surfaces. May be used daily as a multi-purpose cleaner, disinfectant, or deodorizer.

FULLSAN is virucidal against HIV-1 (AIDS virus), Influenza A2/Hong Kong, Canine parvovirus, and Herpes Simplex Type 1 according to the virucidal qualification modified in the presence of 5% serum at 1:64 dilution (2 ounces per gallon of water).

Authorized by USDA for use in federally inspected meat and poultry plants.

DIRECTIONS FOR USE:

It is a violation of the federal law to use this product in a manner inconsistent with its labeling.

For Disinfecting: Apply solution of two ounces FULLSAN to one gallon of water (1:64). Preclean with a separate 1:64 solution of FULLSAN, giving special attention to thorough cleaning, using a sponge, mop or spray to thoroughly wet surfaces. Allow surface to remain wet for 10 minutes. Rinse thoroughly with clean, potable water. When Pseudomonas product is required, use 3 oz. per gallon.

To disinfect against the spread of athlete's foot fungi (trichophyton mentagrophytes) in areas commonly contacted by bare feet (showers, locker rooms, pools), apply freely a 1:64 solution of FULLSAN by sponge, mop or spray to wet all surfaces thoroughly. Allow surface to remain wet for 10 minutes. Rinse thoroughly with clean, potable water.

For Light Cleaning: Apply solution of one ounce FULLSAN to one gallon of water (1:128) to all surfaces listed above.

FOR CLEANING, DISINFECTING AND DEODORIZING TOILET BOWLS AND URINALS:

1. Thoroughly clean all surfaces prior to applying FULLSAN.
2. For excessive soil, rust or hard water scale deposits, a preliminary cleaning is required.
3. Direct 1.5 fl. oz. of FULLSAN to the sides and under the bowl rim or surface to be disinfected.
4. Scrub all interior surfaces including under the bowl rim with bowl brush or swab.
5. Allow surface to remain wet at least 10 minutes.
6. Rinse toilet or urinal by flushing and rinse out swab or brush.

CLEANING AND DISINFECTING LAVATORIES, SHOWERS, BATHTUBS, FLOOR AND OTHER WATER WASHABLE HARD NON-POROUS SURFACES.

1. Thoroughly clean all surfaces prior to applying FULLSAN.
2. Dilute 2 oz. of Fullsan per gallon of water.
3. Apply with cloth, sponge, sprayer, brush or mop.
4. Allow treated surface to remain wet for at least 10 minutes with solution.
5. Rinse thoroughly with water. For midewstatic performance allow product to dry without rinsing.

PM 31 2915-55



FULLSAN

Quaternary Germicidal Cleaner

AOAC Use-Dilution Test:

Kills Staphylococcus aureus.....	at 1 to 64
Kills Salmonella choleraesuis.....	at 1 to 64
Kills Pseudomonas aeruginosa.....	at 1 to 40

AOAC Fungicidal Test:

Kills Trichophyton mentagrophytes.....	at 1 to 64
----------------------------------------	------------

Virucidal Efficacy Test:

Herpes Simplex Type 1.....	at 1 to 64
Canine Parvovirus.....	at 1 to 64
HIV-1 (AIDS Virus).....	at 1 to 64
Human Influenza A2/Hong Kong.....	at 1 to 64

KEEP OUT OF REACH OF CHILDREN.

DANGER: See back panel for additional precautionary statements.

ACTIVE INGREDIENTS	% By Weight
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	1.6%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides.....	1.6%
INERT INGREDIENTS.....	96.8%
TOTAL.....	100.0%

EPA Reg. No. 2915-55

EPA Est. No. 62511-KS-1

Product Number:

Net Contents:

Lot No.:

FULLER BRUSH COMMERCIAL PRODUCTS

Division of The Fuller Brush Company

GREAT BEND, KS 67530 • 316-792-1711

MADE IN U.S.A.

984-1194E

ACCEPTED

JUN 17 1995

Under Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2915-55

BEST AVAILABLE COPY

1 of 1
KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care setting or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential of transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTION FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate must be worn during all cleaning of body fluids, blood and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Allow surfaces to remain wet for 10 minutes.

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to local, state and Federal regulation for infectious waste disposal.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

STORAGE AND DISPOSAL (Over 1 gallon package size)

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place no lower in temperature than 50°F or higher than 120°F. Keep from freezing.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or any other procedure approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated if allowed by local authorities, by burning. If burned stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide Representative at the nearest EPA Regional Office for guidance.

STORAGE AND DISPOSAL (1 gallon package size or less)

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store upright in original container only in locked storage to make it inaccessible to children or persons unfamiliar with its proper use. Keep from freezing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE, causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. • If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician. • Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

11/9/94