

PM 31

2915-66

4/22/98

1/B

Front Panel

Spray 'N San II

Detergent Disinfectant Pump Spray

CLEANER
MILDEWSTAT (on hard
 inanimate surfaces)
***VIRUCIDE**

DEODORIZER
DISINFECTANT
TUBERCULOCIDAL
FUNGICIDE (against
 pathogenic fungi)

ACTIVE INGREDIENTS

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂,
 5% C₁₈) dimethyl benzyl
 ammonium chlorides.....0.105%
 n-Alkyl (68% C₁₂, 32% C₁₄)
 dimethyl ethylbenzyl
 ammonium chlorides.....0.105%

INERT INGREDIENTS.....99.790%
TOTAL 100.000%


EPA REG. NO. 2915-66
 EPA EST. NO. 62511-KS-1


KEEP OUT OF REACH OF CHILDREN

WARNING

See back panel for additional precautionary statements.

NET CONTENTS





Back Panel

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

Spray 'N San II is designed specifically as a general non-acid cleaner and disinfectant for use in homes, hospitals, nursing homes, schools and hotels. It is formulated to disinfect hard, non-porous, inanimate environmental surfaces such as walls, sink tops, tables, chairs, telephones, glazed ceramic tile in bathrooms, shower stalls, and bathtubs, cabinets and bed springs. Antibacterial Kitchen Cleaner may be used to clean and disinfect in the kitchen on counters, sinks, appliances, and stove tops. Do not use on eating utensils, plates or glasses. In addition, this product deodorizes with a fresh, clean scent those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, basements, restrooms and other areas which are prone to odors caused by microorganisms.

3

DISINFECTION, DEODORIZING AND CLEANING - Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to penetrate and remain wet for 10 minutes. No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum.

One-step cleaning and disinfection of toilet bowls and urinals: Remove water from bowl by forcing water over trap with a swab mop applicator. Press swab mop against side of the bowl to remove excess water from applicator. Apply 1 to 2 ounces of this product evenly, allowing sufficient time for product to cover entire surface of bowl for maximum cleaning. Swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand 10 minutes and flush.

BACTERICIDAL ACTIVITY - When used as directed, this product exhibits effective, disinfectant activity against the organisms: Mycobacterium tuberculosis (BCG) at 20°C, Escherichia coli 0157:H7, Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa and meets the requirements for hospital use.


3

***VIRUCIDAL ACTIVITY** - This product, when used on environmental, inanimate, non-porous surfaces, exhibits effective virucidal activity against HIV-1 (associated with AIDS) and Canine Parvovirus.

KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type I (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings.
CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.



CONTACT TIME: Allow surface to remain wet for 10 minutes.
DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces spray surface to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears.

FUNGICIDAL ACTIVITY - This product is fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes* (Athlete's Foot Fungus) when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, or other clean, non-porous, hard surfaces commonly contacted by bare feet.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING:

KEEP OUT OF REACH OF CHILDREN. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink egg whites or gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
CONTAINER DISPOSAL - Do not reuse container (bottle, can, or jar). Rinse thoroughly before discarding in trash.
STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.



THE FULLER BRUSH COMPANY
Great Bend, Kansas 67530