

CARTERFUME SOIL DORMIGANT

To Control Many Weeds, Grasses, Nematodes
And Insect Pests In Plant Beds And Nurseries

Active Ingredients:
Methyl Bromide
Chloropicrin
Inert Ingredients: Xylene

68.6%
1.4%
30.0%

DOSAGE RECOMMENDATIONS

Use	Rate (lb. per 1000 sq. ft.)
Solid and transplant beds	500
Tobacco, forest trees	500
Strawberries and tomatoes in fruiting stage	500
Nurseries	500
Floral crops and turf	500
Woody perennials including fruit and forest trees, ornamentals	500
Wetlands, pastures, and other areas where soil is to be prepared for planting	500

DOSAGE CALIBRATION CHART

Tractor Speed				
2 Miles per Hour				
Device	Rate (lb. per 1000 sq. ft.)	Approximate	Tractor	Approximate
Capacity	Rate (lb. per 1000 sq. ft.)	Capacity	Speed (mph)	Rate (lb. per 1000 sq. ft.)
300	100	300	3.0	300
500	167	500	5.0	500
600	200	600	6.0	600

treated areas. Use proper application equipment. Cartersol's 600 crop remains pest-free and free from plant parasitic pests and weed seeds in the fumigated areas. If the treated areas are in locations where heavy rainfall may cause leaching or washing, make a furrow or make trenches around the area to prevent the drainage away from the treated portion. Suitable wooden-frame barriers around the treated portions are satisfactory for preventing the type of leaching.

CAUTION

Do not breathe vapor. **CARTERFUME** is highly toxic and may be severely corrosive to the skin. Do not use in enclosed spaces. Use proper application equipment and fumigation magazines. Wash the application equipment immediately after use by flushing thoroughly with kerosene oil or kerosene. **CARTERFUME** is a flammable liquid. Use fire extinguishers. Do not place away from children and out of the reach of babies.

DIRECTIONS FOR APPLICATION AND PLANTING

WHEN TO TREAT Treatment should be made in the fall or early spring. Apply to the soil in the plant bed or nursery. Do not apply to the soil in the plant bed or nursery.

SOIL PREPARATION The soil should be prepared by plowing or other means. Do not apply to the soil in the plant bed or nursery. Do not apply to the soil in the plant bed or nursery.

APPLICATION Apply to the soil in the plant bed or nursery. Do not apply to the soil in the plant bed or nursery. Do not apply to the soil in the plant bed or nursery.

EXPOSURE PERIOD AFTER APPLICATION

Do not plant in the treated area until the exposure period has expired. Do not plant in the treated area until the exposure period has expired.

WHEN TO PLANT AFTER THE EXPOSURE PERIOD

Do not plant in the treated area until the exposure period has expired. Do not plant in the treated area until the exposure period has expired.

USE PRECAUTIONS

NOTE CAREFULLY Do not breathe vapor. Do not breathe vapor. Do not breathe vapor.

Do Not Breathe Vapor • Keep Away from Heat
Do Not Get in Eyes, on Skin, on Clothing

KEEP CHILDREN AND ANIMALS AWAY FROM PLOTS
UNDER TREATMENT

KEEP CHILDREN AND ANIMALS AWAY FROM PLOTS
UNDER TREATMENT