

TIME

500

To Control Many Weeds, Grasses, Nematodes And Insect Pests In Plant Beds And Nurseries

DOSAGE RECOMMENDATIONS

68.5
1.4
30.0

Use	Approximate Dosage (lb. per 1000 sq. ft.)
Seed and transplant beds	1.0
Tobacco, forest trees	5.00
Strawberries and tomatoes (in fruit)	4.00
Nurseries	
Flora crops and turf	1.00
Woody perennials, ornamental and forest tree nurseries	5.00
Woody perennials, ornamental and forest tree nurseries (in fruit)	1.00

DOSAGE CALIBRATION CHART

Discharge Rate (gpm)	Carrier (lb. per gal.)	Approximate Pressure (psi)
350	04.5	32
500	5.0	36
600	05.5	44

WHEN TO PLANT AFTER THE EXPOSURE PERIOD

USE PRECAUTIONS

NOTE CAREFULLY

treated area. Do not use tools, equipment, or plants or crop remains infested with soil-borne plant parasitic pests and weed seeds in the fumigated area. If the treated areas in a location where heavy rainfall may cause flooding, dig a drainage furrow or make trenches around the area to assure proper drainage away from the treated portion. Suitable wooden-frame barriers around the treated areas are also satisfactory for preventing this type of re-contamination.

CAUTION

In certain conditions, **CARTERFUME** soil fumigant may be severely corrosive to certain metals. Do not use for storage or application equipment made of aluminum, magnesium, or their alloys. Clean application equipment immediately after use by flushing thoroughly with diesel oil or kerosene. Store **CARTERFUME** soil fumigant tightly closed by inners in a cool place away from dwellings and out of the reach of children.

Do Not Breathe Vapor • Keep Away from Heat
Do Not Get in Eyes, on Skin, on Clothing

KEEP CHILDREN AND ANIMALS AWAY FROM PLOTS UNDER TREATMENT

KEEP CONTENTS OUTSIDE GROUND COVER

CATION