


(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number 201615
	Application for Pesticide:		
	Section I		

1. Company/Product Number 2935-84	2. EPA Product Manager D. Edwards	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Red Top Malathion 25 Spray Powder	PM# 19	
5. Name and Address of Applicant (Include ZIP Code) WILBUR-ELLIS Company 191 W. Shaw Avenue Suite 107 Fresno, CA 93704 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)


Change to labeling statement prohibiting application to water. The exact wording from PR Notice 93-3 has been used.

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 93-3

Section III DATE: 8/3/93

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	<input checked="" type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) of Retail Container 50 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other (_____)					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Joanne Pratt	Title Product Registration and Labeling Specialist	Telephone No. (Include Area Code) (209) 226-1934
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Product Registration and Labeling Specialist	
4. Typed Name Joanne Pratt	5. Date July 9, 1993	

NOTIFICATION LABEL NOT REVIEWED PER PR NOTIC- 88-8

DATE: 8/3/93

RED-TOP

MALATHION 25 SPRAY POWDER

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENTS

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dust has settled. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings should specify protective clothing, areas or fields that cannot be entered without this clothing, period of time area is to be vacated, and statement of practical treatment (see right) in case of exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Warnings must include the following information: "Caution. Area treated with Malathion on (date of application). Do not enter without appropriate protective clothing until dusts have settled. (insert here action to take in case of accidental exposure - see right)"

STORAGE AND DISPOSAL

- 1. Prohibitions: Do not contaminate water, food or feed by storage or disposal.
2. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
3. Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.
4. Storage: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

Recommendations on this label are based on a volume of 500 gallons of water per acre, unless otherwise stated. For a lower volume of water per acre multiply the recommended dosage by 5 to obtain maximum amount of Malathion allowed per acre.

Do not apply this product through any type of irrigation system.

RECOMMENDATIONS FOR USE

Apples, Apricots, Avocados, Cherries, Filberts, Nectarines, Peaches, Pears, Pecans, Plums, Prunes and Quinces: Use 3 to 4 lbs. per 100 gal. of water to control APHIDS, THRIPS, SPIDER MITES, MEALYBUGS, COOLING MOTH, BUD MOTH, EYESPOTTED MOTH, PLUM CURCULIO, CHERRY FRUIT FLY, PEAR PSYLLA, SCALE CRAWLERS, LEAFROLLERS and ORANGE TORTRIX. For Filberts use 2 lbs. per 100 gal. of water. For WILLAMETTE MITE and TWO-SPOTTED MITES on Apples make at least 2 applications 10 to 12 days apart in summer months. For SCALE on Peaches apply at completion of hatching, about last of June. For CHERRY FRUIT FLY repeat applications every 10 days. Injury may occur to McIntosh and Courtland varieties of Apples in summer sprays and to certain varieties of sweet Cherries particularly in the Northwest, and fruit spotting may occur on nectarines. Do not apply within 1 day of harvest on Pears, within 3 days on Apples, Cherries, Plums, Prunes and Quinces, within 7 days on Apricots, Avocados, Nectarines and Peaches. No limitation on Filberts and Pecans.

Asparagus, Beans, Beets, Carrots, Dandelions, Eggplant, Endive, Garlic, Leeks, Parsley, Parsnips, Peas, Peppers, Salsify, Shallots, Spinach, Swiss Chard and Watercress: Use 4 to 5 lbs. per acre to control APHIDS, SPIDER MITES, THRIPS, LEAFHOPPERS, ASPARAGUS BEETLE, PEA WEEVIL and MEXICAN BEAN BEETLE. Do not apply within 1 day of harvest on Asparagus or Beans; within 3 days on Eggplants, Garlic, Leeks, Peas, Peppers and Shallots, within 7 days on Beets, Carrots, Dandelions, Endive, Parsnips, Salsify, Swiss Chard, Spinach and Watercress within 21 days on Parsley.

Berries: Canberries (Blackberries, Boysenberries, Dewberries, Loganberries and Raspberries), Cranberries and Huckleberries: Use 5 to 8 lbs. per acre to control APHIDS, THRIPS, SPIDER MITES, WHITEFLIES, LEAFHOPPER, ROSE SCALE, LYONS BUGS, SPITTLEBUGS, LEAFROLLERS, BLACK HEADED FIREWORMS and STRAWBERRY FOOT WEEVIL. For STRAWBERRY FOOT WEEVIL apply to soil surface before planting and work into top 8 to 10 inches. Do not apply within 3 days of harvest on Cranberries or Strawberries and within 1 day on Canberries.

Cabbage, Broccoli, Brussels Sprouts, Kale, Mustard Greens and Turnips: Use 10 lbs. per acre to control APHIDS, IMPORTED CABBAGEWORMS and CABBAGE LOOPER. Do not apply within 7 days of harvest on Brussels Sprouts, Cabbage, Kale, Mustard Greens and within 3 days on Broccoli or Turnips.

Celery: Use 8 lbs. per acre to control APHIDS and SPIDER MITES. Do not apply within 7 days of harvest.

Citrus: Grapefruit, Lemons, Limes, Oranges, Tangerines, Tangelos and Kumquats: Use 8 lbs. per 100 gal. of water to control APHIDS, THRIPS and SCALECRAWLERS. Do not apply when trees are in bloom. Do not apply within 7 days of harvest.

Grapes: Use 8 lbs. per acre to control GRAPE LEAFHOPPERS, MEALYBUGS and SPIDER MITES. Injury may occur to Ribier, Raha, Cardinal and Almeria grape varieties when Malathion is applied after the clusters appear. Do not apply within 3 days of harvest.

Lettuce: Use 8 lbs. per acre to control APHIDS, CABBAGE LOOPER, LEAFHOPPERS and SPIDER MITES. Do not apply within 7 days of harvest on Head Lettuce and 14 days on Leaf Lettuce.

11500

ACTIVE INGREDIENT:

Malathion

INERT INGREDIENTS

O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate

EPA Reg. No. 2835-84-AA

TOTAL

EPA Est

KEEP OUT OF REACH OF CHILDREN!

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid breathing dust or spray mist. Avoid contact with skin; wash thoroughly after use. Do not store or transport near feed or food.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged. Crops thereof rendered unfit for sale, use or consumption.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Get medical attention.

If In Eyes: Wash eyes with plenty of clear water for at least 15 minutes. Get medical attention.

If Irritated: Avoid breathing dust. May cause irritation of nose, throat or skin. Avoid contact with eyes and clothing.

Note to Physician: This product may cause cholinesterase inhibition. Atropine is antidote. 2-PAM may be an adjunct to atropine.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to or within (i.e., swamps, bays, marshes and ponds). Drift and runoff may be hazardous to aquatic life in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

RECOMMENDATIONS FOR USE (cont.)

Mushrooms (Not for use in California): Use 8 lbs. per 130 gal. of water per acre or 2.2 ozs. in 3 gal. of water per 100 sq. ft. of bed to control SPIDER MITES, PHORID and SCARID FLIES. Make thorough applications as soon after picking. Repeat applications as necessary, usually twice a week. Do not apply within 1 day of picking.

Ornamentals (Not for use in California): Use 2 1/2 lbs. per acre to control APHIDS, SPIDER MITES, MEALYBUGS, THRIPS, JAPANESE BEETLES, FOURLINED LEAFBUG, TARNISHED PLANT BUG, PERS and OYSTERSHELL SCALE. Use 8 lbs. per acre to control SOFT BROWN SCALE, MONTEREY PEAR SCALE, JUNIPER SCALE and FLORIDA RED SCALE. Use 4 lbs. per acre to control PINE SCALE. Use 3 lbs. per acre to control OAK KERMES and FLETCHER SCALE. Use 2 lbs. per acre to control CATERPILLAR. Use 4 lbs. per acre to control LACEBUG and BAGWORMS. Repeat as necessary. Do not apply to scales - Apply thorough full-coverage spray at lime scale crawlers have settled on foliage. Do not use on Maidenhair and Pteris Ferns, and some species of Crassula.

Peppermint and Spearmint: Use 4 lbs. per acre to control APHIDS, SPIDER MITES, FLEA BEETLE and LEAFHOPPERS. Do not apply within 7 days of harvest.

Potatoes and Tomatoes: Use 8 lbs. per acre to control APHIDS, LEAFHOPPERS, FALSE CINCH BUG and SPIDER MITES. Do not apply within 1 day of harvest on Tomatoes and no time limitation on Potatoes.

In Case of Emergency, Call CHEMTREC: (800) 424-9300

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it warrant any agent or representative, warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof, except in the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling and use and accepts and uses this material on those conditions.

Wilbur-Ellis

P.O. BOX 18458 • FRESNO, CA 93755

BEST AVAILABLE COPY

