FILE



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JAN 10 1994

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Joanne Pratt WILBUR ELLIS CO. 191 W. Shaw Avenue Fresno, CA 93704

Subject:

Label Amendment Submission of 08/30/93 in Response to PR Notice 93-7

EPA Reg. No. 2935-87 MALATHION 4 DUST

IMPORTANT NOTICE:

This Letter Requires You to Submit a Notification to the Office

of Compliance Monitoring within 20 Days.

Dear Registrant:


The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments listed on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

SERIOUS ERROR(S) ON SUBMITTED LABELING:

EPA has determined that one or more of the errors on the labeling you submitted to the Agency is categorized as "serious" as defined in PR Notice 93-11. In general, serious errors are those that may create a potential for harm to workers, handlers, other persons, or the environment; or those that prevent the achievement of the basic goals of the Worker Protection Standard (WPS) or FIFRA.

YOU MUST NOT SELL OR DISTRIBUTE (INCLUDING RELEASE FOR SHIPMENT) ANY PRODUCT BEARING THE SUBMITTED LABELING. Sale or distribution of any product with the incorrect labeling is a violation of FIFRA that could result in initiation of an action for civil penalties and/or cancellation of your product. This matter has been referred to the Office of Compliance Monitoring (OCM) for further action.

YOU MUST SUBMIT A NOTIFICATION TO THE OFFICE OF COMPLIANCE MONITORING WITHIN 20 DAYS OF THE DATE OF THIS LETTER.



Page 2

Each notification must include the following information:

- 1. Registrant's name and address.
- 2. EPA Registration number of the product for which the labeling was submitted.
- 3. Whether any product already has been sold or distributed (this includes released for shipment) bearing the submitted labeling.

In addition, the notification must include the following information, IF you have already sold or distributed any product bearing the submitted labeling:

- 1. Quantity of the product that has been sold or distributed.
- 2. EPA Producing Establishment number.
- 3. Location of the product, if known.
- 4. Proposed plan for assuring that product with the incorrect labeling in your control, as well as that in the hands of dealers/distributors/users, will be corrected. The plan must include your proposal for assuring that the labeling is corrected as soon as possible.

Submit the notification to:

Michael Wood, Director
Compliance Division, (7203)
Worker Protection Notification
Office of Compliance Monitoring
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460

Failure to submit a notification also may result in initiation of an action under FIFRA for civil penalties, if you sold or distributed (this includes released for shipment) product bearing the incorrect labeling.



Page 3

IN ADDITION, YOU SHOULD CONTACT IMMEDIATELY THE PERSONS TO WHOM YOU SOLD OR DISTRIBUTED YOUR PRODUCT AND INFORM THEM NOT TO SELL OR DISTRIBUTE ANY PRODUCT WITH THE INCORRECT LABELING.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the WPS labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have neither been reviewed nor accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Submit the required notification. Then by the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

■ BEFORE selling or distributing any product bearing the final printed labeling as amended

AND

■ WITHIN one year from date of this acceptance.

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Page 4

Hand or courier deliveries of final labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,

Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

cc: Office of Compliance Monitoring

Copy D-Add - RE-ENTRY STATEMENT

STORAGE AND DISPOSAL

- Container Disposal: Completely empty bag into application equipment. Then depose of empty bag in a sentary landfill or by inchession, or, if allowed by State and local authorities, by burning, if burned. son, or, if allowed to stay out of arrobs.
- Storage: Store in original centainer only and heep sealed. Store in cleant storage areas. Use causen when moving, spenning, closing or

RECOMMENDATIONS FOR USE

This material is recommended for application by around and air.

ALFALFA and CLOVER: Use 30 to 50 fbs. per sore to control APHIDS. LEAF-HOPPERS, ALFALFA WEEVIL LARVAE, SPITTLEBUG, VETCH BRUCHID, ARMYWORMS and SPIDER MITES. Do not apply during full bloom. Do not apply within 7 days of harvest.

ASPARAGUS, BEANS, BEETS, CARROTS, CELERY, ENDIVE (Executing, CARLIC, LEEKS, PARSMIPS, RADISH-IS, SALSIFY, SHALLOTS and SPIMACH: Usa 30 bs. per scre to control ASPARAGUS BEETLES, THRIPS, MEXICAN BEAN BEETLES, LEAFHOPPERS, APHIOS and SPIDER MITES, Do not apply worn't day of hervester Asparagus and Beans, within 3 days on Gentic, Leeks or Shallots, Do not apply worthy 7 days on Bests, Carrots, Cetery, Endive, Parsage, Radistres, Salerly or Spinach.

rets. Celery, Endive, Partago, Redeline, Salety er Sonach.

BERRIES (BL.ACK BERNIES), BLUEBERNIES, BOYSENBERNIES, DEWBEHRIES, LOGANBERNIES AND RASPERNIES); Use 40 to 50 fbs. per
scre to central APHIDS, LCACHOFFERS, THIRPS, ROSE SCALE, PLUM
CURCULIO and SPIDER MITES, De net apply within 1 day of harvest,
BROCCOLI, BRUSSELS SP-FGUTS, CABBAGE, CARLIFI, OWER, KALE,
BINSTARD GREENS and TYTHEPS: Use 46 to 50 fbs. per scre to central
APHIDS, IMPORTED CABBAGE WORM, CABBAGE LOOPER and LEAFHOPPERS! DR 7d sopy within 3 days of harvest on Brocots or Turnips and
within 7 days on Prissels Sprice, Cabbage, Caustiewer, Kale or Maistard
Greens.



ACCEPTED A COMPARNES PA Letter Dated AN 10 1994

WILBUR-ELLIS Nigs if 6112 wille

be de federal hard by the state of the state LATH **4 DUST**

ORGANO PHOSPHATE

MERT MOREDIENTS TOTAL 100%

*O. O-dimetryl pheenhoradthroate of diethyl EPA Reg. No. 2935-87-ZA

ETREAL No. 2008-CA

KEEP OUT OF REACH OF CHILDREN **CAUTION:**

ONLY FOR SALE TO, USE AND STORAGE BY AGRICULTURAL AND SERVICE PERSONS.

A - move

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CALTION: Harmful II Swallowed. Avoid contact with akin. Week thereughly after using Areid breathing of duel. Avoid contamination of feed and feedstuff Keep out of reach of children.

Court water the sendence

STATEMENT OF PRACTICAL TREATMENT

If Swallawed: Induce vorning by secting fing or down throat. No thing by meach to an unconscious person. Get medical attention

If th Eyes: Wash eyes with pierry of clear water for at least 15 minutes. Ge

Harmful II Swallewed: Aveid breathing dust. May cause in throat or skin. Aveid contact with eyes, skin and clothing.

Hels to Physician: This product may cause cholmesterate mhilliann. Afre-pine is entitiotal, 2-PAM may be effective as an editino! to stropme

C 02 C - MOVEENVIRONMENTAL HAZARDS

The assetizate of texts to finit, impeters invertebrates, and aquatic life stepes of amphibilities. For terrestrial uses, do not apply ciracity to nator, or to ameas where surface vector is present or to intended eriods below the mean high teaming many. This and united may be happeded to applications or granement in ameas near the application site. Du not contaminate water when dispeting of equip-

This product is highly toxic to bees exposed to driving treatment on bleaming cross or weeds. Do not apply this product or show it to drift to blooming crops or weeds if bees are visiting the freetment area.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

RECOMMENDATIONS FOR USE (cort.)

COTTON: Use 50 bs. per more to control APHIOS, LEAFHOPPERS, WHITE-FLIES, BROWN COTTON LEAFWORMS, COTTON LEAF PERFORATORS, THRIPS, LYGUS BUGS and SPICER MITES. No time irrelation.

DATES (Not far use in Californie): Apply 20 to 25 lbs. per acre by air or groun application to cantrol negulid bendles. Do not apply within 7 days of his rest.

EGGPLANTS, PEAR, PEPPERS, POTATOES and TOMATOES: Use 30 lbs. per size to control APHIOS, PEA WEEVILS, LEAFHOPPERS, FALSE per sore to control APPRUS, PEA WILLERS, LEARTHUFFEITS, FRANCE CHINCH BUGS and SPIDER MITES, De net apply within 1 day of harvest on Tornasses and within 3 days on Pleas, Reppeis or Eggplants. No Install on on Potasses, Do net feed pee ferage to lessock:

FIGS: Use 40 to 50 bs. per acre by aucreft tecentral DR/ED FAUT BEETLES and VINEGAR FUES. De not apply within 3 days of harvest. Do not apply mayor then 50 bs. per acre.

represented 50 bit, per acre.

GRAIM and SEED COATING (Not for use in Cambernia). A powdered in sectional by use an stored green. Wheat, carn, eats, rys, barier, grain singhym, field and garden seeds. Protects against demage from Confused Flour Beetle, Rick Weend, Graney Weend, Sanstoothed Green Beetle, Rick Gran Beetle, Rick Gran Beetle, Rick Weend, Graney Weend, Sanstoothed Green Beetle, Rick Gran Beetl and and report if nece

age and repeat if necessary. Here is apply to shalled earn and small grains: Apply Malethin 4. Oust when your in in the hold or wagen prior to breven. To determine the smooth in the hold or wagen, maletyly the length by wall by dooth (all in leng) and multiply the total by 0.8 to get the newteen of bankets. Measure set the correct wavenum of Malethian 4.0 ust (15 ths, per 1000 to) and spread eventy over the surface of the grain in the bruck or wagen. Cut the the grain with a shoret creating will accome mixed with grain as it is dumped from the truck or wagon into the happer. Further incoming will accord when the grain is augreed or blown into the bit. Mixely is completed as the cleaning and grain roll down the conscheduling pile in the bits.

GRAPES: Use 40 to 50 bs. per sore to central LEAFHOPPERS, MEALY-BUGS and SPIDER MITES. Do not apply within 3 days of hervest.

LETTUCE: Use 50 bs. per sore to control APHIOS. CABRAGE LOOPERS, LEAFHOPPERS and SPIDER MITES. Do not apply within 7 days of harvest on Head Lettuce and within 14 days on Last Lettuce.

uri rreum Leituce and within 14 days on Leef Lettuce.

8USHNOOMS: Use 2 lbs., per 60 ft. sergle house to control SCIARID and PHORDE PLES. Destribute eventy, Dr. nest apply directly to bed areas. Apply every 3 to 4 days siter files appear. For best results, close all rentiators, have house temperature 60°F or more, and seed most conditions. Due after harvest, preferatory in late effectives are devictions to war after harvest, preferatory in late effectives area force.

Builtone meet is recommended in enclassed areas. De not apply within 1 day of harvest.

CRIMAMENTALS: Use 25 to 30 bs, per screte control APHIDS, RED SPICER MITTES. WHITEFLY, THRIPS, JAPANESE BEETLE ADULT. FOUR-LINED LEAF BUIGS, BAGWORMS, TARNISHED PLANT BUIGS, ROSE LEAFHOP PERS were POTATO LEAFHOPPERS. Reseat so recessing. Do not use on Buston, Mandanheir and Plans fernis and some species of Crassivia.

PLUISS: Use 40 Se, per sore by ground or an application to control APHIOS. MEALYBUGS. PLUM CURCULIO, SCALE CRAWLERS and LEAFROL-LERS. Do not use more than 40 Sm. per sore. Do not apply within 3 days of

STRAWBERNIES: Use 56 tia. per acre to central APHIDS LYGUS BUGS. LEAFHOPPERS. WHITEFLIES, SPITTLEBUGS. STRAWBERRY FOOT WEEVLS, STRAWBERRY LEAFROLLERS and SPICER MITES to not ap-ply within 3 days of harvest. For Streetbury Recol Weever treat the ear surface before prenting and incorporate into the top 6 to 8 inches of sof

Capp Thi of WILBURY (IN Company)
IOEAS TO GROW WITH is a regular out trademark of WILBUR-ELLIS Co

In Case of Emergency, Call CHEMTREC (800) 424-9300

 $\overline{}$

COPY B

Personal Protective Equipment Applicators and other handlers must wear:

- Long sleeved shirt A)
- Long pants B)
- C)
- Waterproof gloves Shoes plus socks D)

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. COPY D

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with it labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protective Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontaminations notification, and emergency assistance. It also contains specific instructions, and exceptions pertaining protective equipment (PPE) The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow workers entry into treated areas during the restricted entry interval (REI) of _/2_ hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- A) Coveralls
- B) Waterproof gloves
- C) Shoes plus socks

missing language