

Do not apply PROPANIL FLOWABLE within 14 days before or after insecticide applications.

Do not store near food, feeds, fertilizers, seeds or insecticides.

Keep containers closed when not in use.

CONDITIONS OF SALE AND WARRANTY

NOTICE: This product shall conform with quantities and formulas indicated hereon, within accepted tolerances as permitted by appropriate governmental authorities, and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. No warranty extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by Cedar Chemical Corporation. In no case shall Cedar Chemical Corporation be liable for consequential, special or indirect damages resulting from use or handling of this product. All such risks shall be assumed by buyer. CEDAR CHEMICAL CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESSED OR IMPLIED WARRANTIES EXCEPT AS STATED ABOVE.

CEDAR CHEMICAL CORPORATION
Memphis TN 38137, USA

RED- TOP

Premium Grade Malathion Grain Protectant

ACTIVE INGREDIENTS:

Malathion* 57%

INERT INGREDIENTS

43%

Xylene Range Aromatic Solvent 38%

*O, O dimethyl dithiophosphate of diethyl mercaptosuccinate 100%

(Manufactured from technical premium grade Malathion)

EPA Reg. No. 2945-1-4AA

EPA Est. No. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN!

CAUTION:

Harmful if Swallowed. Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly after using. Avoid contamination of feed and livestock. Wash after handling.

Toxic to fish. Keep out of lakes, streams, and ponds.

Do not use with other insecticides.

Do not use on life waters, cleaning of equipment, or in water.

See MSDS for more information as specified on this site.

[Wilbur-Ellis]

P. O. BOX 16458, FRESNO, CA 93755

RECOMMENDATIONS FOR USE: (Continued)

Premium Grade Malathion Grain Protectant, 1.0 lb. per 500 bushels of seed.

To protect stored grains from attack by insects, apply Malathion Grain Protectant in a dusting machine to the surface of clean or uninfested grain. Apply 1.0 lb. per 500 bushels of grain surface area. Do not apply to the surface of the grain. Apply immediately after storage and repeat if necessary.

For use on truck beds, box cars, and other storage containers, apply 1.0 lb. of Red Top Premium Grain Protectant per 500 bushels of grain. Mix with 25 gallons of water, making a thick slurry. Use an excavator and dust blower to sweep up and deposit. When applying, take care to minimize skin exposure.

None of the statements made on this label are to be used to promote any use which are beyond that for which WILBUR-ELLIS is authorized. No agent or representative is to use any warranty, statement or claim for material or the use thereof, except in a written form signed by WILBUR-ELLIS COMPANY. The user shall be responsible for property damage or loss resulting from the storage or use of this material, not in accordance with directions resulting from improper handling, storage or use and accepts

RQ, MALATHION SOLUTION

ORM-A

In Case of Emergency, Call CHEM

BEST AVAILABLE COPY