	+1	1	19 -					
"QFPA "	States Environmental Prote fice of Pesticide Programs ( Washington, DC 2046 Application for Pe	H7505 0	Agency C)	X	OMB No. 2070 Registrati Amendme Other	on	Approval expires 11-30-93 OPP Identifier Number 181293	
	Section i							
Company/Product Number 2935-13	· · · · · · · · · · · · · · · · · · ·	2. EI	PA Product Mana D. Edward:			3. Pr	oposed Classification	
. Company/Product (Name) Red Top	Premium Grade	PM#	19		<del> </del>	X	None Restricted	
Malathion Grain Protecta  Name and Address of Applicant (Include)		6. <b>E</b>	xpedited Revi	ew.	In accordance	e with	FIFRA Section 3(c)(3)	
WILBUR-ELLIS Company 191 W. Shaw Avenue Suit Fresno, CA 93704	·	to:	), my product is				mposition and labeling	
Check if this is a new addres	s	Proc	duct Name					
	Section 1		<del></del>				· · · · · · · · · · · · · · · · · · ·	
Amendment - Explain below			Final printed lat Agency letter of					
Resubmission in response to Agency 1	etter dated		"Me Too" Appli	catio	n.			
Notification - Explain below.			Other - explain below.					
xplanation: Use additional page(s) if ne	cessary. (For section I and S	ection	II.)	-				
. Material This Product Will Be Package	Section III				DATE	1-4		
Child-Resistant Packaging Unit Packaging	Water	Solub	le Packaging		2. Type of Co			
Yes* Yes	11	Yes				etal astic		
X No		No	Glass					
Certification must be Unit Package v submitted.	No. per If 'Ye Packs	s," age wg	No. pe t. contai			ther (S	pecify)	
3. Location of Net Contents Information	4. Size(s) of Retail C	ontain	er er	5. L	ocation of Label	Direct	ions	
Label X Container	2.5, 5, & 55	gal	lon	$\stackrel{L}{\sqsubseteq}$	On Label On Labeling	ассоп	panying product	
6. Manner In Which Label Is Affixed To Pro	duct Lithograph X Paper glued Stenciled		Other	ت	· .			
Contact Point (Complete items directly be	Section IV		h he contacted	d nor	nocceny to ama	ace thi	s application 1	
Name	Title	-1-JUM	o ou contacted, i	. rec			e No. (Include Area Code)	
Joanne Pratt			t Registra ng Special		on and	·	) 226-1934	
I certify that the statements I have made I acknowledge that any knowingly false built under applicable law.		ents the				. ,	6. Date Application Faculated (Stamped)	
2 Signapure			t Pegistra ng Special			4 4	••••	
4. Typed Name	5. Date						••••	
Joanne Pratt	1	l <b>y</b> 9	, 1993				••••	

# SPECIMEN LABEL

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 84-4
DATE. 813193

#### **RED-TOP**

# Premium Grade Malathion Grain Protectant

ACTIVE INGREDIENTS:  Malathion*	57%
INERT INGREDIENTS:**	. 43%
* "Xylene Range Aromatic Solvent38% *O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate (Manufactured from technical premium grade Malathion)	100%
EPA Reg. No. 2935-139-AA EPA Est. No.	2935-CA-1

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful If Swallowed. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Wash after handling.

#### STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Get medical attention.

If In Eyes: Wash eyes with plenty of clear water for at least 15 minutes. Get medical attention.

Harmful If Swallowed: Avoid breathing dust. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing.

Note to Physician: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated purface until sprays have dried.

Add -. Copy A

NOTICE: Pursuant to regulations set down by the U.S. Department of Agriculture the only formulations of malathion that may be used on or around stored grains are those that are formulated with premium grade malathion. This is a more highly refined grade of malathion.

DO NOT USE THIS PRODUCT FOR ANY PURPOSE OTHER THAN THAT RECOMMENDED ON THIS LABEL. DO NOT ALLOW THIS PRODUCT TO DRIFT FROM AREA BEING TREATED.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

- 1. Prohibitions: Do not contaminate water, food or feed by storage or disposal.
- 2. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditionsing, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities
- Storage: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

Wilbur-Ellis

31501

P.O. BOX 16458 • FRESNO, CA 93755

(continued on next page)



### PREMIUM GRADE MALATHION GRAIN PROTECTANT (continued)

#### **RECOMMENDATIONS FOR USE:**

For the protection of stored grain Wheat, Oats, Rice, Corn, Rye, Barley and Grain Sorghum to control RED FLOUR BEETLE, INDIAN MEAL MOTH, CONFUSED FLOUR BEETLE, RICE WEEVIL, FLAT GRAIN BEETLE, RUSTY GRAIN BEETLE, LESSER GRAIN BORER, GRANARY WEEVIL and SAW-TOOTHED GRAIN BEETLE use Red-Top Premium Grade Malathion Grain Protectant at the rate of 1 pint in 2 to 5 gallons of water to each 1000 bushels of the grain. Apply as grain is being loaded or turned into final storage. Field and garden seeds can be protected against the above grain pests with a dosage of 1/2 pint of Red-Top Premium Grade Malathion Grain Protectant in 1 to 21/2 gallons of water per 500 bushels of seed.

To protect stored grains from attack by INDIAN MEAL MOTHS, apply to the surface of clean or uninfested grain ½ pint of Red-Top Premium Grade Malathion Grain Protectant in 1 to 2 gallons of water per 1000 square feet of grain surface area. Apply the spray evenly over the surface of the grain. Apply immediately after grain is loaded into storage and repeat if necessary.

For a residual wall, floor and machinery spray in grain elevators, in treating truck beds, box cars and ships' holds before loading grain, apply 1 gallon of Red-Top Premium Grade Malathion Grain Protectant per 25 gallons of water making thorough application. Before applying spray, clean elevators and box cars thoroughly. Remove and burn all sweepings and debris. When applying in ships' holds, wear protective clothing to minimize skin exposure. Wear a respirator.

F-1181

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shell be held responsible in any manner for any personal injury or property demage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

### RQ, MALATHION SOLUTION NA 2783

ORM-A

In Case of Emergency, Call CHEMTREC: (800) 424-9300

**NET WEIGHT:** 





<u>:</u>:

## . Copy A

#### ENVIRONMENTAL HAZARDS

"For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark."

