

0 1 2 3 4 5 6 7 8 9

# RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

**Wilbur-Ellis**

# PHOSDRIN® 4 SPRAY

<b>ACTIVE INGREDIENTS:</b>		
Alpha isomer of 2-Methoxy carbonyl-1-methylvinyl dimethyl phosphate	.....	30.0%*
Related Compounds	.....	20.0%*
<b>INERT INGREDIENTS</b>		..... 50.0%
*Equivalent to 50.0% W. Phosdrin Insecticide.		Total 100.0%

E.P.A. Reg. No. 2935-167-AA

E.P.A. Est. No. 33691-AZ-1

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**



**POISON**

### STATEMENT OF PRACTICAL TREATMENT

If swallowed and victim is conscious and not convulsing: Call a physician immediately. Give a glass or two of water and induce vomiting by touching back of throat with finger. It is preferable to induce vomiting under medical supervision or to use gastric lavage with a coiled endotracheal tube because of aspiration hazard. Remove victim immediately to emergency treatment facilities.

If on skin immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. Get medical attention.

If in eyes flush the eyes with clean water for 10 minutes. Get medical attention.

If inhaled: Remove victim to fresh air. Transport immediately to emergency treatment facility.

(See additional caution and antidotes on side panel.)

NET CONTENTS: 2 GALLONS

**Wilbur-Ellis**

FRESNO • LOS ANGELES • GLENDALE, ARIZ. • PORTLAND • SEATTLE

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

Poisonous if Swallowed, Inhaled or Absorbed Through Skin. Rapidly Absorbed Through Skin or Eyes. Repeated Inhalation or Skin Contact May, Without Symptoms, Progressively Increase Susceptibility to Phosdrin Insecticide Poisoning.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors. Wear heavy duty natural rubber gloves and waterproof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFA Part II. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before re-use. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with strong lye solution, then destroy containers to prevent re-use.

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Unprotected humans and animals should be kept out of treated fields on the day of treatment. Keep out of the reach of children and domestic animals. Do not contaminate feed or feed products. Keep away from heat and open flame.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply specified rate per acre in sufficient water to thoroughly cover plant surfaces with ground driven equipment or aircraft. When applied by air use a minimum of 5 gallons of water per acre—by ground a minimum of 10 gallons per acre.

**NOT FOR USE OR STORAGE IN OR AROUND THE HOME.**

**STORAGE AND DISPOSAL**

1. **Prohibitions:** Do not contaminate water, feed, or feed by storage or disposal. Open dumping is prohibited.
2. **Pesticide Disposal —** Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or local procedures under the Resource Conservation and Recovery Act.
3. **Container Disposal —** Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.
4. **General:** Consult Federal, State or local disposal authorities for approved alternative procedures.

### RECOMMENDATIONS FOR USE

**ALFALFA & CLOVER:** Use 1 pt. per acre to control APHIDS, GRASSHOPPERS, LEAFHOPPERS, CUTWORMS (Climbing), LYGUS BUGS, ALFALFA WEEVIL (LARVAE) and SPIDER MITES. Do not apply within 1 day of harvest.

**APPLES, PEACHES, PEARS, & PLUMS:** Use 1/2 pt. per 100 gallons of water to control APHIDS and SPIDER MITES. Except in California, use 1/2 pt. per 100 gallons of water to control GRASSHOPPERS, LYGUS BUGS and RED-BANDED LEAF-ROLLERS. Do not apply within 1 day of harvest. Do not use more than 3.2 lbs. actual Phosdrin per acre on Apples and Pears or more than 2.56 lbs. actual per acre on Peaches and Plums.

**BEANS, BEETS (Including Beet Tops), CARROTS, EGGPLANTS, ONIONS (Including Green Onions), PEAS (Including Forage):** Use 1 pt. per acre to control APHIDS, GRASSHOPPERS, LEAFHOPPERS, MEXICAN BEAN BEETLES, CABBAGE LOOPERS, CUTWORMS (Climbing), DIPTEROUS LEAFMINER (Adult), FALSE CHINCH BUGS, IMPORTED CABBAGE WORM, SALT-MARSH CATERPILLAR, LYGUS BUGS, CORN EARWORM, THRIP, and SPIDER MITES. Do not apply within 1 day of harvest on Beans, Carrots, Eggplants, Onion or Peas; within 3 days on Beets.

**BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, COLLARDS, KALE, MUSTARD GREENS, & TURNIPS (Including Turnip Tops):** Use 1 pt. per acre to control APHIDS, CABBAGE LOOPER, IMPORTED CABBAGE WORM, GRASSHOPPERS, LEAFHOPPERS, SALT-MARSH CATERPILLAR, CUT WORMS (Climbing), DIPTEROUS LEAFMINER (Adults), LYGUS BUGS, FALSE CHINCH BUGS and SPIDER MITES. Do not apply within 1 day of harvest on Broccoli or Cabbage and within 3 days on Brussels Sprouts, Cauliflower, Collards, Kale, Mustard Greens or Turnips. For hard to kill insects, including aphids, use 1 qt. per acre, but do not treat collards and kale within 7 days of harvest. Use only 1 pt. per acre in California.

**CELERY (Not for use in California):** Use 1/2 pt. per acre to control APHIDS. Use 1/2 to 1 pt. per acre to control DIPTEROUS LEAFMINER (Adult), LYGUS BUG, SALT-MARSH CATERPILLAR, LEAFHOPPER, CABBAGE LOOPER and MITES. Do not treat within 3 days of harvest. For hard to kill insects, including aphids, use 1 qt. per acre but do not treat within 7 days of harvest.

**CORN (Field, Sweet, Pop, Forage & Grain):** Use 1 pt. per acre to control APHIDS. Do not apply within 1 day of harvest.

**GRAPES:** Use 2 pts. per acre to control APHIDS, LEAF FOLDER, LEAFHOPPERS, RED-BANDED LEAF ROLLER, LYGUS BUGS and SPIDER MITES. Do not apply within 5 days of picking.

**LETTUCE:** Use 1 pint per acre to control CABBAGE LOOPER and CORN EARWORM. Do not use within 2 days of harvest. For hard to kill insects, including aphids, use 1 qt. per acre, but do not treat within 4 days of harvest. Use only 1 pt. per acre in California.

### RECOMMENDATIONS FOR USE: (Continued)

**PEPPERS:** For control of APHIDS, apply 1/2 to 1/2 pint per acre. For control of GRASSHOPPERS, LEAFHOPPERS, and MITES, use 1/2 to 1 pint per acre. Do not treat within 2 days of harvest. For control of ORGANOPHOSPHATE-RESISTANT GREEN PEACH APHIDS (California only), use 1 to 2 pints per acre. Do not treat within 4 days of harvest. If this crop is grown for processing, do not use the higher rates recommended for control of Organophosphate-Resistant Green Peach Aphids without consulting your processor field representative.

**POTATOES:** For control of APHIDS, GRASSHOPPERS, LEAFHOPPERS, and SPIDER MITES, use 1/2 pint per acre. Do not apply within 1 day of harvest. For control of GREEN PEACH APHID (California only), use 1 quart per acre. Do not apply less than 30 gallons of water per acre for ground application and 5 gallons of water for aerial application. Do not allow workers to re-enter fields within two days of application. Do not make applications within four days of harvest. Do not apply more than 1 quart per acre.

**SPINACH (Not for use in California):** Use 1/2 pt. per acre to control APHIDS. Use 1 pt. per acre to control CABBAGE LOOPER, IMPORTED CABBAGE WORM, GRASSHOPPERS, LEAFHOPPERS, MITES, DIPTEROUS LEAFMINER (Adult), CUTWORMS (Climbing), SALT-MARSH CATERPILLAR and FALSE CHINCH BUG. For hard to kill insects, including aphids, use 1 qt. per acre, but do not treat within 4 days of harvest.

**TOMATOES:** For control of APHIDS, GRASSHOPPERS, LEAFHOPPERS, and SPIDER MITES, use 1 pint per acre. Do not apply within 1 day of harvest.

**RASPBERRIES:** Use 1 pt. per acre to control APHIDS and LEAFHOPPERS. Do not apply within 3 days of harvest.

**SOYBUMS (Grain & Forage):** Use 1 pt. per acre to control APHIDS and CORN EARWORMS. Do not apply within 3 days of harvest.

**STRAWBERRIES:** Use 2 pts. per acre to control APHIDS, GRASSHOPPERS, STRAWBERRY LEAF ROLLER, SALT-MARSH CATERPILLAR, LYGUS BUGS and SPIDER MITES. Do not apply within 1 day of harvest.

**SQUASH (Summer) & MELONS (Including Cantaloupes, Honey-Dew, Muskmelons and Watermelons):** Use 1/2 pt. per acre to control APHIDS. Use 1 pt. per acre to control CABBAGE LOOPER, DIPTEROUS LEAFMINER (Adults), LEAFHOPPERS, LYGUS BUGS, MITES and GRASSHOPPERS. Do not apply within 1 day of harvest.

F-181

ACCEPTED


JUN 1 0 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2435-167

In Case of Emergency, Call CHEMTREC: (800) 424-9300



6



**RQ, MEVINPHOS MIXTURE, LIQUID,  
NA 2783**

**NOTICE** The statements made on this label, are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, express or implied concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.