WILBUR-ELLIS

RED-TOP

SEVIN® 5 DUST

TOTAL TO GROW WITH

ACCEPTED

N-METHYL CARBAMATE

	MAD 0 4 2004	
ACTIVE INGREDIENT: Carbaryl (1-Naphthyl N-Methylcarbamate INERT INGREDIENTS	MAR 2 4 2004	By Wt. 5%
		95%
	Under the Federal Insecticide,	TAL 100%
EPA Reg. No. 2935-193	redistered under 935-19 FPA E	1

KEEP OUT OF THE REACH OF CHILDREN CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

If swallowed:	-Call a poison control center or doctor immediately for treatment adviceHave person sip a glass of water if able to swallowDo not induce vomiting unless told to do so by a poison control center or doctor.
	-Do not give anything by mouth to an unconscious person.
If in eves:	-Hold eve open and rinse slowly and gently with water for 15-20 minutes. Re-

If in eyes:
 -Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 -Call a poison control center or doctor for treatment advice.

-Call a poison control center or doctor for treatment advice.

clothing:

-Take off contaminated clothing.
-Rinse skin immediately with plenty of water for 15-20 minutes
-Call a poison control center or doctor for treatment advice.

If inhaled:

-Move person to fresh air.
-If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth.

-Call a poison control center or doctor for further treatment advice.

Note to Physician: Carbaryl is an N-methyl carbamate insecticide which is a cholinesterase inhibitor. Specific antidote consists of atropine. Narcotics and other sedatives should not be used. Drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash thoroughly before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: A) Long-sleeved shirt; B) Long pants; C) Water-proof gloves; D) Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not use this product for any purpose other than that recommended on this label.

DO NOT ALLOW THIS PRODUCT TO DRIFT FROM THE AREA BEING TREATED.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

USER SAFETY RECOMMENDATIONS

Users should: A) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. B) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. C) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: A) Coveralls; B) Waterproof gloves; C) Shoes plus socks.

NOT FOR HOME USE

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

DIRECTIONS FOR USE:

ALFALFA and CLOVERS: Use 30 lbs. per acre to control THRIPS, LEAFHOPPERS, THREE-CORNERED ALFALFA HOPPERS, JAPANESE BEETLES, ALFALFA CATERPILLARS, ARMY-WORMS, CORN EARWORMS and STINK BUGS. Do not apply within 3 days of harvest on alfalfa.

BEANS: Use 40 lbs, per acre to control MEXICAN BEAN BEETLE, LEAFHOPPERS, BEAN LEAF BEETLE, CUCUMBER BEETLES, WESTERN BEAN CUTWORMS, FLEA BEETLES, CORN EARWORMS, ARMYWORMS, VELVET BEAN CATERPILLAR, LYGUS and STINK BUGS. Do not apply within 3 days of harvest.

CORN: Use 40 lbs per acre to control CORN EARWORM, EUROPEAN CORN BORER, FALL ARMY WORMS, SAP BEETLES and JAPANESE BEETLES. Do not apply within 7 days of harvest for forage.

COTTON: Use 40 to 50 lbs. per acre to control THRIPS, FLEA BEETLE, FLEAHOPPERS, LEAFWORM, BOLLWORM, FALL ARMYWORM, LEAF PERFORATOR, LEAF ROLLERS, LEAFHOPPERS, LYGUS BUGS, SALT MARSH CATERPILLAR, STINK BUGS and GRASSHOPPERS. Do not use within 7 days of harvest.

CUCUMBERS and SUMMER SQUASH: For control of FLEA BEETLES, CUCUMBER BEETLES, SQUASH BUGS, MELONWORM and PICKLE WORM apply 20 lbs. per acre. Do not apply within 3 days of harvest.

GRAPES: Use 40 to 50 lbs. per acre to control GRAPE LEAF FOLDERS, GRAPE LEAFHOP-PERS, GRAPE BERRY MOTHS and JAPANESE BEETLES. Do not apply within 7 days of harvest.

EGGPLANTS, PEPPERS and TOMATOES: Use 40 lbs. per acre to control TOMATO FRUITWORMS, FALL ARMYWORMS, FLEA BEETLES, LEAFHOPPERS, TOMATO HORNWORMS, EUROPEAN CORN BORER, STINK BUGS and LYGUS BUGS. No time limitation.

POTATOES: Use 30 to 40 lbs. per acre to control LEAFHOPPERS, FLEA BEETLES and COLO-RADO POTATO BEETLES. Apply to foliage only. Do not apply within 7 days of harvest.

STRAWBERRIES: Use 40 lbs. per acre to control MEADOW SPITTLEBUGS and LEAFROLLERS. Do not apply within 7 days of harvest.

STORAGE AND DISPOSAL

- 1. Prohibitions: Do not contaminate water, food or feed by storage or disposal.
- Pesticide Disposal: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.
- Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.
- Storage: Store in original container only and keep sealed. Store in closed storage areas.
 Use caution when moving, opening, closing or pouring.

WARRANTY STATEMENT: WILBUR-ELLIS COMPANY warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of WILBUR-ELLIS COMPANY. In no case shall WILBUR-ELLIS COMPANY be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damages resulting from or in any way arising from the use, handling or application of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid for this product or at WILBUR-ELLIS COMPANY'S election, the replacement of this product. WILBUR-ELLIS COMPANY MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

F-304

Sevin® is a trademark of Bayer CropScience for 1-naphthyl N-methyl carbamate.

In Case of Emergency, Call CHEMTREC: (800) 424-9300

NET CONTENTS:

Manufactured in U.S.A. by: WILBUR-ELLIS COMPANY P.O. Box 16458 – Fresno, CA 93755