

PM21

2935-208

1074

FEB 28 1991

Ms. Joanne C. Pratt  
Wilbur-Ellis Company  
191 West Shaw Avenue, Suite 107  
Fresno, CA 93704

Dear Ms. Pratt:

Subject: Revised Labels - PCNB Data Call-In Notice  
Teraclor 2 Spray  
EPA Registration No. 2935-208  
Your Submission Dated December 5, 1990

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable, provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a. Under Environmental Hazards, change the last sentence to "Do not contaminate water when disposing of equipment washwaters."
  - b. The label does not comply with PR Notice 87-1. Add the statement "Do not apply this product through any type of irrigation system," or include complete directions for chemigation as stated in the PR Notice.

54390:I:Stone:L21-06:KEVRIC:02/27/91:03/26/91:aw:wo:EK:aw

CONCURRENCES

|         |  |  |  |  |  |  |  |
|---------|--|--|--|--|--|--|--|
| SYMBOL  |  |  |  |  |  |  |  |
| SURNAME |  |  |  |  |  |  |  |
| DATE    |  |  |  |  |  |  |  |


2014

-2-

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

  
Susan Lewis  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

cc: S. Cerrelli  
Reregistration Branch  
Special Review and Reregistration Division (H7508C)

# SPECIMEN LABEL

RED-TOP

## Terraclor® 2 Spray

**ACTIVE INGREDIENT:**

Pentachloronitrobenzene (PCNB)..... 34.8%

**INERT INGREDIENTS:** ..... 75.2%

TOTAL 100.0%

Contains 2 lbs. of Pentachloronitrobenzene per gallon

EPA Reg. No. 2935-208

EPA Est. No. 2935-CA-1

**KEEP OUT OF REACH OF CHILDREN!**

**CAUTION:**

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

FEB 28 1991

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS IN LEFT PANEL.

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No.

2935-208

STATEMENT OF PRACTICAL TREATMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:**

Harmful if swallowed. Avoid inhaling spray mist. This material may cause skin irritation. Wash hands and face thoroughly after using.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water or wetlands by cleaning of equipment or disposal of wastes.

CHEMICAL AND PHYSICAL HAZARDS

**CAUTION: COMBUSTIBLE LIQUID**

Do not store near heat or open flame. Use with adequate ventilation. Keep container closed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. **Prohibitions:** Do not contaminate water, food or feed by storage or disposal.
2. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
3. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
4. **Storage:** Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring. Do not use, pour, spill or store near heat or open flame.

(continued on next page)

Terraclor® Trademark of Uniroyal Corporation

Manufactured in U.S.A. by

**Wilbur-Ellis**

P.O. BOX 16466 • FRESNO, CA 93735

40/4

# TERRACLOR 2 SPRAY (continued)

## DIRECTIONS FOR USE

Do not plant root crops in PCNB treated fields within 12 months of broadcast and banding applications unless PCNB is registered for use on these crops.

**BEANS (Frost and Stem Rot — *Rhizoctonia solani*): FURROW** — Application rates are to 14,500 linear feet of row for bush type beans and to 8,430 linear feet of row for pole beans. Apply 2-3 qts. in 8 to 10 gallons of water. Spray planting furrow and covering soil at planting time. Avoid applying directly to seed; otherwise delayed emergence may occur. IN CALIFORNIA AND ARIZONA apply 3-4 pints in 8 to 10 gals. of water. Apply in furrow and incorporate with covering soil at planting. Use lower rate for lighter soils. Avoid application to bare seed.

**SNAP AND DRY BEANS (White Mold — *Sclerotinia sclerotiorum*):** Use 1 gal. mixed in 8 to 10 gals. of water and apply to 14,500 linear feet of row for bush type beans or to 8,430 linear feet of row for pole beans. Spray in an 8" wide band, centered on the row, immediately after or at time of seeding. Avoid applying directly to seed; otherwise delayed emergence may occur. (Where dibble type pre-emergence herbicides are used add 1 gal. to the final herbicide spray mix and apply simultaneously.) If disease is severe, application may be repeated at 2 to 3 week intervals, using 1 to 2 nozzles per row and directing spray at base of plants. Do not apply after first bloom. Soil should remain undisturbed after treatment. Do not feed treated vines to livestock.

**COTTON (Damping Off — *Rhizoctonia solani*):** Use 1/2 to 1 gallon per acre in at least 15 gallons of water (per 13,000 linear feet of row based on 40" spacings). Spray on the seed and surrounding soil at time of planting. Do not allow the feeding or grazing of cotton foliage by livestock.

**GARLIC (White Rot — *Sclerotium cepivorum*):** Use 10 gallons mixed in 100 gallons of water and to 21,800 linear feet of row at planting time. Attach a suitable rig to the machine planter using 2 nozzles per planting furrow. Direct the front nozzle to spray the bottom of the open furrow and the "seed" as it is dropped. Direct the rear nozzle to spray the covering soil.

**POTATOES (*Rhizoctonia solani*): BROADCAST APPLICATION** — Apply 9 to 12 1/2 gallons mixed with 100 to 150 gallons of water to one acre. Apply to the soil surface prior to planting and disc and cross disc to a depth of 4 to 6 inches. A drag harrow is usually attached behind the discs on the last discing. It is very important to thoroughly mix the Terraclor into the tuber-forming zone of the soil. It is desirable to make treat ment when the soil is slightly moist.

**POTATOES (*Rhizoctonia solani*): ROW (in furrow) APPLICATION** — Use 5 gallons per 12,400 linear feet of row mixed in sufficient water to total approximately 20 gallons of finished spray. Spray several points in the planting row to treat all of the soil that surrounds and covers the seed piece and potato forming zone. Three nozzles attached to the planter work best; one fan nozzle ahead of opening disc (approximately 5 gals. of spray per acre); one cone nozzle placed above and slightly ahead of closing discs (approximately 10 gals. of spray per acre); one fan nozzle to rear of closing discs (approximately 5 gals. of spray per acre). Spray pattern should treat 12 to 14 inch band centered on the row.


**DO NOT USE THIS PRODUCT FOR ANY PURPOSES OTHER THAN THAT RECOMMENDED ON THIS LABEL. DO NOT ALLOW THIS PRODUCT TO DRIFT FROM THE AREA BEING TREATED.**

**NOTICE:** The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

3154

F-1057

**IN CASE OF EMERGENCY, CALL CHEMTREC: (800) 424-9300  
FLASH POINT 73°F. OR HIGHER**



**ORGANOCHLORINE PESTICIDE,  
LIQUID, N.O.S., UN 2762**