Please read instructions on reverse l			9430		St.	
the second s	nited States Environmenta Office of Pesticide Prog Washington, DC Application fo	al Protection Ag grams (H7505C C 20460	jency	Registrati		
· · · · · · · · · · · · · · · · · · ·	Sec	tion I			I	
1. Company/Product Number 2935-	208	2. EP	A Product Manag S. Lewis	er .	3. Proposed Classification	
4. Company/Product (Name) Wilbur-Ellis PONB 2 Sp	÷ , ,	PM#	21		None Restricted	
5. Name and Address of Applicant (Include ZIP Code)			6. Expedited Review. In accordance with FIFRA Section 3(c)(3)			
WILBUR-ELLIS Company 191 W. Shaw Avenue Suite 107 Fresno, CA 93704			(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No			
Check if this is a new address			Product Name			
· · · · · · · · · · · · · · · · · · ·	Secti	ion I I				
Amendment - Explain below			Final printed labels in response to Agency letter dated			
Resubmission in response to Agency letter dated			"Me Too" Application.			
X Notification - Explain below.			Other - explain below.			
Explanation: Use additional page(s) Change to labeling sta from PR Notice 93-3 ha	tement prohibit			water. The NOTIFK LABEL NOT PER PR N	e exact wording ATION REVIEWED DTICE 846 [3]93	
	Sectio	n III				
1. Material This Product Will Be Paci						
Child-Resistant Packaging Unit Packa Yes* X No • Certification must be	· No. per	Water Soluble Yes X No If "Yes," Package wgt.	No. per		Intainer letal lastic ilass aper aper ther (Specify)	
submitted.	A Sizo(a) of E	Potail Cantaina		Location of Labo	I Direction	
3. Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Direction Label Image: Container 1, 2.5, & 30 gallon Image: Container					accompanying product	
6 Manner In Which Label Is Affixed To		raph glued	Other () //	
1. Content Daint (Complete in the		tion IV				
1. Contact Point <i>(Complete items direc</i> Name Joanne Pratt		^{ite} Product	Registrat g Speciali	ion and Te	(209) 226-1934	
I certify that the statements I have main acknowledge that any knowingly far both under applicable law.		ttachments the		or imprisonment or	6. Date Application Received (Stamped)	
2. Signetture	hat		Regiatrat g Speciali	ion and	•	
Joanne Pratt		July 9,	1993			
EPA Form 8570-1 (Rev. 12-90) Pre	vious editions are obso	lote.	White - EPA	File Copy (origina	h Yellow - Apolicant cop	

|`

STATEMENT OF PRACTICAL TREATMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION:

Harmful it swallowed. Avoid inhaling spray mist. This matcrial may cause skin irritation. Wash hands and face thoroughly after using.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not apply directly to water or wollande (awampa, bogs, marshes and polholes). Do not contaminate water when disposing of equipment washwaters.

Сору

CHEMICAL AND PHYSICAL HAZARDS

CAUTION: COMBUSTIBLE LIQUID

Do not store near heat or open flame. Use with adequate ventilation. Keep container closed

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL


- 1. Prohibitions: Do not contaminate water, food or feed by storage or disposal.
- Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities
- Storage: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring. Do not use, pour, spill or store near heat or open flame

DIRECTIONS FOR USE

Do not plant root crops in PCNB treated fields within 12 months of broadcast and banding applications unless PCNB is registered forcuse on those proces.

Do not apply this product follough any type of infigation system.

37852



BEST AVAILABLE COPY



Contains 2 lbs. of Penthachloronitrobenzene per gallon. EPA Reg. No. 2935-208

KEEP OUT OF REACH OF CHILDRE CAUTION:

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Get medical attention. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persi

SEE ADDITIONAL PRECAUTIONARY STATEMENTS IN LEFT P

Manufactured in U.S.A. by



P.O. BOX 16458 . FRESNO, CA 93755



PCNB 2 SPRAY (continued)

DIRECTIONS (cont.)

BEANS (Root and Stem Rot — Rhizoctonia solani): FURROW — Application rates are to 14,500 linear feet of row for bush type beans and to 8,430 linear feet of row for pole beans. Apply 2-3 qts. in 8 to 10 gallons of water. Spray planting furrow and covering soil at planting time. Avoid applying directly to seed; otherwise delayed emergence may occur. IN CALIFORNIA AND ARIZONA apply 3-4 pints in 8 to 10 gals. of water. Apply in furrow and incorporate with covering soil at planting. Use lower rate for lighter soils. Avoid application to bare seed

SNAP AND DRY BEANS (White Mold — Sclerotinia sclerotiorum): Use 1 gal, mixed in 8 to 10 gals, of water and apply to 14,500 linear feet of row for bush type beans or to 8,430 finear feet of row for pole beans. Spray in an 8" wide band, centered on the row, immediately after or at time of seeding. Avoid applying directly to seed; otherwise delayed emergence may occur. (Where dinitro type pre-emergence herbicides are used add 1 gal to the final herbicide spray mix and apply simultaneously.) If disease is severe, application may be repeated at 2 to 3 week intervals, using 1 to 2 nozzles per row and directing spray at base of plants. Do not apply after first bloom. Soil should remain undisturbed after treatment. Do not feed treated vines to livestock.

COTTON (Damping Off — Rhizoctonia solani): Use ½ to 1 gallon per acre in at least 15 gallons of water (per 13,000 linear feet of row based on 40" spacings). Spray on the seed and surrounding soil at time of planting. Do not allow the feeding or grazing of cotton foliage by livestock.

GARLIC (White Rot — Sclerotlum copluorium): Use 10 gallons mixed in 100 gallons of water and to 21,800 linear feet of row at planting time. Attach a suitable rig to the machine planter using 2 nozzles per planting furrow. Direct the front nozzle to spray the bottom of the open furrow and the "seed" as it is dropped. Direct the rear nozzle to spray the covering soil.

POTATOES (Rhizoctonia solari): BROADCAST APPLICATION — Apply 9 to 12½ gallons mixed with 100 to 150 gallons of water to one acre. Apply to the soil surface prior to planting and disc and cross disc to a depth of 4 to 6 inches. A drag harrow is usually attached behind the discs on the last discing. It is very important to thoroughly mix the PCNB into the tuber-forming zone of the soil. It is desirable to make treatment when the soil so lightly moist.

POTATOES (Rhizoctonia solari): ROW (In furrow) APPLICATION — Use 5 gallons per 12,400 linear feet of row mixed in sufficient water to total approximately 20 gallons of finished spray. Spray several points in the planting row to treat all of the soil that surrounds and covers the seed piece and polato forming zone. Three nozzles attached to the planter work best; one fan nozzle ahead of opening disc (approximately 5 gals, of spray per acre), one cone nozzle placed abcle and slightly ahead of closing discs (approximately 10 gals, of spray per acre); one fan nozzle to rear of clo ling discs (approximately 5 gals, of spray per acre). Spray pattern should treat 12 to 14 inch band centered on the row.

DO NOT USE THIS PRODUCT FOR ANY + URPOSES OTHER THAN THAT RECOMMENDED ON THIS LABEL. DO NOT ALLOW THIS PRODUCT TO DRIFT FROM THE AREA BEING TREATED.

NOTICE: The strikements made on this table are believed to be true and accurate, but because of conditions of use which are beyond numeronited. WritBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, are warranty, gurranty-or representation, expressed or implied, concerning this material or the use thereof, except in conforming with the statements on the label. Nother WILBUR-ELLIS COMPANY nor the seller shall be held responsible in the warranty or the statements on the label. Nother WILBUR-ELLIS COMPANY nor the seller shall be held responsible in the warranty or the seller shall be held responsible in the warranty or the seller shall be held responsible in the statements on the label, not in accordance with directions. The buyer assumes all risk and itability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

		· • •	•
	•	•	•
•		· •	•
			•
	• •	· • •	•
· · ·	•	- •	

IN CASE OF EMERGENCY, CALL CHEMTREC: (800) 424-9300 FLASH POINT 73*F. OR HIGHER



ORGANOCHLORINE PESTICIDE, LIQUID, N.O.S., UN 2762



F-391

"For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal ar as below the mean high water mark."

-

• • • • • • •

. . .

. .

· • •