

ACCEPTED

JUN 10 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

2935-235

RECOMMENDATIONS FOR USE:


BARK BEETLES: Mix 1 gallon in 15 gallons of diesel fuel oil and apply at the rate of 1 1/2 gallons diluted mixture to approximately 235 sq. ft. of total bark surface area. Apply 1 week before the adult beetles begin to emerge. Accurate, uniform application is most important to the success of the control effort. Application to runoff is wasteful and unnecessary. Hold the nozzle between 1 and 1 1/2 feet from the bark while applying the spray.

CAUTION: NON-EMULSIFIABLE: Do not mix with water unless adding special emulsifier recommended for this purpose.

DO NOT ALLOW THIS PRODUCT TO DRIFT FROM THE AREA BEING TREATED.

EPA Est. 2935-CA-1

F 374



red-top

LINDANE 20 SPRAY

COMPOSITION:

ACTIVE INGREDIENT:

Lindane (gamma isomer of benzene hexachloride) 20%

INERT INGREDIENTS:

Xylene 80%

TOTAL 100%

EPA Reg. No. 2935-235

WARNING: KEEP OUT OF REACH OF CHILDREN!

(Also See Side Panel For Additional Warnings.)

Do not use, pour, spill or store near heat or open flame.

Not for use or storage in or around the home.

WILBUR-ELLIS COMPANY

FRESNO LOS ANGELES GLENDALE PORTLAND SEATTLE

WA
s
l
f
f
c
c
This p
A
c
c
i
s
To be
v
NOTICE
which ar
presentat
use there
seller sh
buyer or
buyer as
material

ACCEPTED

JUN 10 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

2935-235

red-top

LINDANE 20 SPRAY

COMPOSITION:

ACTIVE INGREDIENT:

Lindane (gamma isomer of benzene hexachloride) 20%

INERT INGREDIENTS:

Xylene 80%

TOTAL 100%

EPA Reg. No. 2935-235

WARNING: KEEP OUT OF REACH OF CHILDREN!

(Also See Side Panel For Additional Warnings.)

Do not use, pour, spill or store near heat or open flame.

Not for use or storage in or around the home.

WILBUR-ELLIS COMPANY

FRESNO LOS ANGELES GLENDALE PORTLAND SEATTLE

WARNING: May be fatal if swallowed! May be absorbed through skin! Avoid breathing spray mist. Avoid contact with skin and eyes. In case of contact, wash immediately with soap and water; for eyes flush with water and get medical attention. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Keep out of reach of children. Do not use on feed or forage to be fed to dairy animals or to animals being finished for slaughter.

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes, or burning (keep out of smoke).

To be used by Federal or State agencies engaged in Bark Beetle control work.

NOTICE: The statements made on this label, are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, express or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

and apply at
ly 235 sq. ft.
adult beetles
important to
wasteful and
from the bark

unless adding

ING TREATED.

