


PLEASE NOTE

This image contains more than one label approved for this product on this date.

2935-311

1-6-75

1/1



WILBUR ELLIS AGRICULTURAL CHEMICAL DIVISION OF WILBUR ELLIS COMPANY




PRODUCT BULLETIN

RED-TOP SUPERIOR SPRAY OIL

Dormant, delayed dormant, or summer applications:
 Almonds, apricots, apples, cherries, nectarines, peaches,
 pears, plums and prunes. Apply 10 to 12 gallons of oil
 per acre for control of European Red Mite, Brown Almond
 Mite, Two-Spotted Mite, Pacific Mite, Pear Psylla,
 McDaniel Mite, Strawberry Mite, Plum Nursery Mite,
 Wilamette Mite, Pear Rust Mite, Peach Silver Mite,
 San Jose Scale, and Lecanium Scale.

Observe all precautionary statements on Label.



1/30/73

No. 63


NEXT

LABEL

2935-311

1-6-1975

1/1



WILBUR ELLIS COMPANY
AGRICULTURAL CHEMICAL DIVISION OF




PRODUCT BULLETIN

RED-TOP SUPERIOR SPRAY OIL

FIGS: (Dormant application) For the control of Fig Scale apply 1½ to 2 gallons RED-TOP SUPERIOR SPRAY OIL per 100 gallons of water. Do not apply oil to trees in dry or windy weather nor until after the rains begin or the orchard has been irrigated. Apply when temperature is above 40°F.

Observe All Precautionary Statements On Label.



11/29/73

No. 113