

DIPECTIONS FOR USE

DORMANT OR DELAYED DORMANT APPLICATION.

Apply to the underside of leaves of plants with a spray nozzle during the dormant or delayed dormant period. Apply to the underside of leaves of plants with a spray nozzle during the dormant or delayed dormant period.

DELAYED DORMANT APPLICATIONS

Apply to the underside of leaves of plants with a spray nozzle during the dormant or delayed dormant period. Apply to the underside of leaves of plants with a spray nozzle during the dormant or delayed dormant period.

THOROUGH COVERAGE IS IMPORTANT

Apply to the underside of leaves of plants with a spray nozzle during the dormant or delayed dormant period. Apply to the underside of leaves of plants with a spray nozzle during the dormant or delayed dormant period.

MIXING

Apply to the underside of leaves of plants with a spray nozzle during the dormant or delayed dormant period. Apply to the underside of leaves of plants with a spray nozzle during the dormant or delayed dormant period.

red-top

ETHION OIL

ACTIVE INGREDIENTS.

*Ethion

Petroleum Oil

INERT INGREDIENTS

EPA Reg. No. 2935-313

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful If Swallowed. May Be Absorbed Through Skin.



WILBUR-ELLIS COMPANY

FRESNO · LOS ANGELES · GLENDALE · PORTLAND

ACCEPTED

red-top

ETHION OIL

NETS:	By Wt.
	2.2 %
	95.3 %
	2.5 %
	100.0 %

No. 2935 313

KEEP OUT OF REACH OF CHILDREN!

May Be Absorbed Through Skin.

WILBUR-ELLIS COMPANY
LOS ANGELES · GLENDALE · PORTLAND · SEATTLE

FIRST AID TREATMENT

IF SWALLOWED CALL PHYSICIAN IMMEDIATELY

Give one or two glasses of water immediately. Do not induce vomiting. Do not give anything to eat or drink until after consulting a physician.

ATROPINE IS AN ANTIDOTE:

Keep a supply of 1:1000 atropine on hand for emergency use.

PHYSICIAN

Atropine is given in quantities of 1 to 2 mg. per hour until the pupils of the eyes dilate. The atropine should be given in solution with 10% glucose. Atropine should be given in 1% solution. The dose should be given in 15 to 30 minute intervals.

CAUTION

Do not breathe vapors of this material. Do not use this material in a confined space or in a poorly ventilated room. Apply this material to the surface of the body only. Do not use for more than 24 hours after the expiration date printed on the label. Do not use this material if the temperature is above 100°F.

Do not use this material if the container is damaged or if the material is not in the original container. Do not use this material if the label is missing or if the material is not in the original container. Do not use this material if the label is missing or if the material is not in the original container.

NOTICE: The statements and information on this label are believed to be true and accurate under the best of conditions of use which are beyond our control. WILBUR-ELLIS COMPANY does not make and does not authorize any agent or representative to make any warranty, quantity or representation, express or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.