

LEFT PANEL

RED-TOP N.A.A. 800

RED-TOP N.A.A. 800 serves to control preharvest drop of Apples and Pears leading to larger harvests and reducing losses from windfall and knockdown.

DIRECTION FOR APPLES AND PEARS:

Spray trees thoroughly, wetting all fruit stems and adjacent leaves. Apply 7 to 14 days before harvest for apples and 5 to 7 days before harvest for pears. Do not spray within 5 days of harvest. This product becomes effective in 2 to 3 days after application and controls drop for 10 days to 4 weeks (less for McIntosh variety) depending on weather conditions. Do not make more than 2 applications and do not delay picking beyond optimum time.

GROUND SPRAY - For apples, thoroughly mix 2.5 oz. RED-TOP N.A.A. 800 with 100 gallons of water to prepare a 25 ppm spray. For pears, use a 10 ppm spray obtained by mixing 0.5 fl. oz. of N.A.A. 800 with 100 gallons of water. Treat trees with the appropriate spray using up to 2 1/2 gallons per acre which provides a residue of acetic acid equivalent of 10 ppm at 25 ppm spray and 10 ppm at 10 ppm spray. (For an "oil-spray" spray, add 1 pint of kerosene per 100 gallons of water for each 100 gallons of spray solution.)

RIGHT PANEL

A Hormone Type Product

For Control of Preharvest Drop of APPLES and PEARS

ACTIVE INGREDIENT:

Alpha-Naphthaleneacetic Acid as the ammonium salt . . . 21.4%

INERT INGREDIENTS . . . . . 78.6%

\*Equivalent to 19.4% alpha-Naphthaleneacetic acid for 100 pears per gallon

RED-TOP N.A.A. 800

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contact with skin, eyes, and clothing. Avoid breathing dust and fumes.

DO NOT APPLY TO PLANTS WHICH ARE UNDER STRESS OR DISEASED. Do not apply to plants which are under stress or diseased. Do not apply to plants which are under stress or diseased.

Cameraman's Note  
Poor Copy

