

COPPER 8 DUST

(Right Panel)

Copper* (expressed as metallic) . . . . .	82
INERT INGREDIENTS: . . . . .	927
	1007

\*Derived from tribasic copper sulfate.

USDA Reg. No 2935 -

CAUTION. KEEP OUT OF REACH OF CHILDREN!  
(18 point) (12 point)

This product is toxic to fish. Keep out of lakes, streams and ponds.

NOTE: Thorough coverage of dust should be made on all parts of the plant with particular attention given to new growth. Begin application when disease first appears and repeat at 7 to 10 day intervals until disease is controlled.

DO NOT USE THIS PRODUCT FOR ANY PURPOSE OTHER THAN THAT RECOMMENDED ON THIS LABEL.

DO NOT ALLOW CHILDREN TO ENTER FROM THE AREA BEING TREATED.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands. Empty containers should be disposed by puncturing with a sharp object and burning with care. Containers kept out of reach of children.

Camerman's Note

Poor Copy

ACCEPTED

5-17-69

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
ECONOMIC POISON REGISTER-  
ED UNDER NO. 2935-532

Comment

**COPPER & BOST**

(Left Panel)

1. Brand Name: Fungicide

2. Use: Fungicide

BEANS, CUCUMBERS, SQUASH and MELONS: Use 25 to 35 lbs. per acre to control DOWNY MILDEW, POWDERY MILDEW, ANTHRACNOSE and ANGULAR LEAF SPOT.

PEAS, PEPPERS, EGGPLANT and CARROTS: Use 35 to 45 lbs. per acre to control EARLY BLIGHT, LEAF SPOT, DOWNY MILDEW and LEAF BLIGHTS.

CABBAGE, BROCCOLI, CAULIFLOWER and SPINACH: Use 30 to 40 lbs. per acre to control DOWNY MILDEW and LEAF SPOT.

CHERRY: Use 50 to 55 lbs. per acre to control EARLY BLIGHT, LATE BLIGHT and LEAF SPOT. Wash and carefully trim before marketing.

HOPS: Use 40 to 50 lbs. per acre to control DOWNY MILDEW.

ORNAMENTAL PLANTS and SHRUBS: Use 25 lbs. per acre to control DOWNY MILDEW, BLACK SPOT, BOTRYTIS BLIGHT, and LEAF SPOTS.

POTATOES: Use 40 to 50 lbs. per acre to control EARLY BLIGHT and LATE BLIGHT.

TOMATOES: Use 40 to 50 lbs. per acre to control EARLY BLIGHT, LATE BLIGHT, ANTHRACNOSE and SEPTORIA LEAF SPOT. Wash or carefully wipe all fresh fruit before marketing.

**ACCEPTED**

**MAY 17 1967**

**UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 132-934 SUBJECT  
TO ATTACHED COMMENTS.**