

EPN 4 MOSQUITOCIDE

ACCEPTED
5/23/67
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 2935 SUBJECT
TO ATTACHED COMMENTS.

DANGER: KEEP OUT OF REACH OF CHILDREN!

COMPOSITION:

ACTIVE INGREDIENTS:

Ethyl P-Nitrophenyl Thionbenzophosphonate (EPN) 46%

INERT INGREDIENTS:

13%
100%

U.S. Pat. 2,503,390

Contains 4 lbs. EPN per Gallon

USDA Reg. No. 2935

RECOMMENDATIONS FOR USE:

MOSQUITO LARVAE: To be applied only by Mosquito Abatement District, Public Health Officials and other trained personnel of Public Mosquito Control Programs. Use 1.6 fluid ounces to obtain .05 pounds of actual EPN or 3.2 fluid ounces to obtain .1 pound of actual EPN per acre. May be applied by hand operated sprayers, power driven ground sprayers or aircraft. The amount of water will range from 1/2 gallon to 25 gallons per acre depending on type of equipment used. Use the higher dosage in areas where mosquitoes have shown resistance to other organic phosphate insecticides.

NOTE: Keep animals and unprotected persons away during treatment and while there is danger from drift or residues. Promptly destroy empty containers by burning or burying. Stay out of smoke and vapors. Bury spillage, clean up area with strong eye solution.

DANGER: EPN is highly toxic by skin contact, inhalation, or swallowing. Rapidly absorbed through skin. Repeated exposure may, without symptoms, be increasingly hazardous. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Wear clean, heavy rubber boots, and clean waterproof or freshly laundered protective clothing (coveralls, cap), and goggles when applying or handling. Destroy and replace gloves frequently. Wear effective mask or respirator of a type passed by U.S.D.A. for EPN protection. Do not contaminate feed or foodstuffs. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and warm water; for eyes, flush with water for 15 minutes and get medical attention. To protect fish and wildlife, do not contaminate any body of water with this material.



POISON

ATROPINE IS AN ANTIDOTE—Consult physician for emergency supply. Call a physician at once in all cases of suspected poisoning. Never give anything by mouth to an unconscious person.

ANTIDOTES:

INTERNAL: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet.

EXTERNAL: Immediately remove all contaminated clothing and wash skin thoroughly with soap and warm water.

No liability is assumed by the manufacturer for any injury or damage caused by the use of this material under conditions other than those specified on the label. The manufacturer's liability is limited to the material as shown on the label. WILBUR ELLIS COMPANY, 1001 North Wacker Drive, Chicago, Illinois 60606. WILBUR ELLIS COMPANY, 1001 North Wacker Drive, Chicago, Illinois 60606. WILBUR ELLIS COMPANY, 1001 North Wacker Drive, Chicago, Illinois 60606. WILBUR ELLIS COMPANY, 1001 North Wacker Drive, Chicago, Illinois 60606.