

1 (of 2)

MALATHION 5 DUST

(Right Panel)

COMPOSITION:

ACTIVE INGREDIENT	
Malathion*	5%
INERT INGREDIENTS:	95%
	100%

*0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate

USDA Reg. No. 2935-

KEEP OUT OF REACH OF CHILDREN!
(12 point)

CAUTION: Avoid prolonged breathing of dust. Avoid repeated or prolonged contact (18 point) with skin. Wash thoroughly after using. Avoid contamination of feed and foodstuffs.

This product will kill fish. Keep out of lakes, streams and ponds.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by burning (Keep out of smoke).

DO NOT USE THIS PRODUCT FOR ANY PURPOSE OTHER THAN THAT RECOMMENDED ON THIS LABEL.

DO NOT ALLOW THIS PRODUCT TO DRIFT FROM AREA BEING TREATED.

RECOMMENDATIONS FOR USE: (Continued)

EGGPLANTS, PEAS, PEPPERS, POTATOES and TOMATOES: Use 30 lbs. per acre ^{1.5} to control APHIDS, PEA WEEVIL, LEAFHOPPERS, FALSE CHINCH BUGS, SPIDER and TOMATO RUSSET ~~MITES~~. Do not apply within 1 day of harvest on Tomatoes and within 3 days on Peas, Peppers or Eggplants. No limitation on Potatoes.

LETTUCE: Use 40 lbs. per acre ^{2.0} to control APHIDS, CABBAGE LOOPER, LEAFHOPPERS and SPIDER MITES. Do not apply within 7 days of harvest on Head Lettuce and within 14 days on Leaf Lettuce.

STRAWBERRIES: Use 40 lbs. per acre ^{2.0} to control APHIDS, LYGUS BUGS, LEAFHOPPERS, WHITEFLIES, SPITTLEBUGS, STRAWBERRY ROOT WEEVIL, STRAWBERRY LEAFROLLER and SPIDER MITES. Do not apply within 3 days of harvest.

ACCEPTED

2-1-68

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON RESISTANCE

ACCEPTED WITH COMMENTS

2(of 2)

MALATHION 5 DUST

(LEFT PANEL)

RECOMMENDATIONS FOR USE:

1.5-2.0

ALFALFA, CLOVER and VETCH: Use 30 to 40 lbs. per acre to control APHIDS, LEAFHOPPERS, ALFALFA WEEVIL LARVAE, SPITTLEBUG, VETCH BRUCHID, ARMYWORMS and SPIDER MITES. Do not apply during full bloom. Do not apply within 7 days of harvest.

ASPARAGUS, BEANS, BEETS, CARROTS, CELERY, ENDIVE (Escarole), GARLIC, LEEKS, PARSNIPS, RADISHED, SALSIFY, SHALLOTS and SPINACH: Use 25 lbs. per acre to control ASPARAGUS BEETLE, THRIPS, MEXICAN BEAN BEETLE, LEAFHOPPERS, APHIDS and SPIDER MITES. Do not apply within 1 day of harvest on Asparagus & Beans, within 3 days on Garlic, Leeks or Shallots, Do not apply within 7 days on Beets, Carrots, Celery, Endive, Parsnips, Radishes, Salsify or Spinach.

BERRIES (BLACKBERRIES, BLUEBERRIES, BOYSENBERRIES, DEWBERRIES, LOGANBERRIES and RASPBERRIES): Use 40 lbs. per acre to control APHIDS, LEAFHOPPERS, THRIPS, ROSE SCALE, PLUM CURCULIO and SPIDER MITES. Do not apply within 1 day of harvest.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, KALE, MUSTARD GREENS and TURRIPS: Use 40 lbs. per acre to control APHIDS, IMPORTED CABBAGE WORM, CABBAGE LOPPER and LEAFHOPPERS. Do not apply within 3 days of harvest on Broccoli or Turrrips and within 7 days on Brussels Sprouts, Cabbage, Cauliflower, Kale or Mustard Greens.

CUCUMBER, MELONS, PUMPKINS and SQUASH (Summer & Winter): Use 40 lbs. per acre to control APHIDS, PICKLEWORM, LEAFHOPPERS and SPIDER MITES. Do not apply within 1 day of harvest on Cucumber, Melons or Squash, and within 3 days on Pumpkins.

COTTON: Use 40 lbs. per acre to control APHID, LEAFHOPPERS, WHITEFLIES, BROWN COTTON LEAFWORM, COTTON LEAF PERFORATOR, THRIPS, LYGUS BUGS and SPIDER MITES. To time limitation.

GRAPE: Use 40 lbs. per acre to control LEAFHOPPERS, MEALYBUG and SPIDER MITES. Do not apply within 3 days of harvest.

ACCEPTED

FEB - 11968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND REPELLENT ACT

ACCEPTED WITH COMMENTS