

USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS OF WATER PER ACRE.

GROUND APPLICATION — Vegetable and Field Crops—30 to 250 gals. Cotton—3 to 20 gals. Deciduous Fruit Crops—60 to 800 gals. (On Young Fruit Plantings—Use a minimum of 15 gals. water per acre.)

AIR APPLICATION — 3 to 10 gallons.

DIRECTIONS FOR USE:

APPLES: Use 12 pints per acre to control CODLING MOTH, FRUIT TREE LEAFROLLER, PEAR PSYLLA, PLUM CURCULIO, RED SPIDER, EUROPEAN RED, PACIFIC, TWO-SPOTTED, and WILLAMETTE MITES. Do not apply later than 21 days before harvest.

BEANS (Dry or Green), COTTON & TOMATOES: Use 2½ pints per acre to control MEXICAN BEAN BEETLE, ARMYWORMS (beet, southern and yellow striped), TOMATO FRUITWORM or COTTON BOLLWORM, RAPID and TARNISHED PLANT BUG, DARKLING GROUND BEETLE, SUGAR BEET WEBWORM, COTTON FLEAHOPPER, COTTON LEAFWORM, COTTON LEAF PERFORATOR, COTTON BOLL WEEVIL, PINK BOLLWORM, THRIPS, SERPENTINE LEAF MINER, POTATO APHID, RUSSET MITE, TWO-SPOTTED MITE. Do not apply later than 5 days on Cotton, 21 days on beans and 21 days on tomatoes before harvest. Workers entering fields within 24 hours after application should wear protective clothing.

CORN: Use 2/3 pint per acre to control EUROPEAN CORN BORER. Do not apply later than 14 days before harvest.

GRAPES: Use 2 pints per acre to control GRAPE LEAF HOPPER, PACIFIC, TWO-SPOTTED and WILLAMETTE MITES. Do not apply later than 21 days before harvest.

DANGER: Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Keep out of reach of children and domestic animals. Do not contaminate food or feed products. Keep away from heat and open flame. To prevent reuse, empty containers to be decontaminated and destroyed. Decontaminate by washing thoroughly with a strong solution of alkali and detergent and rinse with water. Dispose of wastes by burying in non-croplands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

red-top

TRION 6 SPRAY

ACTIVE INGREDIENTS:

EPN*	31%
O, O-Dimethyl O-p-nitrophenyl Phosphorothioate	31%
Xylene	33%

INERT INGREDIENTS

* O-Ethyl O-p-nitrophenyl phenylphosphonothioate	5%
	100%

Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon.

EPN U. S. Pat 2,503,390

EPA Reg. No. 2935-349-AA

DANGER: KEEP OUT OF REACH OF CHILDREN!



POISON

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION & EPN POISONING.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Wear clean, natural rubber gloves; clean, waterproof clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Methyl Parathion and EPN protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

See antidote statement and other precautions on the side panels.
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.



WILBUR-ELLIS COMPANY



FRESNO • LOS ANGELES • GLENDALE, ARIZ. • PORTLAND • SEATTLE

ACCEPTED WITH COMMENTS

red-top

TRION 6 SPRAY

ACTIVE INGREDIENTS:

EPN*	31%
O, O-Dimethyl O-p-nitrophenyl Phosphorothioate	31%
Xylene	33%
INERT INGREDIENTS	5%

* O-Ethyl O-p-nitrophenyl phenylphosphonothioate

100%

Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon.

EPN U. S. Pat 2,503,390

EPA Reg. No. 2935-349-AA

DANGER: KEEP OUT OF REACH OF CHILDREN!



POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION & EPN POISONING.

POISON Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Wear clean, natural rubber gloves; clean, waterproof clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Methyl Parathion and EPN protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

See antidote statement and other precautions on the side panels.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

WILBUR-ELLIS COMPANY
FRESNO • LOS ANGELES • GLENDALE, ARIZ. • PORTLAND • SEATTLE

DANGER:

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION AND EPN POISONING.

Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Internal: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Have victim lie down and keep quiet.

External: If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion and EPN, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

NOTICE: The statements made on this label, are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, express or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

F-374 EPA Est. 2935 CA-1