



**ORGANOPHOSPHORUS PESTICIDE,
LIQUID, N.O.S., UN 2783**

4200
4000

MAR 22 1984
U.S. Dept. of Commerce
Act
Pesticide
Reg. No.
2783 373

213 511

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to Methyl Parathion and EPN poisoning. Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into eyes, immediately flush with water for at least 10 minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

ANTIDOTE: Atropine is the emergency antidote for Methyl Parathion and EPN poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

For aerial applications, flagging must be by fully automated mechanical means or by humans working in totally enclosed vehicles.

PROTECTIVE CLOTHING REQUIRED

Wear clean protective clothing, goggles, and respirator approved by NIOSH or the American National Standards Institute when applying or handling, or when reentering fields within (at least 48) hours of treatment. The following protective clothing must be worn: lightweight, unlined, natural rubber gloves at least midforearm in length; a wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a nonpermeable, non-cloth material covering the body from ankles to wrists; lightweight, unlined, natural rubber boots at least midcalf in length; full-face respirators are recommended; half-face respirators and goggles are required. Aerial applicators in positive pressure cockpits and other applicators in comparable ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

RE-ENTRY STATEMENT

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral

warnings should specify protective clothing (see below), areas or fields that cannot be entered without this clothing, period of time area is to be vacated, and statement of practical treatment (see following) in case of exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Warnings must include the following information: "Danger. Area treated with EPN and Methyl Parathion on (date of application). Do not enter without appropriate protective clothing for 48 hours. (Insert here action to take in case of accidental exposure - see following.)"

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not apply to water drainage areas where run-off or flooding will contaminate ponds, lakes, or streams. Do not contaminate water by cleaning of equipment, or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal.
- 2. PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or The Hazardous Waste representative at the nearest EPA Regional office for guidance.
- 3. CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
- 4. GENERAL:** Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing, or pouring this product. Do not use, pour, spill or store near heat or open flame.

RES

For retail sale to an
their direct supervisor
Applicator's certificate

TRIO

ACTIVE INGREDIENTS:
EPN*
O, O-Dimethyl O-p-nitro
Xylene Range Aromatic
INERT INGREDIENTS
* O-Ethyl O-p-nitrophenyl ph
Contains 3 l
EPN U. S. Pat. 2,503,390

KEEP

**DANGER
PELIGR**

FIRST AID TREATMENT

IF SWALLOWED: Call
glasses of water and
or, if available, by
or give anything by
EXTERNAL: If the mater
the vicinity of the Methy
skin with soap and run
with running water for
CALL A PHYSICIAN
See Side Panels

191 E. SHA

BEST DOCUMENT AVAILABLE

v), areas or fields that
 (time area is to be va-
 wing) in case of expo-
 e given in a language
 ust be given if there is
 derstood by workers.
 Danger. Area treated
 n). Do not enter with-
 here action to take

ectly to water. Do not
 treated. Do not apply
 il contaminate ponds,
 ring of equipment, or
 application rates rec-
 e important resources.
 tment or residues on
 or allow it to drift to
 tment area.

anner inconsistent with

eed by storage or
 azardous. Improper
 re is a violation of
 f by use according
 vironmental Control
 f the nearest EPA

Then offer for re-
 in a sanitary land-
 cal authorities.
 o sealed. Store in
 enning, closing, or
 near heat or open

RESTRICTED USE PESTICIDE:
 For retail sale to and use only by Certified Applicators or persons under
 their direct supervision and only for those uses covered by the Certified
 Applicator's certification.

**RED-TOP
 TRION 6 SPRAY**

ACTIVE INGREDIENTS:

EPN ^o	31%
O, O-Dimethyl O-p-nitrophenyl Phosphorothioate	31%
Xylene Range Aromatic Solvent	33%
INERT INGREDIENTS	5%
* O-Ethyl O-p-nitrophenyl phenylphosphonothioate	100%

Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon.
 EPN U. S. Pat. 2,503,390 EPA Reg. No. 2'35 349-AA EPA Est. No. 33691-AZ-1

KEEP OUT OF REACH OF CHILDREN!
DANGER  **POISON**
PELIGRO

FIRST AID TREATMENT
IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2
 glasses of water and induce vomiting by touching back of throat with finger,
 or, if available, by administering syrup of Ipecac. Do not induce vomiting
 or give anything by mouth to an unconscious person.
EXTERNAL: If the material has been spilled on the skin, immediately remove patient from
 the vicinity of the Methyl Parathion and EPN, remove all contaminated clothing, and wash
 skin with soap and running water. If the material gets into the eyes, wash immediately
 with running water for at least ten minutes.
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING
See Side Panels for Antidote and Additional Precautions
 NET CONTENTS 5 GALLONS



191 E. SHAW AVENUE, SUITE 107, PESNO, CA 93704

DIRECTIONS FOR USE (Continued)

Do not apply this product when weather conditions favor drift from treated areas.
USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS OF WATER PER ACRE:
GROUND APPLICATION -- Vegetable and Field Crops: 30 to 250 gals. Cottons:
 3 to 20 gals. Deciduous Fruit Crops: 60 to 800 gals. (On Young Fruit Plant-
 ings: Use a minimum of 15 gals. water per acre.)
AIR APPLICATION: 3 to 10 gallons.

RECOMMENDATIONS FOR USE

APPLES: Use 12 pints per acre to control CODLING MOTH, FRUIT TREE LEAF
 ROLLER, PEAR PSYLLA, PLUM CURCULIO, RED SPIDER, EUROPEAN RED, PA-
 CIFIC, TWO-SPOTTED, and WILLAMETTE MITES. Do not apply later than
 21 days before harvest. Do not apply when trees or a substantial number
 of weeds in the orchard are in bloom.
BEANS (Dry or Green), COTTON & TOMATOES: Use 2 1/2 pints per acre to control
 MEXICAN BEAN BEETLE, ARMYWORMS (beet, southern and yellow striped),
 TOMATO FRUITWORM or COTTON BOLLWORM, RAPID and TARNISHED
 PLANT BUG, DARKLING GROUND BEETLE, SUGAR BEET WEBWORM, COTTON
 FLEAHOPPER, COTTON LEAFWORM, COTTON LEAF PERFORATOR, COTTON
 BOLL WEEVIL, PINK BOLLWORM, THRIPS, SERPENTINE LEAF MINER, POTATO
 APHID, RUSSET MITE, TWO-SPOTTED MITE. Do not apply later than 7 days
 on cotton, 21 days on beans and 21 days on tomatoes before harvest.
 Workers entering fields within 24 hours after application should wear pro-
 tective clothing. Do not apply to blooming cotton if bees are visiting the
 treatment area.
CORN: Use 1/2 pint per acre to control EUROPEAN CORN BORER. Do not apply
 later than 14 days before harvest. Do not apply to corn during the pollen-
 shed period if bees are visiting the treatment area.
GRAPES: Use 2 pints per acre to control GRAPE LEAF HOPPER, PACIFIC, TWO-
 SPOTTED and WILLAMETTE MITES. Do not apply later than 21 days before
 harvest.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use
 which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or rep-
 resentative to make any warranty or representation, express or implied, concerning this material or the
 use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the
 user shall be responsible in any manner for any personal injury or property damage or loss resulting to the
 buyer or to the user, arising from handling, storage or use of this material, nor to conditions with directions. The
 buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this
 material in these conditions.

In Case of Emergency, Call CHEMTREC 800/424-9300

F-1083

BEST DOCUMENT AVAILABLE

BLE

MAR 22 1984

Terry Miller
Wibur-Elle Company
191 West Shaw Ave.
Suite 107
Fresno, CA 93704-2875

Dear Mr. Miller:

Subject: Red Top, Trion 6 Spray
EPA Registration No. 2935-349
Your Letter Dated December 30, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD:DCR-28490:Ellenberger:tar:Raven:557-2226:RD-10:3/22/84:Del.4/11/84

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							