

BEST AVAILABLE COPY

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS - DANGER: Irritates if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Contact with eyes, in skin or clothing. Wear a mask or respirator of a type suitable for protection against phosphamidon liquid. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and hot water. Avoid contact with unprotected persons, soil, or operating areas or vicinity where there may be danger of drift.

ANTIDOTE: If swallowed - Drink 2-3 glasses of water and induce vomiting by touching back of throat with finger. If contact with eyes - Flush with plenty of water. If on skin - Remove contaminated clothing and immediately wash skin with soap and water. Get medical attention. If in eye - Flush eyes with plenty of water. Get medical attention. If inhaled - Move to fresh air. Get medical attention.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product is toxic to wildlife. Birds feeding in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CHEMICAL AND PHYSICAL HAZARDS

Inflammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with this labeling.

RE-ENTRY STATEMENT

Do not re-enter treated areas until dust or residue has settled. If you have been in a treated area, you may require protective clothing. Do not re-enter treated areas until dust or residue has settled. Do not re-enter treated areas until dust or residue has settled.

Written or printed warnings must be given to workers who are expected to be in a treated area in an area about to be treated with this product. Oral warnings must be given, protective clothing (see above), areas of fields that cannot be entered without the protective clothing, and the area to be vacated and the amount of practical treatment (see above) in case of exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given in a language that all workers can understand. Danger: Area treated with Phosphamidon on (Date of application) must be vacated until (Time) after (Time) of day. Do not re-enter until (Time) after (Time) of day. In case of accidental exposure, see above.

RESTRICTED USE PESTICIDE
For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



Phosphamidon 8 spray (INSECTICIDE)

Table with 2 columns: Ingredient Name and Percentage. Includes Phosphamidon (74.5%), Related Compounds (3.5%), and Inert Ingredients (22.0%). Total 100.0%. EPA Reg. No. 2935-359.

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO POISON



PRECAUCION AL USUARIO: Mantener fuera del alcance de los niños. Este producto es altamente tóxico para los niños. Mantener fuera del alcance de los niños.

DO NOT RE-ENTER TREATED AREA UNTIL DUST OR RESIDUE HAS SETTLED. SEE ADDITIONAL WARNINGS AND STATEMENTS ON SIDE PANEL.



Phosphamidon 8 spray (INSECTICIDE)

CONDITIONS FOR USE (cont.)
DO NOT RE-ENTER TREATED AREA UNTIL DUST OR RESIDUE HAS SETTLED.

STORAGE AND DISPOSAL
1. Prohibited: Do not use in areas where it may be hazardous to the environment.
2. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinse is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
3. Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
4. Storage: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring. Store in a cool, dry place.

Do not use this product through any type of irrigation system.

Contains phosphamidon manufactured by The Geigy Corp.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with the labeling. The buyer assumes all risk and liability resulting from improper handling, storage or use and agrees to hold the material on these conditions.

ACCEPTED
JAN 1984

NET CONTENTS: 2 GALLONS LIQUID

KEEP OUT OF REACH OF CHILDREN

**DANGER**  
**PELIGRO**



**POISON**

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

DO NOT INHALE — DO NOT GET ON SKIN  
DO NOT TAKE INTERNALLY  
SEE CONTAINER LABEL FOR ADDITIONAL PRECAUTIONS

### DIRECTIONS FOR USE

#### RECOMMENDATIONS FOR USE

USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS WATER PER ACRE UNLESS OTHERWISE NOTED:

GROUND APPLICATION — Vegetable and Field Crops: 30 to 250 gals. Deciduous Fruit Crops: 60 to 800 gals. Citrus: 400 to 3,000 gals. (On Young Fruit Plantings: Use a minimum of 15 gals. water per acre.)

AIR APPLICATION — Vegetable and Field Crops: 3 to 10 gals. Orchard Crops: 10 to 20 gals.

APPLES (Non-Bearing Only): Leafhoppers, Green and Rosy Apple Aphids — 1/2 pt. per acre in 100 gals. of water. Repeat at 14-21 day intervals. PRECAUTION: Do not direct spray or allow spray to drift onto pear, stonefruit or bearing apple trees. Do not apply to non-bearing apple trees, if they are under moisture stress.

POTATOES: Aphids, Colorado Potato Beetles, Leafhoppers, Leafminers, Flea Beetles, Stinkbugs — 1/2 pt. per acre in water to cover by ground application (1 to 5 gals. by air). Repeat as necessary. Do not apply within 14 days of harvest.

WALNUTS: Aphids, Codling Moth — 1 pt. per acre (Ground — 400 gals. water. Air — 10 to 20 gals. water). Walnut Husk Fly — 1 pt. per acre (Ground — 200 to 300 gals. water. Air — 10 to 20 gals. water), applying after egg stings first occur in the husks. Do not use within 7 days of harvest.

COTTON (California and Arizona only): Early Season (two through ten leaf stage) — Aphids, Thrips, Fleahoppers, Spider Mites — 3 fl. oz. per acre with ground equipment. Spray directly on young plants in sufficient water to cover. Make first application at the second true leaf stage. Mid and Late Season — Lygus, Flea Beetles, Leafhoppers — 1/2 pt. per acre in water to cover, by ground or air. Aphids — 1/2 pt. per acre by ground or air. Air Application — Use in 1 to 5 gals. water per acre. Do not apply more than three sprays. Do not use within 30 days of harvest. Do not grade treated cotton bolls.

**Wilbur-Ellis**

*Ideas to grow with®*

**BEST AVAILABLE COPY**