




### DANGER—POISON—PRECAUTIONS



#### POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



#### POISONOUS BY SKIN CONTACT

If contact is touched by hands, it could be splashed on skin or in eyes. If clothing is wet, liquid goes through the fabric.



#### POISONOUS IF BREATHED

If inhaled, spray mist or dust may be fatal.

#### POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

#### WARNING — FLAMMABLE!

KEEP AWAY FROM HEAT OR OPEN FLAME

NOT FOR HOME USE

**Read Label**

# Ethyl-Methyl Parathion 6-3 Spray

#### Active Ingredients:

Parathion: O, O-diethyl O-p-nitrophenyl phosphorothioate      58.0%  
O, O-dimethyl O-p-nitrophenyl phosphorothioate      29.0%

#### Inert Ingredients:

13.0%

**READ LABEL BEFORE USING!**



See Side Panels  
for Antidote &  
Precautions

Keep Out of  
Reach of  
Children

ACCEPTED

# **hion 6-3 Spray**

**phosphorothioate  
brothioate**

**58.0%**  
**29.0%**  
**13.0%**

## **B E F O R E U S I N G !**

**Keep Out of  
Reach of  
Children**

**ACCEPTED**

### **USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

- (1) Wear water proof pants, coat, hat, rubber boots, or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

### **WORK SAFETY RULES**

Keep all unprotected persons and children away from treated areas or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given see First Aid Treatment Section, and if a doctor is available take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before making eating or drinking.

**AFTER WORK:** Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Protective clothing should be cleaned and disinfected as soon as practicable with household

### **NOTE TO PHYSICIAN**

Administer atropine sulfate in large doses. Two to FIVE mg intravenously or intramuscularly at a time, rapidly, overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued aspiration of the lungs may occur and fatal aspiration have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

### **POST TREATED AREA**

Contact your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

### **CROP USE DIRECTIONS**

See "Crop Use" on attached label booklet instructions.

### **CONTAINER DISPOSAL**

Empty containers should be washed three times with water and disposed of in accordance with local regulations.

Call toll-free 1-800-236-3604.



## ETHYL-METHYL PARATHION 6-3 SPRAY

### Directions For Use

#### ACTIVE INGREDIENTS:

Parathion*	58.0%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	29.0%

#### INERT INGREDIENTS:

O,O-diethyl O-p-nitrophenyl phosphorothioate	13.0%
(1 gallon contains 6 lbs. Parathion and 3 lbs. Methyl Parathion.)	100.0%

EPA REG. NO. 2935-360 AA

## DANGER: KEEP OUT OF REACH OF CHILDREN!

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN.

THIS MATERIAL IS ABSORBED RAPIDLY THROUGH THE SKIN.

WARNING—FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME.

\*Parathion is a product of the organophosphorus class of insecticides. It is a colorless, crystalline, highly toxic compound which decomposes at 200° F. It is soluble in water, alcohol, ether, benzene, and carbon tetrachloride.

PARATHION IS A HIGHLY TOXIC PESTICIDE.

DO NOT USE ON FOOD CROPS OR IN GARDENS.

DO NOT USE ON HOUSEHOLD PLANTS.

DO NOT USE ON ANIMALS.

DO NOT USE ON HUMANS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.

DO NOT USE ON PLANTS WHICH ARE EATEN BY HUMANS AND ANIMALS.