



WITH PCNB 6.5% SOIL FUNGICIDE GRANULAR

DIRECTIONS FOR USE:

Do not use this product for any uses other than those specified on this label.

For the control of early season insects (Mites, Thrips, Aphids), and Rhizoctonia (damping-off, seed and seedling rots) on COTTON, apply THIMET 6.5 PCNB 6.5 Granular at the rate of 15 lbs. per acre in the furrow at planting time. This dosage based on 38 inch row spacing. Do not apply within 28 days of harvest. Do not apply more than twice per season. Allow a minimum of 21 days between applications.

DANGER!

POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING.

DO NOT GET IN EYES, ON SKIN, ON CLOTHING. Wear freshly laundered, long-sleeved work clothing and rubber gloves while transferring from package to equipment. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently. Wear a mask or respirator effective for protection against phosphate insecticides.

Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before reuse.

DO NOT BREATHE DUST. While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

DO NOT CONTAMINATE FOOD OR FEED PRODUCTS. Remove unprotected persons and domestic animals from operating and adjacent areas where this product may drift; prohibit re-entry until drift and vapor dissipate.

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field. Destroy empty bags and cartons by burning. Stay away from smoke and fumes.

ACTIVE INGREDIENTS:

Phorate (O,O-diethyl S - [(ethylthio)methyl] phosphorodithioate	6.5%
Pentachloronitrobenzene	6.5%

INERT INGREDIENTS 87.0%

USDA Reg. No. 2935-361



DANGER!

Keep Out Of Reach Of Children

ANTIDOTE: Atropine and 2-pam are antidotes. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take Atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken Atropine must be seen by a physician as soon as possible.

FIRST AID: If Swallowed, induce vomiting by sticking finger down throat or by giving soapy or strong saltry water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person.

If inhaled, remove to fresh air. If breathing is difficult, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

In Case Of Contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing clothing and shoes. Wash clothing before reuse.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING!

NOTE TO PHYSICIANS: Warning symptoms include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Birds feeding on treated areas may be killed.

Not for use or storage in or around the home.

Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

@Reg. Trademark of American Cyanamid Company

ACCEPTED
 Oct-14-1971
 2935
 361