

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

Wilbur-Ellis

METHYL PARATHION 5 SPRAY

ACTIVE INGREDIENTS: O, O-Dimethyl-O-p-nitrophenyl Phosphorothioate 54.5%
 By Weight
 INERT INGREDIENTS* 45.5%
 *Includes Xylene...40.5% 100.0%
 EPA Reg. No. 2935-363-AA EPA Est 33691-AZ-1

KEEP OUT OF REACH OF CHILDREN

**DANGER
PELIGRO**



POISON

**OBSERVE PRECAUTIONS ON SAFETY LABEL
NOT FOR USE OR STORAGE IN OR AROUND THE HOME**

ENDANGERED SPECIES RESTRICTIONS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal laws. The use of this product is controlled to prevent death or harm to endangered or threatened species that occur in the following counties or elsewhere in their range.

Before using this pesticide in the following counties you must obtain the EPA Cropland Endangered Species Bulletin. The use of this pesticide is prohibited in these counties unless specified otherwise in the Bulletin. The EPA Bulletin is available from either: your County Agricultural Extension Agent, the Endangered Species Specialist in your State Wildlife Agency Headquarters or the appropriate Regional Office of either the U.S. Fish and Wildlife Service (FWS) or the U.S. Environmental Protection Agency. **THIS BULLETIN MUST BE REVIEWED PRIOR TO PESTICIDE USE.**

IF USED ON CROPS:

STATE (Regional Office FWS) Species	COUNTY
CALIFORNIA (Portland, OR) Aleutian Canada goose Blunt-nosed leopard lizard Delta green ground beetle Kern primrose sphinx moth Santa Cruz long-toed salamander Valley elderberry longhorn beetle	Colusa, Merced, Sutter, Stanislaus Fresno, Kern, Kings, Madera, Merced, Monterey, San Luis Obispo, Santa Barbara, Stanislaus, Tulare Solano Kern Monterey, Santa Cruz Merced, Sacramento
FLORIDA (Atlanta, GA) Everglade kite	Dade, Glades, Palm Beach, Broward
TEXAS (Albuquerque, NM) Attwater's greater prairie chicken Houston toad San Marcos salamander Texas blind salamander	Arkansas, Austin, Colorado, Fort Bend, Goliad, Refugio, Victoria Bastrop, Burleson Hays Hays

IF USED ON PASTURE:

STATE (Regional Office FWS/EPA) Species	COUNTY (unless specified otherwise)
ARIZONA (Albuquerque, NM/San Francisco, CA) Masked bobwhite	Pima, Santa Cruz
CALIFORNIA (Portland, OR/San Francisco, CA) Santa Cruz long-toed salamander Delta Green ground beetle Valley elderberry longhorn beetle Kern Primrose sphinx moth Aleutian Canada goose California condor Blunt-nosed leopard lizard	Santa Cruz, Monterey Solano Merced Kern Colusa, Merced, San Joaquin, Stanislaus Monterey, San Benito, San Luis Obispo, Kings, Tulare, Kern, Santa Barbara, Ven- tura, Los Angeles, Fresno Kern, Kings, Fresno, Madera, Merced, Monterey, San Luis Obispo, Santa Barbara, Stanislaus, Tulare

ACCIDENT
 DEC 10 1987
 U.S. Fish and Wildlife Service
 EPA Reg. No. 2935-363

2/6

ENDANGERED SPECIES (cont.)

STATE (Regional Office FWS) Species	COUNTY
FLORIDA (Atlanta, GA) Eastern indigo snake	Statewide
GEORGIA (Atlanta, GA) Eastern indigo snake	S. E. Georgia
HAWAII (Portland, OR/Seattle, WA) Hawaiian goose	Islands of Maui and Hawaii
IDAHO (Portland, OR/Seattle, WA) Whooping crane	Caribou, Bear Lake and Bonneville
MISSISSIPPI (Atlanta, GA) Mississippi sandhill crane	Jackson
NEW MEXICO (Albuquerque, NM/Dallas, TX) Socorro isopod New Mexican ridge-nosed rattlesnake	Socorro Hidalgo
TEXAS (Albuquerque, NM/Dallas, TX) San Marcos salamander Houston toad	Hays Bastrop, Burleson
UTAH (Denver, CO) Desert tortoise	Washington
WYOMING (Denver, CO) Whooping Crane	Lincoln and Sublette

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS WATER PER ACRE UNLESS OTHERWISE NOTED:
GROUND APPLICATION: Vegetable and Field Crops: 30 to 250 gals. Cotton: 3 to 20 gals.
AIR APPLICATION: 3 to 10 gallons.
 Do not apply this product through any type of irrigation system.

RECOMMENDATIONS FOR USE:

ALFALFA and VETCH: Use 1/2 pint per acre to control SPOTTED ALFALFA APHIDS, APHIDS, ARMYWORMS (up to 3rd instar), LEAFHOPPERS and SPIDER MITES. Do not apply within 15 days of harvest or grazing. Do not apply if the crop or weeds in the treatment area are in bloom.
SEED ALFALFA: Use 1 quart per acre to control APHIDS, LYGUS BUGS and STIKE BUGS. Do not use crop residues for grazing or feed for livestock of any kind.
CARROTS, CELERY, PEAS and PEPPERS: Use 1/4 to 1 1/2 pints per acre to control APHIDS, ARMYWORMS (up to 3rd instar), FLEABEETLES, LEAFHOPPERS and SPIDER MITES. Use 1 1/2 pints per acre to control CABBAGE LOOPERS and PLANT BUGS. Do not apply within 15 days of harvest. Do not use treated carrot tops for food or feed.
BEANS, CABBAGE, CAULIFLOWER, BROCCOLI and BRUSSELS SPROUTS: Use 1 1/2 to 2 pints per acre to control APHIDS, ARMYWORMS (up to 3rd instar), FLEABEETLES and SPIDER MITES. Do not apply within 21 days of harvest. (May be applied within 15 days of harvest on dry beans.) Do not apply if the crop or weeds in the treatment area are in bloom.
BETS: Use 1 pint per acre to control APHIDS, ARMYWORMS (up to 3rd instar), FLEABEETLES, LEAFHOPPERS and SPIDER MITES. Do not apply within 15 days of harvest (21 days if tops are to be used for food).
COTTON: Use 3 to 4 1/2 pints per acre to control APHIDS, BOLL WEEVIL, COTTON LEAFWORM, FLEAHOPPER, THRIPS, COTTON LEAF PERFORATOR, ARMYWORMS (up to 3rd instar) and SPIDER MITES. Do not apply within 7 days of hand picking or harvest. Workers entering cotton fields within 24 hours after treatment should wear protective clothing.
GRAPES: Use 1 1/2 pints per acre to control GRAPE LEAF FOLDER, ORANGE TORTRIX, MEALY-BUG and RED SPIDER MITES. Use 125 to 250 gallons of water by ground and 5 to 10 gallons of water by air. Apply once per season. Do not apply within 14 days of harvest.
LETTUCE and SPINACH: Use 1 pint per acre to control APHIDS, ARMYWORMS (up to 3rd instar), IMPORTED CABBAGE WORM, FLEABEETLES, LEAFHOPPERS and SPIDER MITES. For CABBAGE LOOPER control use 1 1/2 pints per acre. Do not use within 21 days of harvest.
PASTURE (Not for use in California): Use 1/2 pint per acre to control EUROPEAN CRANE FLIES. Do not apply after grass growth is over 6" high. Do not apply within 15 days of pasturing or harvesting.
POTATOES: Use 1 1/2 pints per acre to control APHIDS, ARMYWORM (up to 3rd instar), FLEABEETLES, LEAFHOPPERS and SPIDER MITES. Do not apply within 5 days of harvest.
RICE: Use 1/2 to 1 pint per acre to control RICE LEAFMINER and TADPOLE SHRIMP. Hold water in check for 3 days after application. Do not apply within 15 days of harvest. Do not apply more than 1 pint per acre.
SMALL GRAINS (Barley, Oats, Rye and Wheat): Use 1 pint per acre to control APHIDS (Greenbug), ARMYWORMS (up to 3rd instar) and LEAFHOPPERS. Do not apply within 15 days of harvest.
SORGHUM (Milo) (California Only): Use 1 1/2 pints per acre to control GREENBUG. Leaf injury may occur on some sorghum varieties. Do not use wetting agent as more severe injury may occur. Do not apply within 21 days of harvest.
SUGAR BEETS: Use 1/2 pint per acre to control APHID, ARMYWORMS, WEBWORMS and FLEABEETLES. Do not apply within 20 days of harvest or within 60 days of harvest if tops are to be fed to livestock.
SUNFLOWERS (Not for use in California): Use 1-2 pints per acre to control STEM WEEVILS, SEED WEEVILS and SUNFLOWER BEETLES. Repeat application 2-3 times at 5-day intervals if needed. Start first application at set of flowering or before 10% of plants begin to flower.
TOMATOES: Use 1 quart per acre to control APHID, ARMYWORMS and CABBAGE LOOPERS. Do not use within 15 days of harvest.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if Swallowed, Inhaled or Absorbed Through Skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to Methyl Parathion poisoning. See Antidote Statement and Other Warnings on Side Panel.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Wear clean, natural rubber gloves; clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least 15 minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

STATEMENT OF PRACTICAL TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1110C grain atropine tablets for emergency use. "2-Pam" is also an antidote for Methyl Parathion and may be administered in conjunction with Atropine.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by lancing back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to aquatic invertebrates and wildlife. Birds in treated areas may be killed. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Shrimp or other aquatic organisms may be killed at recommended application rates. Do not contaminate water by cleaning of equipment or disposal of wastes.

MPSS-6

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

Wilbur-Ellis

METHYL PARATHION 5 SPRAY

ACTIVE INGREDIENTS:	By Weight
O, O-Dimethyl-O-p-nitrophenyl Phosphorothioate	54.5%
INERT INGREDIENTS*	45.5%
*Includes Xylene...40.5%	100.0%
EPA Reg. No. 2935-353-AA	EPA Est. 33691-AZ-1

KEEP OUT OF REACH OF CHILDREN

**DANGER
PELIGRO**



POISON

PRECAUTION ALIUSUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

See Side Panels for Antidote and Precautions

Wilbur-Ellis

P.O. Box 16458, Fresno, CA 93755

ENVIRONMENTAL HAZARDS

This product is highly toxic to bees on crops or weeds. Do not apply this product to crops or weeds during the treatment area.

CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE

ENVIRONMENTAL HAZARDS

See attached label regarding precautionary statements.

WORKING CONDITIONS

The National Pesticide Telecommunications Network provides information regarding poisoning management. Call 1-800-858-7373 for more information. Telecommunication Network is 1-800-858-7373.

If handled indoors, provide mechanical ventilation. Avoid breathing vapors. Children, pregnant women, and pets should be kept out of treated areas. Do not rub eyes or mouth with hands. Wash hands thoroughly with soap and water. See First Aid (Practical Treatment) for more information.

HANDLE THE CONCENTRATE OR EQUIPMENT DURING MIXING/LOADING OF APPLICATION EQUIPMENT, DRIFT INTO TREATED AREAS: Protective clothing and equipment that covers all parts of the body, eye resistant gloves, chemical resistant boots or shoes. Wear goggles or a face shield. The National Institute for Occupational Safety and Health (NIOSH) CFR part II.

USE ONLY WHEN WEARING THE PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING OF APPLICATION EQUIPMENT, DRIFT INTO TREATED AREAS: Protective body except the head, hands and feet. Shoes for chemical resistant shoe covers (or chemical resistant shoe covers) hood or wide brimmed hat.

IF MIXING/LOADING IS PERFORMED IN A CLOSED SYSTEM: LONG SLEEVE SHIRT; LONG LEG PANTS; RESISTANT APRON; SHOES AND SOCKS. If the system is under pressure, all other protective equipment must be available.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt and long-legged pants/shoes and socks. Chemical-resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, untreated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER — THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face and arms with soap and water before smoking, eating, drinking or toileting.

AFTER WORK: Before removing gloves, wash them with soap and water. Take off work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job — do not wear contaminated clothing. Personal clothing worn during work must be stored and laundered separately from protective clothing and household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Protective clothing and protective equipment heavily contaminated or drenched with methyl parathion must be destroyed according to state and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED. DURING AERIAL APPLICATION, HUMAN FLAGGERS ARE PROHIBITED.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons.

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn. Because certain states may require more restricted re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Reentry into treated fields is prohibited for 48 hours after application, unless all protective clothing and equipment required for early reentry as described elsewhere on the label are worn.

Written or oral warnings must be given to workers who are expected to be in an area about to be treated with this product. Oral warnings should specify protective clothing (see left), areas or fields that cannot be entered without this clothing, period of time area is to be vacated, and statement of practical treatment (see left) in case of exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Warnings must include the following information: "Danger: Area treated with Methyl Parathion (date of application). Do not enter without appropriate protective clothing for 48 hours. (Insert here actions to take in case of accidental exposure — see left)"

STORAGE AND DISPOSAL

1. Prohibitions: Do not contaminate water, food or feed by storage or disposal.
2. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
3. Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
4. Storage: Store in original container only and keep sealed. Store in closed storage areas. Keep away from heat and open flames. Use caution when moving, opening, closing or pouring. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

CROP USE DIRECTIONS: Use only according to attached labeling.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to any other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

BOLDER

IN CASE OF EMERGENCY, CALL CHEMTREC: (209) 424-9300



ACCEPTED

DEC 1 0 1987

BOLDER LINES

Unit
Fus
EPA Reg. No. 2935-363

METHYL PARATHION MIXTURE, LIQUID

NA 2783

LARGER & BOLDER

RED-TOP METHYL PARATHION 5 SPRAY

EPA Reg. No. 2935-363-AA

SEED ALFALFA: Use 1 quart per acre by air or ground in sufficient water to provide thorough coverage to control Aphid, Lygus Bug and Stink Bug. Crop residues cannot be grazed or used as feed for livestock of any type. Do not apply more than 1 quart per acre.

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.


RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

EPA Ac. No. 2935-6672


January 31, 1983



No. 37 B

191 West Shaw Avenue, Suite 107
Fresno, CA 93704-2876
(209) 228-1934

5/6



W
E Agricultural Chemical Division of
WILBUR-ELLIS COMPANY
Agricultural Services Corporate Office

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY IN CALIFORNIA

RED-TOP METHYL PARATHION 5 SPRAY

EPA Reg. No. 2935-363-AA

GRAPES: Use 1 1/5 pints per acre in 125 to 250 gallons of water by ground to control Grape Leaf Folder, Orange Tortrix, Mealybug, and Red Spider Mites. Do not apply within 14 days of harvest. For air application, use 5 to 10 gallons of water per acre. Do not apply more than 1 1/5 pints per acre.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

RESTRICTED USE PESTICIDE
Due to very high acute toxicity to Humans and Birds
For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

EPA Ac. No. 2935-6672

January 31, 1983

AC
DEC 1 0 1987

2935-363

No. 35

6/10



WEE Agricultural Chemical Division of
WILBUR-ELLIS COMPANY
Agricultural Services Corporate Office

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY IN CALIFORNIA

RED-TOP METHYL PARATHION 5 SPRAY

EPA Reg. No. 2935-363-AA

RICE: Use 1/3 to 1 pint per acre in 5 to 10 gallons of water by air application to control Rice Leafminer and Tadpole Shrimp. Hold water in check for 3 days after application. Do not apply within 15 days of harvest. Do not apply more than 1 pint per acre.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

RESTRICTED USE PESTICIDE
Due to very high acute toxicity to Humans and Birds
For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

EPA Ac. No. 2935-6672

January 31, 1983

ACCEPTED
DEC 1 0 1987
2935-363

No. 36 B