

PM 19

2935-363

10/11

STATEMENTS

DOMESTIC ANIMALS

ed or Absorbed Through Skin. Inhalation or skin contact may, susceptibility to Methyl Parathion or Warnings on Side Panel.

clothing. Do not breathe vapors or

two available for recommenda- tions, treatment, and other informa- tion. The toll free number for the National 1-858-7378.

st ventilation. Keep all unprotected treated area or where there is dan- ger. If you feel sick in any way, STOP (First Aid Treatment) section.

EQUIPMENT

this product are listed below. If you category F on an EPA Chemical

overalls over long sleeved shirt and as Barrier Laminate, Butyl Rubber, footwear plus socks; D) Protective overhead exposure; F) Chemical- ing or loading; G) Dust/mist filtering C).

the have been drenched or heavily do not reuse them. Follow manufac- turer's instructions for wash- ing. Wash PPE separately from other

n handlers use closed systems, meets the requirements listed in the Federal pesticides (40 CFR 170.240 (d) labeled or modified as specified in the

RECOMMENDATIONS

inking, chewing gum, using tobacco immediately if pesticide gets inside. Then 2) Remove PPE immediately after activities before removing. As soon as from clothing.

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this prod- uct is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.



METHYL PARATHION 5 SPRAY
ORGANOPHOSPHATE

ACTIVE INGREDIENTS:	By Weight
O, O-Dimethyl-O-p-nitrophenyl Phosphorothioate	52.9%
Related Compounds	1.6%
INERT INGREDIENTS*	45.5%
*Contains xylene range aromatic solvent.	100.0%

EPA Reg. No. 2935-363-AA

EPA Est. 39578-TX-1

KEEP OUT OF REACH OF CHILDREN

DANGER
PELIGRO



POISON

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1 grain atropine tablets for emergency use. "2-Pam" is also an antidote for Methyl Parathion and may be administered in conjunction with Atropine.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

IF IN EYES: Wash immediately with running water for at least 10 minutes.


IF ON SKIN: If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion and wash skin with soap and running water.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

See Side Panels for Antidote and Precautions

NET CONTENTS: 5 GALLONS

WILBUR-ELLIS Company • P.O. Box 16458, Fresno, CA 93755



20/7/95

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if Swallowed, Inhaled or Absorbed Through Skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to Methyl Parathion poisoning. See Antidote Statement and Other Warnings on Side Panel.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist.

The National Pesticide Telecommunication Network is available for recommendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of methyl parathion. The toll free number for the National Pesticide Telecommunication Network is 1-800-858-7378.

If handled indoors, provide mechanical exhaust ventilation. Keep all unprotected persons, children, livestock and pets away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See First Aid (Practical Treatment) section.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category F on an EPA Chemical resistance category selection chart.

Applicators and other handlers must wear: A) Coveralls over long sleeved shirt and long pants; B) Chemical-resistant gloves such as Barrier Lamine, Butyl Rubber, Nitrile Rubber, or Viton; C) Chemical-resistant footwear plus socks; D) Protective eyewear; E) Chemical-resistant headgear for overhead exposure; F) Chemical-resistant apron when cleaning equipment, mixing or loading; G) Dust/mist filtering respirator (MSHA/NIOSH approval prefix TC-21C).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls Statements: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240 (d) 4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should: A) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. B) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. C) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

For retail only for the product is defective repair and all person

ME

ACTIVE INGREDIENTS: O, O-Dimethyl P, Parathion Methyl
INERT INGREDIENTS: *Contains
EPA Reg.

Should not be used in residential areas

ATROPINE: If you experience symptoms of atropine poisoning (dry mouth, blurred vision, etc.), call your physician immediately.
IF SWALLOWED: Induce vomiting with ipecac.
IF INHALED: Move to fresh air.
IF IN EYES: Flush with water.
IF ON SKIN: Wash with soap and water.
CALL A POISON CENTER OR YOUR PHYSICIAN.

NET CC
WIL

5047



PESTICIDE

Humans and Birds
persons under their direct supervision and certification. Direct supervision for this product present during application, mixing, loading, and certified applicators must also ensure that precautionary statements.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to aquatic invertebrates and wildlife. Birds in treated areas may be killed. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Shrimp or other aquatic organisms may be killed at recommended application rates. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

CHEMICAL AND PHYSICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: A) Coveralls over long sleeved shirt and long pants; B) Chemical-resistant gloves such as Barrier Laminate, Butyl Rubber, or Nitrile Rubber; C) Chemical-resistant footwear plus socks; D) Protective eyewear; E) Chemical-resistant headgear for overhead exposure.

Notify workers of the application by warning them orally and by posting signs at entrances to treated areas.

1. Prohibit sale of these products in areas where they are not registered.
2. Pesticide labels must be in English and Spanish.
3. Containers must be properly labeled and stored.
4. Storage and disposal must be in accordance with the label.

**ION 5 SPRAY
PHOSPHATE**

.....	By Weight
.....	52.9%
.....	1.6%
.....	45.5%
.....	100.0%

EPA Est 39578-TX-1

**CHILDREN
POISON**

que se la explique a usted en detalle. (If you you in detail.)

AL TREATMENT

ETHYL PARATHION POISONING. Consult grain atropine tablets for emergency use. "2-3 administered in conjunction with Atropine.

Center. Drink 1 or 2 glasses of water and, or, if available, by administering syrup of i to an unconscious person.

respiration if indicated. Get medical attention. least 10 minutes.

immediately remove patient from the vicinity ning water.

SUSPECTED POISONING.

and Precautions

CROP USE

NOTICE: Th of condition nor does it i tation, expt with the stal responsible buyer or to with directic age or use e

WILBUR-ELLI
WILBUR E

L

1/2/17

ENTAL HAZARDS

invertebrates and wildlife. Birds in treated areas later, to areas where surface water is present or water mark. Runoff and drift from target areas may occur in adjacent aquatic sites. Shrimp or other aquatic organisms may be affected at recommended application rates. Do not contaminate surface water or equipment washwaters.

Do not use this product to direct treatment or residues on blooming crops or allow it to drift to blooming crops or weeds.

PHYSICAL HAZARDS

DO NOT USE NEAR HEAT OR OPEN FLAME.

INSTRUCTIONS FOR USE

Do not use this product in a manner inconsistent with its labeling.

This product will contact workers or other persons, either directly or indirectly. If handlers may be in the area during application, read the label and if necessary, consult the agency responsible for the registration of this product.

USE REQUIREMENTS

This product is to be used in accordance with its labeling and with the Worker Protection Standard (WPS) for Agricultural Pesticides, 29 CFR 170.101-170.119. This Standard contains requirements for pesticide use on farms, forests, nurseries, greenhouses, and other structures. It contains requirements for training, decontamination, and assistance. It also contains specific information on this label about personal protective equipment, restricted-entry interval, and other uses of this product that are covered by the WPS.

Do not enter treated areas during the restricted entry interval.

Do not enter treated areas that is permitted under the Worker Protection Standard (WPS) for Agricultural Pesticides, 29 CFR 170.101-170.119. Coveralls over long sleeved shirt and long pants such as Barrier Laminate, Butyl Rubber, or other material; B) Protective footwear plus socks; D) Protective eyewear; and C) Protection from overhead exposure.

Warning them orally and by posting signs at the entrance to the treated area.

STORAGE AND DISPOSAL

- 1. Prohibitions:** Do not contaminate water, food or feed by storage or disposal.
- 2. Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.
- 3. Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
- 4. Storage:** Store in original container only and keep sealed. Store in closed storage areas. Keep away from heat and open flames. Use caution when moving, opening, closing or pouring. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

CROP USE DIRECTIONS: Use only according to attached labeling

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

WILBUR-ELLIS Logo® and IDEAS TO GROW WITH® are registered trademarks of WILBUR-ELLIS Company

ORC

AND DISPOSAL

water, food or feed by storage or disposal.

ites are acutely hazardous. Improper disposal, or rinsate is a violation of Federal law. If of by use according to label instructions, con- nmental Control Agency, or the Hazardous t EPA Regional Office for guidance.

ith large amounts of water. Decontaminate i with) concentrated solution of alkali and (or equivalent). Then offer for recycling or pose of in a sanitary landfill, or by other pro- al authorities.


r only and keep sealed. Store in closed stor- ind open flames. Use caution when moving. ntaminate areas and equipment by washing li and detergent and rinse with water.

ording to attached labeling.

l are believed to be true and accurate, but because control, WILBUR-ELLIS COMPANY does not make, ative to make, any warranty, guaranty or represen- is material or the use thereof, except in conformity LBUR-ELLIS COMPANY nor the seller shall be held il injury or property damage or loss resulting to the l, storage or use of this material, not in accordance and liability resulting from improper handling, stor- ial on these conditions.

WITH® are registered trademarks of

**IN CASE OF EMERGENCY,
CALL CHEMTREC: (800) 424-9300**



**ORGANOPHOSPHORUS PESTICIDE, LIQUID,
TOXIC, FLAMMABLE
(CONTAINS METHYL PARATHION &
XYLENE RANGE SOLVENT)
UN 3017**

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.



METHYL PARATHION 5 SPRAY

ORGANOPHOSPHATE

ACTIVE INGREDIENTS:	By Weight
O, O-Dimethyl O-p-nitrophenyl Phosphorothioate	52.9%
Related Compounds	1.6%
INERT INGREDIENTS*	45.5%
	100.0%

*Contains Xylene range aromatic Solvents.

EPA Reg. No. 2935-363-AA

EPA Est. 39578-TX-1

KEEP OUT OF REACH OF CHILDREN**DANGER
PELIGRO****POISON**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle (If you do not understand the label find someone to explain it to you in detail)

OBSERVE ALL PRECAUTIONS ON CONTAINER LABEL**NOT FOR USE OR STORAGE IN OR AROUND THE HOME**

Consult the State Agricultural Extension Service or Experiment Station for specific recommendations regarding application, dosage and timing of sprays. For application by ground equipment, add the desired amount of concentrate to sufficient water to apply at least 3 gallons of water per acre. For application by aircraft, add the amount of concentrate desired per acre to 1 to 3 gallons of water consistent with crop growth and good coverage.

Do not apply this product through any type of irrigation system.

RECOMMENDATIONS FOR USE:

ALFALFA and VETCH: Use 1/2 pint per acre to control SPOTTED ALFALFA APHIDS, APHIDS, ARMYWORMS (up to 3rd instar), LEAFHOPPERS and SPIDER MITES. Do not apply within 15 days of harvest or grazing. Do not apply if the crop or weeds in the treatment area are in bloom.

SEED ALFALFA: Use 1 quart per acre to control APHIDS, LYGUS BUGS and STINK BUGS. Do not use crop residues for grazing or food for livestock of any kind.

CARROTS, CELERY, and PEAS: Use 3/4 to 1-1/2 pints per acre to control APHIDS, ARMYWORMS (up to 3rd instar), FLEABEETLES, LEAFHOPPERS and SPIDER MITES. Use 1-1/2 pints per acre to control CABBAGE LOOPERS and PLANT BUGS. Do not apply within 15 days of

WILBUR-ELLIS LABELS — USE LABELS (METHYL PARATHION 5 SPRAY)

OBSERVE ALL PRECAUTIONS ON CONTAINER LABEL

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Consult the State Agricultural Extension Service or Experiment Station for specific recommendations regarding application, dosage and timing of sprays. For application by ground equipment, add the desired amount of concentrate to sufficient water to apply at least 3 gallons of water per acre. For application by aircraft, add the amount of concentrate desired per acre to 1 to 3 gallons of water consistent with crop growth and good coverage.

Do not apply this product through any type of irrigation system.

RECOMMENDATIONS FOR USE:

ALFALFA and VETCH: Use 1/2 pint per acre to control SPOTTED ALFALFA APHIDS, APHIDS, ARMYWORMS (up to 3rd instar), LEAFHOPPERS and SPIDER MITES. Do not apply within 15 days of harvest or grazing. Do not apply if the crop or weeds in the treatment area are in bloom.

SEED ALFALFA: Use 1 quart per acre to control APHIDS, LYGUS BUGS and STINK BUGS. Do not use crop residues for grazing or feed for livestock of any kind.

CARROTS, CELERY, and PEAS: Use 3/4 to 1-1/2 pints per acre to control APHIDS, ARMYWORMS (up to 3rd instar), FLEABEETLES, LEAFHOPPERS and SPIDER MITES. Use 1-1/2 pints per acre to control CABBAGE LOOPERS and PLANT BUGS. Do not apply within 15 days of harvest. Do not use treated carrot tops for food or feed.

BEANS, CABBAGE, CAULIFLOWER, BROCCOLI and BRUSSELS SPROUTS: Use 1-1/2 to 2 pints per acre to control APHIDS, ARMYWORMS (up to 3rd instar), FLEABEETLES and SPIDER MITES. Do not apply within 21 days of harvest. (May be applied within 15 days of harvest on dry beans.) Do not apply if the crop or weeds in the treatment area are in bloom.

BEETS: Use 1 pint per acre to control APHIDS, ARMYWORMS (up to 3rd instar), FLEABEETLES, LEAFHOPPERS and SPIDER MITES. Do not apply within 15 days of harvest (21 days if tops are to be used for food).

COTTON: Use 3 to 4-3/4 pints per acre to control APHIDS, BOLL WEEVIL, COTTON LEAFWORM, FLEAHOPPER, THRIPS, COTTON LEAF PERFORATOR, ARMYWORMS (up to 3rd instar) and SPIDER MITES. Do not apply within 7 days of hand picking or harvest. Workers entering cotton fields within 48 hours after treatment should wear protective clothing.

LETTUCE and SPINACH: Use 1 pint per acre to control APHIDS, ARMYWORMS (up to 3rd instar), IMPORTED CABBAGE WORM, FLEABEETLES, LEAFHOPPERS and SPIDER MITES. For CABBAGE LOOPER control use 1-3/5 pints per acre. Do not use within 21 days of harvest.

PASTURE (Not for use in California): Use 3/4 pint per acre to control EUROPEAN CRANE FLIES. Do not apply after grass growth is over 6" high. Do not apply within 15 days of pasturing or harvesting.

POTATOES: Use 1-1/2 pints per acre to control APHIDS, ARMYWORM (up to 3rd instar), FLEABEETLES, LEAFHOPPERS and SPIDER MITES. Do not apply within 5 days of harvest.

RICE: Use 1/3 to 1 pint per acre to control RICE LEAFMINER and TADPOLE SHRIMP. Hold water in check for 3 days after application. Do not apply within 15 days of harvest. Do not apply more than 1 pint per acre.

SMALL GRAINS (Barley, Oats, Rye and Wheat): Use 1 pint per acre to control APHIDS (Greenbug), ARMYWORMS (up to 3rd instar) and LEAFHOPPERS. Do not apply within 15 days of harvest.


SORGHUM (Milo) (California Only): Use 1-1/2 pints per acre to control GREENBUG. Leaf injury may occur on some sorghum varieties. Do not use wetting agent as more severe injury may occur. Do not apply within 21 days of harvest.

SUGAR BEETS: Use 1/2 pint per acre to control APHID, ARMYWORMS, WEBWORMS and FLEABEETLES. Do not apply within 20 days of harvest or within 60 days of harvest if tops are to be fed to livestock.

SUNFLOWERS (Not for use in California): Use 1-2 pints per acre to control STEM WEEVILS, SEED WEEVILS and SUNFLOWER BEETLES. Repeat application 2-3 times at 5-day intervals if needed. Start first application at set of flowering or before 10% of plants begin to flower.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

WILBUR-ELLIS Logo® and IDEAS TO GROW WITH IT™ are registered trademarks of WILBUR-ELLIS Company



WILBUR-ELLIS LABELS — USE
PATH: WECO/MethylParathion5S
HELVETICA FAMILY

(JOB #53926, revised #52016, tyf)
(SIZE: 5" x 15")



DUMK
PRINT

(209) 41
FAX: (2

Ink color:
Stock _____
Quantity _____
Ship to _____
1/