

USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS WATER PER ACRE UNLESS OTHERWISE NOTED

GROUND APPLICATION Vegetable and Field Crops: 1 to 2 gal. Cotton: 3 to 4 gal.

Where Recommended for AIR APPLICATION Field and Vegetable Crops: 1 to 2 gal.

RECOMMENDATIONS FOR USE:

ALFALFA (Seed Crop Only): Use 1 1/2 to 3 quarts per acre to control LEAFHOPPERS, ALFALFA CATERPILLAR, VEGETABLE LOOPER, VEGETABLE FLEETWING, STINKED ARMYWORM, ALFALFA WEBWORM, CRICKETS, GRASSHOPPERS, CUTWORMS, BEAN WORM and GRASSHOPPERS. Do not spray until 14 days before beans are to be marketed for seed for slaughter. Do not spray until 14 days before beans are to be marketed interstate.

BEANS: (Including Green, Dry & Lima): Use 1 1/2 to 3 quarts per acre to control THRIPS, MEXICAN BEAN BEETLE, SERPENTINE LEAFMINER, CLIMBING CUTWORMS, STINK BUGS, CRICKETS, GRASSHOPPERS and BEAN LYCAENID. Do not spray green or snap beans after pods start to form. Do not feed treated vines to dairy animals or animals being finished for slaughter.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE & CAULIFLOWER: Use 1 1/2 to 2 quarts per acre to control SERPENTINE LEAFMINER, ARMYWORMS, CABBAGE WORMS, DIAMOND BACK MOTH, LEAFMINER, CUTWORMS and BEAN WORMS. Do not apply to Broccoli, Brussels Sprouts or Cauliflower until plants start to form, or within 30 days of harvest.

CELERY: Use 1 1/2 to 2 1/2 quarts per acre to control THRIPS, SERPENTINE LEAFMINER, FALL ARMYWORMS, CABBAGE WORM, CABBAGE APHID and CLIMBING CUTWORMS. Do not apply after plants start to bunch or after plants are half mature.

COTTON: Use 3 to 4 quarts per acre to control ARMYWORMS, STINK BUGS, BOLLWORM, VEGETABLE LOOPER, VEGETABLE FLEETWING, CRICKETS, STINK BUGS and GRASSHOPPERS. Do not spray until 14 days before cotton is to be marketed interstate.

red-top

TOXAPHENE 8 SPRAY

(Contains 8 lbs. Toxaphene per gal.)

ACTIVE INGREDIENTS:

Toxaphene* 73%
Petroleum Hydrocarbons 15%

INERT INGREDIENTS:

*Toxaphene content of 7.5% to 8.5% 12%
100%

EPA Reg. No. 2935 376 AA

WARNING: KEEP OUT OF REACH OF CHILDREN!

WARNING: May be harmful if swallowed. Do not get on skin. Avoid contact with eyes. Wash thoroughly with soap and water if contact occurs. Do not use on food crops. Do not use on ornamentals. Do not use on lawns.

Highly toxic to fish and wildlife. Do not use in or around water. Do not use on aquatic life. Do not use on birds. Do not use on bees. Do not use on honey bees. Do not use on bees. Do not use on bees. Do not use on bees.

This product is toxic to bees. Do not use on or around bees. Do not use on bees. Do not use on bees. Do not use on bees.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

(See side panel for additional caution statement)

WE WILBUR-ELLIS COMPANY WE
FRESNO · LOS ANGELES · GLENDALE · PORTLAND · SEATTLE

ACCOUNTED
1961-3

red-top

TOXAPHENE 8 SPRAY

(Contains 8 lbs. Toxaphene per gal.)

ACTIVE INGREDIENTS:

Toxaphene*	73%
Petroleum Hydrocarbons	15%
INERT INGREDIENTS:	12%
<hr/>	
	100%

EPA Reg. No. 2935-376-AA

WARNING: KEEP OUT OF REACH OF CHILDREN!

WARNING: May be fatal if swallowed. Do not get on skin, clothes, or on clothing. Can be absorbed through skin. Wash thoroughly after use. Do not breathe spray mist. Avoid contact with food or feedstuffs. Do not use on any fruit or vegetable. Do not use on lawns.

Highly toxic to fish and wildlife. Do not use in streams, rivers, ponds, woodlands and other riparian areas, and feeding and nesting areas of birds. Do not apply where waterfowl, game birds, or other birds are present. Do not apply where runoff is likely to reach water. Do not use on equipment or disposal of wastes.

This product is toxic to bees. Do not use on or near any flowering plants actively visited by bees.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

(See side panel for additional caution statement)

WILBUR-ELLIS COMPANY

FRESNO · LOS ANGELES · GLENDALE · PORTLAND · SEATTLE

RECOMMENDATIONS FOR USE: (Continued)

EGGPLANT, PEPPERS & TOMATOES.

Use 1 1/2 to 2 quarts per acre to control THrips, SERPENTINE LEAFMINER, CUTWORMS, TOMATO PINNACLES, and other pests. Apply within 3 days of harvest or 10 days before harvest. Do not apply when plants start to form.

LETTUCE: Use 1 1/2 to 2 quarts per acre to control CABBAGE LOOPER, CRUSHPOPPERS, CRICKETS, ARMYWORMS, and CUTWORMS. Do not apply after seedling stage or leaf lettuce. Do not apply after heads begin to form on head lettuce.

ONIONS: Use 1 1/2 to 2 1/2 quarts per acre to control THRIPS and SERPENTINE LEAFMINER. Do not apply to green or spring onions.

STRAWBERRIES: Use 1 1/2 quarts per acre to control STRAWBERRY WEEVIL and CUTWORMS. Do not apply after the fruit starts to form.

DESTROY CONTAINERS WHEN EMPTY: Do not reuse or give away. Do not use as a container where fresh water can be obtained. Do not use for drinking water. Do not use for use of water by buying in that area. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DO NOT USE THIS PRODUCT FOR ANY PURPOSE OTHER THAN TH RECOMMENDED ON THIS LABEL. DO NOT ALLOW THIS PRODUCT TO DRIFT FROM THE AREA BEING TREATED.

ANTIDOTE: Internal - Give sodium chloride 15 g. (one tablespoonful of table salt) in glass of warm water and repeat until vomit is clear. Do not induce vomiting.

External - Wash with soap and water.

NOTICE: The statements made on this label are believed to be true and correct, but because of conditions of use which are beyond our control, WILBUR ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guarantee, or statement, express or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR ELLIS COMPANY nor the seller shall be held responsible in any manner for any injury, property damage or loss resulting to the buyer or to the other person to whom this material is sold, if the buyer or other person does not use it in accordance with the directions. The buyer assumes all risk and liability for any injury, property damage or loss and accepts and uses this material on these conditions.