

BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with skin, eyes, or clothing. Avoid inhalation of spray mists. Harmful if swallowed.

DO NOT STORE WITH FOODSTUFFS

Avoid contamination of water intended for irrigation or domestic uses.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS

TOXIC TO FISH: Do not contaminate any body of water by cleaning of equipment and disposing of wastes and containers. Do not apply directly to water.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DO NOT transport with or store near fertilizers or seeds.

CHEMICAL OR PHYSICAL HAZARDS

FLAMMABLE! Keep away from open flame or heat.

For use and storage only by agricultural and service persons.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY TREATMENT

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings should specify protective clothing areas or fields that cannot be entered without this clothing, period of time area is to be vacated, and statement of practical treatment (see right) in case of exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Warnings must include the following information: Caution. Area treated with Methoxychlor on (date of application). Do not enter without appropriate protective clothing until sprays have dried. (Insert here action to take in case of accidental exposure - see right.)

MTH2-2

Wilbur-Ellis

METHOXYCHLOR
2 SPRAY

ACTIVE INGREDIENT:

Methoxychlor, technical*

25.0%

INERT INGREDIENTS:

75.0%

*Equivalent to 22% 2, 2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 3% other isomers and related compounds

100.0%

EPA Reg. No. 2935-385-AA

Est. No. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN!

CAUTION:

If Swallowed — drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If Inhaled — if patient is not breathing, start respiration immediately. Get medical attention.

If On Skin — Wash thoroughly with soap and water.

If In Eyes — Flush with plenty of water. Get medical attention.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS.

Wilbur-Ellis

191 WEST SHAW AVENUE, SUITE 107, FRESNO, CA 93704

BEST DOCUMENT AVAILABLE

STORAGE AND DISPOSAL

1. **Prohibitions** — Do not contaminate water, food, or feed by storage or disposal.
2. **Pesticide Disposal** — Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
3. **Container Disposal** — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.
4. **Storage** — Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing, or pouring.

DIRECTIONS FOR USE (Continued)

Do not mix this material with other materials not compatible with oil. Observe precaution when applying oil-based insecticides to crops during high temperatures since some crops are then more susceptible to injury. Do not apply within 14 days of sulfur or sulfur containing sprays. Consult your county agent for proper dosages when applying by aircraft.

Use designated amount of product in the following gallons of water per acre unless otherwise noted: **Ground Application - Field Crops - 30 to 250 gals. Air Application - Field Crops - 3 to 10 gals.**

FORAGE CROPS (Alfalfa, Grass, and Soybeans): Apply at the rate of 2-3 quarts (1 to 1 1/2 lbs. of active) per acre for the control of ALFALFA WEEVIL (LARVAE), ALFALFA WEBWORM, FALL ARMYWORM, PEA WEEVIL, SOYBEAN CATERPILLAR and VELVET BEAN CATERPILLAR. (May be used in conjunction with malathion for alfalfa weevil control.) Mix with water (both high and low volume spraying) to give correct coverage per acre. Start applications at first sign of infestation and repeat at 7 - 10 day intervals as needed for control. Do not apply later than 7 days before harvest or grazing.

LIVESTOCK (Beef Cattle & Pigs): For control of HORNFLIES, mix 1 quart in 12 1/2 gallons of water and apply two (2) quarts of spray to each mature animal. For control of LICE, apply as drenching spray. For control of HOG LICE, mix 1 quart in 12 1/2 gallons of water and apply as a drenching spray.

Do not use on dairy animals or in dairy barns. Do not use in dipping vats.

In Case of Emergency, Call CHEMTREC: (800) 424-9300

PEAS: For control of pea weevil and armyworm, use 3-4 quarts (1 1/2 to 2 lbs. active) per acre. Do not apply within 7 days of harvest or grazing.

SHADE TREES, ORNAMENTALS:

For control of Japanese beetles, leafhoppers, tent caterpillars, cankerworms and rose chafer, apply at the rate of 2-3 quarts (1 - 1 1/2 lbs. active) in 100 gallons of water (3 - 5 tablespoons in 1 gallon of water). Spray foliage thoroughly. Repeat applications every 7 - 14 days.

For elm bark beetle (assists in control of Dutch elm disease), apply at the rate of 4 gallons per 100 gallons of water. Spray trunk and limbs thoroughly. Repeat every 7 - 14 days through growing season.

RESIDUAL SPRAY IN FLOUR MILLS, IN GRAIN AND OTHER CEREAL STORAGE (Not For Use in California):

1. Use 1 gallon per 10 gallons of water (2 quarts per 5 gallons), as a residual spray application to woodwork in empty bins and other grain storages which previously have been thoroughly cleaned.
2. Apply by means of a knapsack, garden or power sprayer at the rate of 2 gallons per 1000 sq. ft. for control of the above insects which are exposed or become accessible by emerging from burrows and cracks of the woodwork after cleaning empty bins.

F-1282

NOTICE: The statements made on this label are believed to be true and accurate, but because of variability of use and conditions beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guarantee or representation, express or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting in the buyer or to the other person from handling, storage or use of this material, and in accordance with directions. The buyer assumes all risk and liability resulting from improper handling.

**RQ INSECTICIDE,
LIQUID, N.O.S., (METHOXYCHLOR)
NA 1993
COMBUSTIBLE LIQUID**

ACCEPTED

MAY 07 1984

Insecticide,
Fungicide and Rodenticide Act
Registered for the pesticide
stored under
Reg. No. 2935-385