

ACCEPTED

JAN 27 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2935-385

PM-19

Reg # 2935-385

182

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Avoid contact with skin, eyes or clothing. Avoid inhalation of spray mists. Harmful if swallowed.

**PERSONAL PROTECTIVE EQUIPMENT**

Applicators and other handlers must wear: A) Long sleeved shirt; B) Long pants; C) Waterproof gloves; D) Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

**TOXIC TO FISH:** Do not contaminate any body of water by cleaning of equipment and disposing of wastes and containers. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DO NOT transport with or store near fertilizers or seeds.

**CHEMICAL OR PHYSICAL HAZARDS**

**FLAMMABLE!** Keep away from open flame or heat.

For use and storage only by agricultural and service persons.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

DO NOT STORE WITH FOODSTUFFS

57745



# METHOXYCHLOR 2 SPRAY

**ACTIVE INGREDIENT:**

Methoxychlor; 1,1,1-trichloro-2,2-bis (p-methoxyphenyl) ethane ..... 25.0%

**INERT INGREDIENTS:** ..... 75.0%

100.0%

\*Equivalent to 22% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 3% of other isomers and related compounds.

EPA Reg. No. 2935-385-AA

EPA Est. No. 2935-CA-1

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION:

If Swallowed — Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If Irritated — If patient is not breathing, start respiration immediately. Get medical attention.

If On Skin — Wash thoroughly with soap and water.

If In Eyes — Flush with plenty of water. Get medical attention.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

6:12 PM 5-NOV 96

NET CONTENTS:

REC'D LPA/PP/DPD1 WILBUR-ELLIS COMPANY  
P.O. BOX 16458 • FRESNO, CA 93755

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and precautions pertaining to the statements on this label about protective equipment (PPE), notification to workers and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: A) Coveralls; B) Waterproof gloves; C) Shoes plus socks.

### STORAGE AND DISPOSAL

1. Prohibitions — Do not contaminate water, food or feed by storage or disposal.
2. Pesticide Disposal — Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
3. Container Disposal — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.
4. Storage — Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

### DIRECTIONS FOR USE (cont.)

Do not mix this material with other materials not compatible with oil. Observe precaution when applying oil-based insecticides to crops during high temperatures since some crops are more susceptible to injury. Do not apply within 14 days of sulfur or sulfur containing sprays.

Use designated amount of product in the following gallons of water per acre unless otherwise noted:  
Ground Application — Field Crops — 30 to 250 gals.

Do not apply this product through any type of irrigation system.

**FORAGE CROPS (Alfalfa, Grass and Soybeans):** Apply at the rate of 2-3 quarts (1 to 1-1/2 lbs. of active) per acre for the control of ALFALFA WEEVIL (LARVAE), ALFALFA WEBWORM, FALL ARMYWORM, PEA WEEVIL, SOYBEAN CATERPILLAR and VELVET BEAN CATERPILLAR. (May be used in conjunction with malathion for alfalfa weevil control.)

Mix with water (both high and low volume spraying) to give correct coverage per acre. Start applications at first sign of infestation and repeat at 7-10 day intervals as needed for control. Do not apply later than 7 days before harvest or grazing.

**LIVESTOCK (Beef Cattle and Pigs):** For control of HORNFLEES, mix 1 quart in 12-1/2 gallons of water and apply two (2) quarts of spray to each mature animal. For control of LICE, apply as drenching spray. For control of HOG LICE, mix 1 quart in 12-1/2 gallons of water and apply as a drenching spray.

Do not use on dairy animals or in dairy barns. Do not use in dipping vats.

**PEAS:** For control of PEA WEEVIL and ARMYWORM, use 3-4 quarts (1-1/2 to 2 lbs. active) per acre. Do not apply within 7 days of harvest or grazing.

**SHADE TREES, ORNAMENTALS:** For control of JAPANESE BEETLES, LEAFHOPPERS, TENT CATERPILLARS, CANKERWORMS and ROSE CHAFER, apply at the rate of 2-3 quarts (1-1-1/2 lbs. active) in 100 gallons of water (3-5 tablespoons in 1 gallon of water).

**FOR ELM BARK BEETLE (assists in control of DUTCH ELM DISEASE):** apply at the rate of 4 gallons per 100 gallons of water. Spray trunk and limbs thoroughly. Repeat every 7-14 days through growing season.

**NOTICE:** The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

WILBUR-ELLIS Logo and IDEAS TO GROW WITH® are registered trademarks of WILBUR-ELLIS Company

F-596

### DOT MARKING:

**COMBUSTIBLE LIQUID, N.O.S.  
(CONTAINS XYLENE RANGE SOLVENT)  
RQ — (METHOXYCHLOR) NA 1993**

In Case of Emergency, Call CHEMTREC: (800) 424-9300

**BEST AVAILABLE COPY**



**DUMONT  
PRINTING**

READ YOUR PROOF  
CAREFULLY!

282



282