DIRECTIONS FOR USE:

Diazinon® - Superior Spray Oil is a prepackaged product containing Diazinon plus a superior type oil. This product should be used for dormant applications to fruit and nut crops in the Western States. When applied as directed, Diazinon® - Superior Spray Oil is an effective treatment against most of the overwintering insects and mite eggs. Make a dormant spray as soon as possible, but not before there has been enough rain to replenish soil moisture and to soak the trees so the bark is noticeably moist. Mix Diazinon® - Superior Oil with water at the rates given below and apply as a dilute dormant or concentrate spray. When concentrate sprays are used, increase the concentration of Diazinon® - Superior Spray Oil in the spray mixture so that the amount of Diazinon® - Superior Spray Oil per acre will be equivalent to the dilute spray (400-600 gallons/A.). Do not spray less than 40 gallons per acre.

- **ALMONDS:** PARLATORIA SCALES, PEACH TWIG BORER, SAN JOSE SCALES. Mix 1 ½ 2 ¼ gallons of Diazinon® Superior Spray Oil per 100 gallons of water and apply as a dormant spray. Apply during dormancy when the temperature is above 40°F.
- APRICOTS: SAN JOSE SCALES, BROWN APRICOT SCALES, WALNUT SCALES, APRICOT MEALY-BUGS. Mix 1½ gallons of Diazinon® Superior Spray Oil per 100 gallons of water and apply as a dormant spray.
- APPLES: SAN JOSE SCALES, MEALYBUGS, APPLE APHID EGGS, EUROPEAN RED MITE EGGS, BROWN MITE EGGS. Mix 1 ½ gallons of Diazinon® Superior Spray Oil per 100 gallons of water and apply as a dormant or a delayed dormant spray.
- CHERRIES: BROWN APRICOT SCALES, SAN JOSE SCALES, BLACK SCALES, BLACK CHERRY APHID EGGS, BROWN MITE EGGS: Mix 2 1/10 gallons of Diazinon® Superior Spray Oil per 100 gallons of water and apply as a dormant spray.

DIAZINON® SUPERIOR SPRAY OIL

For control of certain insects on certain fruit crops

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothicate
*Mineral Oil

... 4.5 % 94.3 %

INERT INGREDIENTS:

RDiazinon is a registered trademark of CIBA-GEIGY Corporation Red-Top Diazinon® - Superior Spray Oil contains 0.33 pounds of Diazinon® per gallon.

*Petroleum Specifications:

Unsulfonated residues (minimum) 93 Viscosity (maximum) 90

EPA Reg. No. 2935-386-AA

Mid boiling point 4 Narrow Range Oil

ACCEPTEI

APR 1 0 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 4935-386

CAUTION: KEEP OUT OF REACH

Harmful If Swallowed. May Be Absorbed Thro.gh The Skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Avoid contemination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock.

WARNING - FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME
SEE ADDITIONAL PRECALTIONS ON SIDE PANEL



PEACHES WA Spro

PEARS: P

Mix as (

PLUMS A PAR Spra

CAUTION

his prod

o not ap from wast

> infor not r

> > crus

nis prodi

NOTICE: 'which are resentative use thereof

use thereof seller shall buyer or to buyer assummaterial en

rec Fos

For control of certain insects on certain fruit crops

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothicate *Mineral Oil INERT INGREDIENTS:

RDiazinon is a registered trademark of CIBA-GEIGY Corporation Red-Top Diazinon® - Superior Spray Oil contains 0.33 pounds Diazinon® per gallon.

*Petroleum Specifications:

Unsulfonated residues (minimum) 93 Viscosity (maximum) 90

EPA Reg. No. 2935-386-AA

Narrow Range Oil

Mid boiling point 4

Under the Federal Insecticide, Fungicide, and Rodenticide Act.

as amended, for the pesticide registered under

APR 1 0 1975

4.5 %

CAUTION: KEEP OUT OF REACH OF THE PREA

Harmful If Swallowed. May Be Absorbed Thro-gh The Skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock.

WARNING - FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME SEE ADDITIONAL PRECALTIONS ON SIDE PANEL



PEACHES AND NECTARINES: SAN JOSE SCALES, PEACH TWIG BORER, BROWN APRICOT SCALES, WALNUT SCALES, APRICOT MEALYBUGS: Mix 1 1/2 to 2 1/4 gallons of Diazinon® - Superior Spray Oil per 100 gallons of water and apply as a dormant spray. Do not allow workers to enter treated areas to engage in any activity requiring substantial contact with treated foliage within 5 days of application.

PEARS: PEAR LEAF BLISTER MITES, MEALYBUGS, SAN JOSF SCALES, BROWN APRICOT SCALES: Mix 1 1/2 gallons of Diazinon® - Superior Spray Oil per 100 gallons of water and apply as a dormant spray.

PLUMS AND PRUNES: PEACH TWIG BORER, MEALY PLUM APHID EGGS, SAN JOSE SCALES, PARLATORIA SCALES, BROWN ALMOND MITES: Mix 1 1/2 gallons of Diazinon® - Superior Spray Oil per 100 gallons of water and apply as a dormant spray.

CAUTION (Continued)

- this product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water.
- to not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.
- his product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.
- not reuse empty container Return to drum reconditioner or destroy it by perforating or crushing. Bury or discard in a safe place.

NOTICE: The statements made on this label, are believed to be true and accurate, but because of conditions of use which are beyond our control. WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, express or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the soller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

EPA Est. 2935 CA-1