

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye damage. May be harmful if absorbed through the skin. Do not get in eyes, on skin, or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

##### IMPORTANT!

Do not use crops grown from Nusan 30 E. C. treated seed for grazing of livestock or to harvest as silage or forage for seven weeks after planting. However, grain harvested from plants grown from Nusan 30 E. C. treated seed can be used for food or feed.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

##### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water or wetlands.

##### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Label treated seed. Seeds treated with NUSAN 30 E. C. cannot be used for food, feed, oil production, or any other purpose except planting.

#### STORAGE AND DISPOSAL

1. Prohibitions: Do not contaminate water, food, or feed by storage or disposal.
2. Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.
3. Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
4. Storage: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing, or pouring.

NS30-8

ACCEPTED

FEB 4 1985

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 2935-389

# NUSAN<sup>®</sup>

## 30 E. C.

#### ACTIVE INGREDIENT:

2-(thiocyanomethylthio) benzothiazole ..... 30%

INERT INGREDIENTS ..... 70%

® Trademark of Wilbur-Ellis Company

Total 100%

EPA Reg. No. 2935-389-ZA

EPA Est. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN!

### WARNING:

#### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash promptly and thoroughly with an abrasive soap and cool water and finally with glycerin. In case of persistent irritation of the skin, obtain medical attention. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flood eyes immediately and thoroughly with cool water for 15 to 30 minutes. See a physician if any irritation persists.

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

NUSAN is recommended for use on barley, oats, Nusan, wheat, and other crops. It is effective against Tilletia, Ustil

NUSAN can be used on crops that are agitated and presented by and applied

Crop Appl Per 1

Cotton Acid 1.25-1.5-1.5-5

Wheat 1-1.2

Barley 1-1.2

Oats 1-1.2

Rice 1-1.2

Sorghum 1.25-1.5

Corn 1-1.5

Sugar Beet 1-2 fl.

Safflower 1-2 fl.

Do not use crops or to harvest ever, grain to be used for food

NOTICE: The statements on this label are for information only and do not constitute a recommendation. Neither WILBUR-ELLIS nor its agents or representatives are responsible for any injury or property damage or loss of crops resulting from improper use.

In Case of Emergency

Wilbur-Ellis

P. O. BOX 16458, FRESNO, CA 93755