PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye demage. May be harmful if absorbed through the sidn. Do not get in eyes, on sidn or clothing. Weer goggles or face shield and nubber gloves when handling. Harmful if swellowed. Avoid contamination of food.

SAPORTANT

Do not use crope grown from Nucen 30 E. G. treated seed for grazing of livestock or to hervest as allege or forage for seven weeks after planting. However, grain hervested from plants grown from Nucen 30 E. G. treated seed can be used for feed or feed.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

ENVIRONMENTAL HAZARDS

This product is todo to fish. Treated effluent should not be discharged where it will drain trip takes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. De not apply directly to water or welfands.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

De not apply this product through any type of infigation system.

Label treated seed, Seeds treated with NUSAN 30 E. C. cannot be used for food, feed, oil production or any other purpose except planting. Use with an EPA-approved die that imparts an unnatural color to the seed.

STORAGE AND DISPOSAL

- Prohibitions: Do not contaminate water, food or feed by storage or disposal.
- Pesticide Disposal: Pesticide wastes are toxic, Improper disposal
 of escass pesticide, spray mixture or rineste is a violation of Federal
 law, it these wastes cannot be disposed of by use according to label
 instructions, contact your State Pesticide or Environmental Control
 Agency, or the Hazardous Waste representative at the nearest EPA
 Regional Office for guidance.
- Centainer Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by either procedures approved by state and local authorities.
- 4. Sterege: Stort in original container only and keep sealed. Store in closed storage areas. Vertraution when moving, opening, closing, or souther.

NUSAN is recommended for the control of soil and seedborne fungl that im, air the commenter and seeding development of cotton, wheat, barley, past, rice, corphibits mile, corn, agger beets, and saffower. Nusan, when

NUSAN 30 E.C.

ACTIVE INGREDIENT:

2-(thiocyanomethyithio) benzothiazole......

MERT INGREDIENTS.....

Contains 2.635 pounds TCMTB per gallon.

Trademark of Wilbur-Ellis Company

EPA Reg. No. 2935-389-ZA

KEEP OUT OF REACH OF CHILDREN!

WARNING — AVISO

IF ON SIGN: Wash promptly and theroughly with an abrazive scap and cool water and finally with glycerin. In case of persisten attention. Remove and wash contaminated citching before rause.

IF IN EYES: Flood eyes immediately and thoroughly with cool water for 15 to 30 minutes. See a physician if any irritation persists

IF SWALLOWED: Call a physician of Poleon Control Center, Drink 1 to 2 glasses of water and induce verniting by tourthing back of administering syrup of specar. Do not induce vertiling or give snything by mouth to an unconscious person.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

NOTIFIC NOT REVE TO SEP 1 3 199

NET CONTENTS: 21/2 GALLONS

Wilbur-Ellis

P.O. Box 16458 . Freeno, CA 93755

Tul 10