


Please read Instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number 201627
	Application for Pesticide:		

Section I

1. Company/Product Number 2935-389	2. EPA Product Manager S. Lewis	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Nusan 30 E. C.	PMS 21	
5. Name and Address of Applicant (Include ZIP Code) WILBUR-ELLIS Company 191 W, Shaw Avenue Suite 107 Fresno, CA 93704 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Change to labeling statement prohibiting application to water. The exact wording from PR Notice 93-3 has been used.


NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 93-3

DATE 8/3/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container 1, 2.5, & 5 gallon		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other (_____)		

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Joanne Pratt		Title Product Registration and Labeling Specialist	
		Telephone No. (Include Area Code) (209) 226-1934	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			
2. Signature 		3. Title Product Registration and Labeling Specialist	
4. Typed Name Joanne Pratt		5. Date July 13, 1993	
6. Date Application Received (Stamped)			

SPECIMEN LABEL

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-8

DATE 8/3/93

NUSAN[®]

30 E. C.

ACTIVE INGREDIENT:

2-(thiocyanomethylthio) benzothiazole 30%

INERT INGREDIENTS 70%

Total 100%

Contains xylene range aromatic solvent.
Contains 2.635 pounds TCMTB per gallon.

EPA Reg. No. 2935-389-ZA

EPA Est. No. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN!

WARNING — AVISO

IF ON SKIN: Wash promptly and thoroughly with an abrasive soap and cool water and finally with glycerin. In case of persistent irritation of the skin, obtain medical attention. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flood eyes immediately and thoroughly with cool water for 15 to 30 minutes. See a physician if any irritation persists.


IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

NET CONTENTS: 2½ GALLONS



P.O. Box 16458 • Fresno, CA 93755



SEED PROTECTANTS Commercial Fungicides

NUSAN 30 E.C. (continued)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye damage. May be harmful if absorbed through the skin. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

IMPORTANT!

Do not use crops grown from Nusan 30 E. C. treated seed for grazing of livestock or to harvest as silage or forage for seven weeks after planting. However, grain harvested from plants grown from Nusan 30 E. C. treated seed can be used for food or feed.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

IMPORTANT. Label treated seed: Seeds treated with NUSAN 30 E.C. cannot be used for food, feed, oil production or any other purpose except planting. Do not use crops grown from NUSAN 30 E.C. treated seed for grazing of livestock or to harvest as silage or forage for seven weeks after planting. However, grain harvested from plants grown from NUSAN 30 E.C. treated seed can be used for food or feed.

STORAGE AND DISPOSAL

1. **Prohibitions:** Do not contaminate water, food or feed by storage or disposal.
2. **Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
3. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
4. **Storage:** Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing, or pouring.

DIRECTIONS (cont.)

NUSAN is recommended for the control of soil and seedborne fungi that impair the germination and seedling development of cotton, wheat, barley, oats, rice, sugar beets, and safflower. Nusan, when used as directed, will usually increase stands and yields of these crops by preventing seed decay and seedling diseases. Nusan is effective against Rhizoctonia, Pythium, Fusarium, Helminthosporium, Tilletia, Ustilago, Verticillium, and certain other fungi.

NUSAN can be applied directly to the seed from the drum or as an agitated dispersion in water. The recommended rates on the crops presented below may be dispersed in as much as 16 fl. oz. of water and applied to 100 lbs. of seed.

Crop	Application Rates per 100 lbs. seed	Fungi and Diseases Controlled
Cotton*	Acid-delinted seed 1.25-4 fl. oz. Machine-delinted seed 1.5-5 fl. oz.	Seed and seedling rots, damping-off, soreshin (Pythium, Rhizoctonia, Fusarium)

For use only in the states of Kansas, Texas, Oklahoma, California and Arizona.

Wheat	1-1.25 fl. oz.	Scab, head blight (Fusarium, Helminthosporium); Bunt or stinking smut (Tilletia)
Barley	1-1.25 fl. oz.	Bunt or stinking smut (Tilletia); covered smut (Ustilago kolleri); Barley stripe (Helminthosporium graminum)
Oats	1-1.25 fl. oz.	Loose smut (Ustilago avenae); covered smut (Ustilago kolleri)
Rice	1-1.25 fl. oz.	Pythium; Helminthosporium oryzae; Water mold (achlya)
Sugar Beet	1-2 fl. oz.	Seed, seedling rots (Phoma betae) and damping-off (Pythium and Rhizoctonia)
Safflower	1-2 fl. oz.	Safflower rust (Puccinia carthami)

* Under heavy pythium pressure and rates below 4 fl. oz. per 100 pounds of seed, Wilbur-Ellis Company recommends treatment with Wilbur-Ellis Apron TL or Wilbur-Ellis Apron Flowable for additional systemic pythium control.

Seed should be planted within 5 months of treatment. If stored longer than 5 months, re-treatment with Nusan 30 E.C. may be necessary.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

TM - Trademark of Wilbur-Ellis Company
* - Registered Trademark of Wilbur-Ellis Company

F-692

In Case of Emergency,
Call CHEMTREC: (800) 424-9300

434

Copy A

"For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark."

50