Please read instructions on reverse before completing form.

111-18

Form Approved. OMB No. 2070-0060, Approval expires 11-30-93

(A) CEPA United States Environmental Protection Age Office of Pesticide Programs (H7505C) Washington, DC 20460 Application for Pesticide			x	Registrati Amendme Other	ent	01628 ···	
Section I							
1. Company/Product Number 2935-398			2. EPA Product Manager 3. Proposed Classification P. Hutton				
4. Company/Product (hame)		P <b>M</b> #	PM# X None Restricted /				
Red-Top BT 320 Dust			8 18 mar a m m m m m m m m				
5. Name and Address of Applicant (Include ZIP Code) WILBUR-ELLIS Company 191 W. Shaw Avenue Suite 107 Fresno, CA 93704		6. Exp. Ited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.					
Check if this is a new address			Product Name (1979) (1971) (1984) (1984) (1984) (1984) (1984) (1984)				
Section I I							
Amendment - Explain below			Final printed labels in response to Agency letter dated				
Resubmission in response to Agency letter dated			*Me Too* Application.				
X Notification - Explain below.			Other - explain below.				
Explanation: Use additional page(	s) if necessary. (For section !	I and Section	· 11.)	· · · · · · · · · · · · · · · · · · ·	<del></del>		
Change to labeling s from PR. Notice 93-3	has been used.			NOTH LABEL N	CATION OT REVIEW NOTICE IN	ED	
	Section	n III	<del></del>			<u></u>	
Material This Product Will Be Pa Child-Resistant Packaging   Unit Pac		Water Solubl	e Packaging	2. Type of Co	ntainer		
<u> </u>			Yes Metal				
			Plastic No Glass				
:f "Yes,"	If "Yes," No. per If "Ye		No. per container	TX P	aper ther (Specify	<u>,                                     </u>	
submitted.							
			▼ On Label				
Label X Container 50 LB.  6. Manner In Which Label Is Affixed To Product Lithograph X Paper glued			On Labeling accompanying product Other ()				
Stenciled							
Section IV  1. Contact Point (Complete items directly below for identification of individual to be contacted if penassary, to proceed this act is a tion.)							
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)  Name  Product Registration and Labeling Specialist (209) 226-1934							
I certify that the statements I have I acknowledge that any knowingly both under applicable law.		tachments the			., П	ate Application eceived (Stamped)	
2. Signature	fat 3		ct Registrati				
4. Typed Name  Joanne Pratt	5.	Date July	13, 1993				
504.5	100						

## RED-TOP

# BT 320 DUST

(BACILLUS THURINGIENSIS)



#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **RE-ENTRY STATEMENTS**

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area peing treated must be vacaled by unprotected persons.

Do not anier treated areas without protective clothing until dust has settled. Because certain states may equire more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a freated area or in an area about to be treated with this product. Oral warnings should specify protective clothing, areas or fields that cannot be entered without this clothing, period of time area is to be vacated, and statement of practical treatment in case of exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Warnings must include the following information. Caution. Area treated with BT 320 Dust on (date of application). Do not enter without appropriate protective clothing until dusts have settled. (Insert here action to take in case of accidental exposure.)

#### STORAGE AND DISPOSAL

- 1 Prohibitions: Do not contaminate water, food or feed by storage or disposal.
- Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 3. Container Disposals Completely empty bag into application equipment. Then dispose of empty bag in a sanitary land iff or by incineration, or, if allowed by State and local authorities, by burning, if burned, stay out of smoke.
- 4. Storage: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring. Store in cool place.

Apply recommended aniounts when air is calm, using ground equipment, aircraft or hand duster Apply at first sigly of infestation and repeat at weekly intervals when needed to mainiain control. Good underveal coverage is essential since the insect must ingest BT 320 Dust, After eating BT 320 Dust, some insects step feeking but may etherwise appear to be unaffected for several days. Use the higher recommendations against very heavy infestations, or where it is difficult to obtain good coverage due to rank finage. BT 320 Dust ಪ್ರತುಕ್ತ ಕುಕ್ಕಗ್ಗೇ from certains are requirements, and may be applied in recommended amounts up to the day of Narves.

#### RECOMMENDATIONS

Thogough Toverage espential when using BT 320 Dust.

IN CASE OF EMERGENCY. CALL CHEMTREC: (800) 424-9300 **ACTIVE INGREDIENTS:** 

BacMus thuringlensis subspecies berliner

INERT INGREDIENTS .....

Potency: 145 million International Units per pound of this product. Potency units sh adjust use rates beyond those specified in the Directions for Use section.

EPA Reg. No. 2935-398-AA

## KEEP OUT OF REACH OF CHILDRE CAUTION

### **ENVIRONMENTAL HAZARDS**

Copy → Do not contaminate water when disposing of equipment washwaters.

#### **RECOMMENDATIONS (cont.)**

Сгор	Pest			
BROCCOLI	Cabbage looper Imported cabbageworm			
CABBAGE	Cabbage looper Imported cabbageworm			
CAULIFLOWER	Cabbage looper Imported cabbageworm			
CELERY	Cabbage looper			
COLLARDS	Cabbage looper Imported cabbageworm			
COTTON	Tobacco budworm Cotton Bollworm Cabbage looper			
GRAPES	Grape Leaf Folder			

Start treating as abon as possible after hatching and before larvae are protect-Apply by ground equipment to obtain thorough coverage of leaf surfaces. Fo OMNIVOROUS LEAF ROLLER and GRAPE LEAF FOLDER with a scheduled 6 applications apply 12.5 to 25 lbs. per acre for each application.

GRAPES (Califor 1) **Omnivorous Leaf Roller** Cabbage looper Imported cabbageworm KALE LETTUCE Cabbage looper Cabbage looper MELONS MUSTARD GREENS Cabbage looper Imported cabbageworm **POTATOES** Cabbage looper SPINACH Cabbage looper TOMATOES Cabbage looper Tomato Hornworm TURNIP GREENS Imported cabbageworm

39013

"For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark."