J93	5-398 UN D STATES ENVIRONMENTAL PROTECT		
	AND TED STATES	EPA Reg. Number: 2935-398 Term of Issuance:	Date of ssuance: 3/28/08
	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Biopesticides and Pollution Prevention Division (7511P) 1200 Pennsylvania Avenue NW Washington, D.C. 20460	Unconditional Name of Pesticide Proc Bt 320 Dust	luct:
	NOTICE OF PESTICIDE: Registration _X Reregistration (under FIFRA, as amended)		
24	Name and Address of Registrant (Include ZIP Code): Wilbur-Ellis Company P.O. Box 1286 Freșno, CA 93715		
	Note: Changes in labeling differing in substance from that accepted in connection with this accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in product always refer to the above EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is heref	commerce. In any cor	respondence on this
	Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this pr and the environment, the Administrator, on his motion, may at any time suspend or cancel with the Act. The acceptance of any name in connection with the registration of a product the registrant a right to exclusive use of the name or to its use if it has been covered by oth	the registration of a pe under this Act is not to	esticide in accordance
	Based on your response to the Reregistration Eligibility Document product listed above. This action is taken under the authority of s Insecticide, Fungicide, and Rodenticide Act, as amended. Reregiss eliminate the need for continual reassessment of pesticides. EPA any time to maintain registration of your product.	ection 4(g)(2)(C) of the Federal s section does not
•	A copy of the approved label for the product is enclosed for your r	records.	
	Signature of Approving Official:	Date: 3/z	8/08
	Janet L. Andersen, Ph.D., Director, Biopesticides and Pollution Prevention Division (7511P) PA Form 8570-6	/	
SYMBOL	7511P	- <u> </u>	
	Keynolds	•	•••••••
DATE	3/25/08	······································	••••••
EPA Form 1	320-1A (1/90) Printed on Recycled Paper	<u>_</u>	

÷ .

ı,



BT 320 DUST

(BACILLUS THURINGIENISIS)

ACTIVE INGREDIENTS:

Bacillus thuringiensis subsp. kurstaki strain ABTS-351 solids,

spores, and lepidopteran active toxins	0.582%
INERT INGREDIENTS	
Total	

Potency: 145 Million Cabbage Looper Units per pound of this product.

The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

EPA Reg. No. 2935-398

KEEP OUT OF THE REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Causes moderate eye irritation. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixer/loaders and applicators must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization. Applicators and other handlers must wear: long-sleeved shirt and long parts, waterproof gloves, shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This product must not be applied aerially within 1/4 mile of any habitats of endangered or threatened lepidoptera. No manual application can be made within 300 feet of any threatened or endangered lepidoptera.

FIRST AID

	the product container or label with you when calling a poison control er or doctor, or going for treatment.		
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
If on Skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
if Inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably moth-to- mouth if possible. Call a poison control center or doctor for further treat- ment advice. 		
If in Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice 		

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

-Users should remove PPE immediately after handling this product.

Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restrictedentry interval (REI) of 4 hours.


PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: A) Long-sleeved shirt and long pants; B) Waterproof gloves; C) Shoes plus socks.

3

DIRECTIONS FOR USE, continued

Apply appropriate amounts when air is calm, using ground equipment, aircraft or hand duster. Apply at first sign of infestation and repeat at weekly intervals when needed to maintain control. Good underleaf coverage is essential since the insect must ingest BT 320 Dust. After eating BT 320 Dust, some insects stop feeding but may otherwise appear to be unaffected for several days. Use the higher rates against very heavy infestations, or where it is difficult to obtain good coverage due to rank foliage. BT 320 Dust is exempt from tolerance requirements and may be applied at the use rates up to the day of harvest.

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.



Continued on page 2 of 2 end Rodenticide Act, as smended, for the pesticide registered under EPA Reg. No. @ 2935-398

APPLICATION RATES

Thorough coverage essential when using BT 320 Dust.

CROP	PEST	LBS. PER ACRE
Broccoli	Cabbage looper Imported cabbageworm	20 - 40 20 - 35
Cabbage	Cabbage looper Imported cabbageworm	20 - 33 20 - 40 20 - 35
Cauliflower	Cabbage looper Imported cabbageworm	20 - 50 20 - 40
Celery	Cabbage looper	20 - 50
Collards	Cabbage looper Imported cabbageworm	20 - 40 20 - 35
Cotton	Tobacco budworm Cotton Bollworm Cabbage looper	25 - 50 [,]
Grapes	Grape Leaf Folder	20 - 50

Start treating as soon as possible after hatching and before larvae are protected by leaf folds. Apply by ground equipment to obtain thorough coverage of leaf surfaces. For the control of OMNIVOROUS LEAF ROLLER and GRAPE LEAF FOLDER with a scheduled program of 4 to 6 applications apply 12.5 to 25 lbs. per acre for each application.

Grapes (California)	Omnivorous Leaf Roller	20 - 50
Kale	Cabbage looper Imported cabbageworm	20 - 40 20 - 35
Lettuce	Cabbage looper	20 - 50
Melons	Cabbage looper	20 - 40
Mustard Greens	Cabbage looper Imported cabbageworm	20 - 40 20 - 35
Potatoes	Cabbage looper	20 - 40
Spinach	Cabbage looper	20 - 40
Tomatoes	Cabbage looper Tomato Hornworm	20 - 40 20 - 35
Turnip Greens	Imported cabbageworm	20 - 35

STORAGE AND DISPOSAL

- 1. **Prohibitions:** Do not contaminate water, food or feed by storage or disposal.
- Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 3. Nonrefillable container: Do not reuse or refill this container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances.
- Storage: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring. Store in cool place.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW, AND TO THE EXTEN THERE IS ANY INCONSISTENCY OR CONTENTION, APPLICABLE LAW SHALL GOVERN.

The Directions for Use of the product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS," AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYOND WHAT IS STATED ON THE LABEL. Buyer and User accept all risks arising from any use of this product, including without limitation, uses contrary to label instructions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

Neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT,

SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT. These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted, unless otherwise required by the law of the state of purchase, in accordance with the laws of the State of Callfornia, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS Logo' and IDEAS TO GROW WITH' are registered trademarks of WILBUR-ELLIS COMPANY.

F-022008

IN CASE OF EMERGENCY, CALL CHEMTREC: (800) 424-9300

NET CONTENTS: 50 POUNDS

Manufactured in U.S.A. By:

WILBUR-ELLIS COMPANY P.O. Box 16458 – Fresno, CA 93755

Batch code: