

DEC 2 1991

Ms. Joanne Pratt  
Wilbur-Ellis Company  
191 W. Shaw Ave., Suite 107  
Fresno, CA 93704

SHO2183 / 301  
18

Dear Ms. Pratt:

Subject: Amended Labeling  
Nu-Flow D  
EPA Registration No. 2935-414  
Your Submission Dated August 23, 1991

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable with the following comment:

- Under the Environmental Hazards section, change the third sentence to "Do not contaminate water when disposing of equipment washwaters."

A stamped copy of the label is enclosed for your records.

Sincerely yours,

SL

Susan T. Lewis  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

H7505C:J.Fairfax:11/29/91:2935-414

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

293

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS**

**WARNING**

Causes severe eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician if irritation persists.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water.

**GENERAL INFORMATION**

NU-FLOW D is recommended for use at time of planting as a supplemental seed treatment to protect against seed/seedling rots, damping off and shreshin (caused by Rhizoctonia, Pythium), which impair good seed germination and seedling development of cotton and beans. NU-FLOW D is a ready-to-use flowable designed to be pumped or poured directly into the seed treaters.

**LABEL TREATED SEED:** This seed is treated with Chloroneb-Fungicide NU-FLOW D. Do not use for food, feed, oil production or any other purpose except planting. Add appropriate information for any other chemical treatment.

**NOTE:** Do not use treated seed for food, feed or oil purposes. Do not graze treated beans within 45 days of planting.

100%

ACCEPTED  
WITH COMMENTS  
DATE: 2/2/81

Registered under EPA Reg. No.  
2435-414

# NU-FLOW D

## FLOWABLE CHLORONEB FUNGICIDE

<b>ACTIVE INGREDIENT:</b>	By Wt.
Chloroneb (1, 4-Dichloro-2, 6-dimethoxybenzene) . . . . .	30%
<b>INERT INGREDIENTS</b> . . . . .	70%
<b>TOTAL</b>	<b>100%</b>

EPA Reg. No. 2935-414-AA

EPA Est. No. 2935-CA-1

**KEEP OUT OF REACH OF CHILDREN**

**WARNING — AVISO:**

**PRECAUCION AL USUARIO:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

**NOT FOR USE OR STORAGE  
IN OR AROUND THE HOME**

See Side Panel For Additional Precautionary Statements

**Net Contents:**

Manufactured in U.S.A. by



P.O. Box 16458, Fresno, CA 93755

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product inconsistent with its labeling.

**STORAGE AND DISPOSAL**

1. Prohibitions: Do not contaminate water, food or storage or disposal.
2. Pesticide Disposal: Pesticide wastes are acutely toxic. Improper disposal of excess pesticide, spray mix, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, they must be disposed of by a hazardous waste contractor. Contact your State Pesticide or Environment Agency, or the Hazardous Waste Operations and Emergency Response (HWOPER) nearest EPA Regional Office for guidance.
3. Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other means approved by state and local authorities.
4. Storage: Store in original container only and keep container closed. Store in closed storage areas. Use caution when opening, closing or pouring.

**COTTON and BEANS —  
Supplemental Seed Treatment:**

Apply NU-FLOW D at the rate of 5.3 to 17.6 fl. oz. per 100 lb. of acid-delinted, reginned, or fuzzy cotton seed (in California a maximum of 11.4 fl. oz. per 100 lbs.); 7 fl. oz. per 100 lbs. of beans.

Use only higher rates under conditions of high population. Lower rates may give reduced efficiency.

NU-FLOW D may be diluted with water provided the amount of product is applied.

Include an approved dye during treatment at rates recommended by the dyemaker.

Do not use in a manner that will contaminate feed or food.

**In Case of Emergency,  
Call CHEMTREC: (800) 424-9300**

**NOTICE:** The statements made on this label are believed to be accurate, but because of conditions of use which are beyond the control of WILBUR-ELLIS COMPANY, we do not make, nor do we authorize any agent or representative to make, any warranty, representation, expressed or implied, concerning the material herein, except in conformity with the statements on this label. The WILBUR-ELLIS COMPANY and the seller shall be held harmless in any manner for any personal injury or property damage to the buyer or to the other person from handling, storing, or using the material, not in accordance with directions. The buyer and user accept and use this material on these conditions.

# SPECIMEN LABEL

COPY A

In California, apply only with closed system equipment.

COPY B

**NOTE:** Federal Law requires that bags containing treated seed shall be labeled with the following information: "This seed has been treated with WILBUR-ELLIS NU-FLOW AD fungicide. Do not use treated seed for food, feed or oil purposes. In California, do not graze plants grown from treated seed." *In other areas, do not graze treated beans within 45 days of planting.*

1950