

Reg # 2935-417

PM-23

191

Potato Seed Dust T

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with skin. Wash thoroughly after using. Avoid breathing of dust. Avoid contamination of feed and foodstuff.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

CHEMICAL AND PHYSICAL HAZARDS

IMPORTANT: Keep away from fire and sparks. Store in a cool, dry place. Do not allow to become wet or overheated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of this material and may also generate flammable vapors. Keep container closed when not in use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. Prohibitions: Do not contaminate water, food or feed by storage or disposal.
2. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
3. Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.
4. General: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

DIRECTIONS

For use on Russet Burbank variety of potatoes only.

Potato Seed Dust T is a special fungicide dust formulation for application on whole or cut potato tubers to aid in the control of late blight, seed-piece decay, and other tuber diseases.

Does not control bacterial pathogens such as Blackleg and soft rots. Treatment with this material is not a substitute for good quality seed.

Use 1 lb. of Potato Seed Dust T per 100 lbs. of whole or cut potato seed-pieces. Apply the dust so that the entire surface of the seed-piece is thoroughly covered by the fungicide dust. Do not use on cut seed if thiabendazole was used on whole tubers coming out of storage.

TO REDUCE BREAKAGE OF SEED-PIECES, TRAY JUMP PRIOR TO PLANTING

ACTIVE INGREDIENT:

Thiabendazole (2-(4-Thiazolyl) benzimidazole)	99.5%
INERT INGREDIENTS	0.5%
TOTAL	100.0%

EPA Reg. No. 2935-417

EPA Est. No. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN!

CAUTION:

ONLY FOR SALE TO, USE, AND STORAGE BY AGRICULTURAL AND SERVICE PERSONS.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

DO NOT USE TREATED SEED POTATOES FOR FOOD OR FEED PURPOSES.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

SPECIMEN LABEL

NOTIFICATION LABEL NOT REVIEWED PER FR NOTICE 8/15/90

In Case of Emergency, Call CHEMTREC (800) 424-9300

Reg # 2935-417 PM-23 191 After