

[Wilbur-Ellis]

PCNB SEED-COAT

SEED TREATMENT FUNGICIDE WITH DYE
FOR USE ONLY IN CALIFORNIA

ACCEPTED
with COMMENT
In EPA REG. NO. 100.100000

DEC 1 1992

Model
No. 2935-419

2935-419

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. Prohibitions — Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
2. Pesticide Disposal — Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or local procedures under the Resource Conservation and Recovery Act.
3. Container Disposal — Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.
4. General: Consult Federal, State or local disposal authorities for approved alternative procedures.

Controls certain seed and soil-borne seedling diseases

RECOMMENDATIONS

SEED TREATMENTS — Seed should be sound and well cured prior to treatment otherwise damage may occur. Apply Red-Top PCNB Seed-Coat directly to seed at dosage rates indicated below, using suitable treating equipment. Note: It may be necessary to add up to equal parts of water to assure optimum coat coverage.

| Planting Seeds | Application Rate In Fluid Ounces* | Seedling Disease Complex |
|----------------|--|--|
| BARLEY | 2 - 4 oz./bushel | Covered Smut |
| OATS | 2 - 4 oz./bushel | Oat Smut |
| WHEAT | 2 oz./bushel | Common Smut or Bunt and Damping-off caused by Rhizoctonia |
| COTTON | Acid delinted 12 oz./100 lbs. | Seed rot and early stages of Pre-emergence damping-off Rhizoctonia |
| | Mechanically delinted 16 oz./100 lbs. | |

If the history of diseases has been severe, then this treatment on cotton seeds may give only temporary protection and a subsequent soil application may be required to control later stages of post-emergence damping off

* 29.6 cc is equivalent to one fluid ounce

This product contains a dye to indicate treated seed

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

DISCLAIMER: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR ELLIS COMPANY does not make, nor does it authorize any agent or representative to make any warranty, express or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR ELLIS COMPANY nor the label shall be responsible in any manner for any personal injury or property damage or loss resulting to the user or to any other person from handling, storage or use of this material, not in accordance with directions. The user assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on those conditions.

PCS 3

| | |
|-------------------------|--------|
| ACTIVE INGREDIENT: | |
| Pentachloronitrobenzene | 24.0% |
| INERT INGREDIENTS: | 76.0% |
| Total | 100.0% |

Contains 2 lbs. of Pentachloronitrobenzene per U. S. Gallon at 68° F.
Est. No. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN!

CAUTION:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid inhaling spray mist. This material may cause skin irritation. Wash hands and face thoroughly after using. Use with adequate ventilation. Keep container closed. Do not contaminate feed or feed-stuffs.

WORK SAFETY RULES

Mixer/loaders should wear gloves, long-sleeved shirt, long pants, shoes, socks, and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFA Part II.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or by disposal of wastes. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Caution: Combustible liquid. Do not use, pour, spill or store near heat or open flame

Protect from temperatures below 20° F.

IMPORTANT: Bags containing treated seeds should be labeled with a tag bearing the following information.

This seed has been treated with Pentachloronitrobenzene

CAUTION

DO NOT USE FOR FEED, FOOD OR OIL PURPOSES.

FLAMMABLE LIQUID, N. O. S.
UN 1993

Flash Point is 73° F or Higher

In Case of Emergency, Call CHEMTREC: (800) 424-9300

[Wilbur-Ellis]

FRESNO • LOS ANGELES • GLENDALE, ARIZ. • PORTLAND • SEATTLE