

PM 21 2935-428 p. 1/2

Joanne Striebich
 Wilbur-Ellis Company
 191 W. Shaw Ave., Suite 107
 Fresno, California 93704

MAY 22 1995

Dear Ms. Striebich:

**Subject: Nu-Flow AD Seed Treatment Fungicide
 Nu-Gro Delta-Coat AD Seed Treatment Fungicide
 (EPA Reg. No. 2935-428)
 Amendment to Delete WPS; Add Pinto Beans
 Correspondence Dated February 24, 1995**

On February 24, 1995, you submitted a request to amend the label for 2935-428 by adding language to "descope" the commercial label from the WPS and add pinto beans.

The amendment is acceptable provided that you:

1. Submit and/or cite all data required for registration or reregistration of your product under FIFRA sec. 3(c)(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. On the label for Nu-Flow AD, the grazing restrictions must also appear on the seed label since the grower will not have access to the product label containing this restriction.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

7505C:K.Scanlon:ks:05/17/95:NUFLO.LTR

CONCURRENCES

SYMBOL ▶	7505C							
SURNAME ▶	Your Name							
DATE ▶	May 17, 1995							

EPA Form 1320-1 (12-70)


OFFICIAL FILE COPY

BEST COPY AVAILABLE

1-16

A stamped copy of the label is enclosed for your records. Should you have any questions or concerns, please call Kathryn Scanlon on (703) 305-7382.

Sincerely Yours,



Connie B. Welch
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (7505C)

BEST COPY AVAILABLE

NU-FLOW AD
SEED TREATMENT FUNGICIDE

ACTIVE INGREDIENTS:	%BY WT.
Chloroneb: 1,4-dichloro-2,5-dimethoxybenzene.....	30.0
Metalaxyl: N-(2,6-dimethylphenyl)-N-(methoxyacetyl)alanine ester.....	3.5
INERT INGREDIENTS:	56.5
	TOTAL :100.0%

Contains 2.9 pounds a.i. chloroneb and 0.34 pounds metalaxyl per gallon.

EPA REG. NO. 2935-428

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by gently touching back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN OR IN EYES: Immediately flush with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapor or spray mist. May cause eye irritation. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.


ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

ACCEPTED
with COMMENTS
In EPA Letter dated

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under EPA Reg. No.

2935-428



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON AGRICULTURAL ESTABLISHMENTS IN HOPPER-BOX, PLANTER BOX, SLURRY BOX OR OTHER SEED TREATMENT APPLICATION AT OR BEFORE PLANTING.

IMPORTANT: Read the entire Directions For Use and the Conditions of Sale and Notice before using this product.

FAILURE TO FOLLOW DIRECTIONS ON THIS LABEL MAY RESULT IN CROP INJURY OR POOR DISEASE CONTROL.

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

In California, apply only with closed system equipment.

In California, do not graze plants grown from treated seed. In other areas, do not graze beans or soybeans within 45 days of planting.

CONDITIONS OF SALE: NU-FLOW AD is a systemic fungicide having a specific mode of action. NU-FLOW AD could be subject to development of resistant strains of fungi. Development of resistance cannot be predicted. Therefore, WILBUR-ELLIS cannot assume liability for crop damage resulting from resistant strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible NU-FLOW AD resistant strains of fungi which may occur.

COMMERCIAL TREATMENT

NU-FLOW AD may be applied as a water-based slurry with other registered seed treatment insecticides and fungicides through standard slurry or mist-type commercial seed treatment equipment.

NOTE: Federal law requires that bags containing treated seed shall be labeled with the following information. "This seed has been treated with NU-FLOW AD fungicide. Do not use treated seed for food, feed or oil purposes."

Store away from feeds and foodstuffs.

The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21 CFR Part 2.25. Any dye added must be cleared for use under 40 CFR Part 180.1001.

USE THE HIGH RATE WHEN CONDITIONS FOR DISEASE EXPRESSION ARE FAVORABLE.

BEANS: STRING BEANS, BLACK-EYED PEAS, COWPEAS, FIELD BEANS, GREEN BEANS, KIDNEY BEANS, LIMA BEANS, NAVY BEANS, POLE BEANS, SNAP BEANS, WAX BEANS, LUPINE AND PINTO BEANS. For PYTHIUM and RHIZOCTONIA damping-off, apply NU-FLOW AD as a seed treatment at the rate of 5.5 to 7.0 fluid ounces per 100 pounds of seed.

COTTON: For PYTHIUM and RHIZOCTONIA seed rot and damping-off of acid or machine delinted cotton seed, apply NU-FLOW AD as a seed treatment at the rate of 5.75 to 11.75 fluid ounces per 100 pounds of seed.

SOYBEANS: For early season PHYTOPHTHORA control and PYTHIUM and RHIZOCTONIA damping-off, apply NU-FLOW AD as a seed treatment at the rate of 5.5 to 7.0 fluid ounces per 100 pounds of seed.

SUGAR BEETS: For PYTHIUM and RHIZOCTONIA seed rot and damping-off, apply NU-FLOW AD at the rate of 10.75 fluid ounces per 100 pounds of seed.

Do not use excess seed for food, feed or oil purposes.


STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

STORAGE: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.



NOTICE - READ CAREFULLY
CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

THE STATEMENTS MADE ON THIS LABEL ARE BELIEVED TO BE TRUE AND ACCURATE, BUT BECAUSE OF CONDITIONS OF USE WHICH ARE BEYOND OUR CONTROL, WILBUR-ELLIS COMPANY DOES NOT MAKE, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY WARRANTY, GUARANTY OR REPRESENTATION, EXPRESSED OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE THEREOF, EXCEPT IN CONFORMITY WITH THE STATEMENTS ON THE LABEL. NEITHER WILBUR-ELLIS COMPANY NOR THE SELLER SHALL BE HELD RESPONSIBLE IN ANY MANNER FOR ANY PERSONAL INJURY OR PROPERTY DAMAGE OR LOSS RESULTING TO THE BUYER OR TO THE OTHER PERSON FROM HANDLING, STORAGE OR USE OF THIS MATERIAL, NOT IN ACCORDANCE WITH DIRECTIONS. THE BUYER ASSUMES ALL RISK AND LIABILITY RESULTING FROM IMPROPER HANDLING, STORAGE OR USE AND ACCEPTS AND USES THIS MATERIAL ON THESE CONDITIONS.

TREATMENT OF HIGHLY MECHANICALLY DAMAGED SEED OR SEED OF KNOWN LOW VIGOR AND POOR QUALITY, EXCEPT FOR THE PURPOSES OF CURATIVE CONTROL OF EXISTING DISEASE OR INSECT PESTS MAY RESULT IN REDUCED GERMINATION AND/OR REDUCED VIGOR. TREAT AND CONDUCT GERMINATION TESTS ON A SMALL PORTION OF SEED BEFORE COMMITTING THE TOTAL SEED LOT TO A SELECTED CHEMICAL TREATMENT. DUE TO SEED QUALITY CONDITIONS BEYOND THE CONTROL OF WILBUR-ELLIS COMPANY, NO CLAIMS ARE MADE TO GUARANTEE GERMINATION OF CARRY-OVER SEED.

WILBUR-ELLIS logo[®], IDEAS TO GROW WITH[®] and NU-FLOW[®] are registered trademarks of WILBUR-ELLIS Company.

IN CASE OF EMERGENCY, CALL CHEMTREC: (800)424-9300

Manufactured By:
WILBUR-ELLIS COMPANY
P.O. Box 16458
Fresno, California 93755

