45.9 A

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Wash thoroughly with soap and water after handling. Avoid contact with skin, eyes or clothing. This product may cause an allergic reaction in sensitive individuals.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

FOR USE AND STORAGE BY AGRICULTURAL AND SERVICE PERSONS ONLY

PHYSICAL AND CHEMICAL HAZARD

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- Prohibitions: Do not contaminate water, food or feed by storage or disposal.
- 2. Storage: Store in a cool dry place.
- 3. Pesticide Disposal: Pesticide wastes are ocutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.
- 4. Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitatry landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NU-ZONE 10ME

Contains 0.86 lbs. of Imazalil* per gallon. *Active ingredient is manufactured by Janssen Pharmaceutica n.v., Beerse, Belgium.

EPA Reg. No. U.S. Patent No. 3,658,813

EPA Est. No. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN!

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- If On Skin: Wash with plenty of soap and water. Get medical attention.
- If In Eyes: Flush with plenty of water. Call a physician.

HEAT and BARLEY: For control of common root rot (Helminthosporium sativum) and barley leaf stripe, use 0.8 to 1.5 fl. oz. of Nu-Zone 10ME per 100 lbs. of seed. Use the higher dosage rate when disease pressure is severe.


OTTON: For control of Fusarium and Thielaviopsis use 4 to 8 fl. oz. Nu-Zone 10MB per 100 lbs. of seed.

For ready mix treaters, Nu-Zone 10EC may be applied directly to the seed.

For slurry treaters, Nu-Zone 106C may be diluted with water, not to exceed 7 fl. oz. additional water per 100 lbs. of wheat and barley seed or 20 fl. oz. water per 100 lbs. of cottonseed.

- SEED LABELING: Seeds treated with Nu-Zone 10FC. Do not use treated seed for food, feed or oil purposes. Do not graze or feed folioge from treated area to livestock.
- USE PRECAUTION all seed treated with this product must be adequately dyed. Any dye added to treated seed must be cleared for use under 40 CFR, Part 180,1001.
- NOTICE OF WARRANTY: Wilbur-Ellis Company warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Wilbur-Ellis Company. In no case shall Wilbur-Ellis Company be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. Wilbur-Ellis Company makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

in Case of Emergency, Call CHEMTREC 800/424-9300



N7.3