


NU-ZONE® 10ME



ACTIVE INGREDIENT:

Imazalil: (1-(2-(2,4-dichlorophenyl)-2-(2-propenyloxy)ethyl)-1H imidazole)*10%

INERT INGREDIENTS

Contains Petroleum Distillates90%

Contains 0.66 lbs. of Imazalil per gallon

*Active ingredient is manufactured by: Janssen Pharmaceutica n.v. Beerse, Belgium.

EPA Reg. No. 2935-440

EPA Est. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on Skin: Wash with plenty of soap and water. Get medical attention.

If in Eyes: Flush with plenty of water. Call a physician.

DIRECTIONS FOR USE (cont.)

SEED LABELING: Seeds treated with Nu-Zone 10ME. Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on treated areas for six weeks after planting.

The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21 CFR, Part 2.25. Any dye added must be cleared for use under 40 CFR, Part 180.1001.

WHEAT and BARLEY: For control of barley leaf stripe, seedborne net blotch and *Sclerotinia nodorum*, and protection against the seed and soilborne phases of the common root rot disease complex (*Helmintosporium*, *Fusarium*). Promotes stand establishment by protecting against seed and seedling blights caused by *Helmintosporium*, *Fusarium*, or *Penicillium*. Use 0.8 to 1.5 fl. oz. Nu-Zone 10ME per 100 lbs. seed.

For ready mix treaters, Nu-Zone 10ME may be applied directly to the seed.

For slurry treaters, Nu-Zone 10ME may be diluted with water, not to exceed 7 fl. oz. additional water per 100 lbs. of wheat and barley seed.

NOTE TO USER: Combination treatments of Nu-Zone 10ME with products containing lindane may result in delayed emergence and stunting of wheat and barley, however, plants will usually outgrow this effect. Do not carry over seed treated with lindane to the next crop season. Minimize time between treating and planting for such treatments.

NET CONTENTS: 2½ Gallons

In Case of Emergency, Call CHEMTREC: (800) 424-9300

Distributors: WILEY-BELLIS, P.O. BOX 16458 • FRESNO, CALIFORNIA 93755

1/3

2935-440

PM 22

2/3


WILBUR-ELLIS

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with skin, eyes or clothing. This product may cause an allergic reaction.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category F on an EPA Chemical resistant category selection chart.

Applicators and other handlers must wear: A) Long sleeved shirt; B) Long pants; C) Chemical-resistant gloves such as Barrier Laminate, Butyl Rubber, Nitrile Rubber or Viton, D) Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: A) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. B) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. C) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

FOR USE AND STORAGE BY AGRICULTURAL AND SERVICE PERSONS ONLY.

PHYSICAL AND CHEMICAL HAZARD

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ALWAYS READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

49456

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

EXCEPTION: If the product is used for seed treatment, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: A) Coveralls; B) Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile rubber or viton; C) Shoes plus socks.

STORAGE AND DISPOSAL

1. **Prohibitions:** Do not contaminate water, food or feed by storage or disposal.
2. **Storage:** Store in a cool, dry place.
3. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
4. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE — READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Wilbur-Ellis Company warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Wilbur-Ellis Company. In no case shall Wilbur-Ellis Company be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. Wilbur-Ellis Company makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

Treatment of highly mechanically damaged seed, of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, can result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Excess seed should not be carried over from one season to the next without re-testing germination. Due to seed quality conditions beyond the control of Wilbur-Ellis, no claims are made to guarantee germination of carry-over seed.

WILBUR-ELLIS®, IDEAS TO GROW WITH® and NU-ZONE® are trademarks of WILBUR-ELLIS Company.

F-594