PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category F on an EPA Chemical-resistant category selection chart.

Applicators and other handlers must wear: A) Long-sleeved shirt; B) Long pants; C) Chemical-resistant gloves such as Barrier Laminate, Butyl Rubber, Nitrile Rubber or Viton; D) Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water or to areas where surface water is present or to intertitidal areas below the mean high water mark.

PHYSICAL AND CHEMICAL HAZARD

Do not use or store near heat or open flame.

USER SAFETY RECOMMENDATIONS

Users should: A) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. B) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. C) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry Interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (RB) of \$8 hours.

EXCEPTION: If the product is used for said treatment, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or victor is: A) Coveralls; B) Chemical-resistant, gloves, such as plants, soil or victors. Application of Victors of the standard of

In Case of Emergency,
Call CHEMTREC: (800) 424-9300

NU-ZONE ® 10ME

ACTIVE INGREDIENTS:

| Imazalii: (1-(2-(2,-4-dichlorophenyl)-2-(2-propenyloxy)ethyl)-H Imadazole)* 10.0% | OTHER INGREDIENTS: 90.0% | TOTAL 100.0%

Contains 0.86 lbs. of Imazalit* per gallon.

*Active ingredient is manufactured by: Janssen pharmaceutica n.v., Beerse, Beigium,

Contains petroleum distillate.

EPA Reg. No. 2935-440

EPA Est. No. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

if in eyes:	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advices.
if on akin or clothing:	-Take off contaminated clothingRinse skin immediately with plenty of water for 15-20

minutes

-Call a poison control center or doctor for treatment ad-

If swallowed:

-Call a poison control center or doctor immediately for treatment advice.

-Have person sip a glass of water if able to swallow.

-Do not induce vomiting unless told to do so by a poison

control center or doctor.

-Do not give anything by mouth to an unconscious person.

if inhaled: Move person to fresh air.

-if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

-Call a poison control center or doctor for further treatment advice.

Note to Physician: Contains petroleum distiliate, vomiting may cause aspiration pneumonia.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ALWAYS READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH ALL APPLICABLE STATE AND FEDERAL REGULATIONS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the applicy responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

SEED LABELING: Seeds treated with Nu-Zone 10ME. Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on treated areas for six weeks after planting.

Always use Nu-Zone 10ME with an EPA-approved dye or colorant that imparts an unnatural color to the seed.

WHEAT and BARLEY: For control of barley leaf stripe seedborne net blotch and Septoria nodorum, and protection against the seed and soilborne phases of the common root rot disease complex (Helminthosporium, Fusarium). Promotes stand establishment by protecting against seed and seedling blights caused by Helminthosporium, Fusarium, or Penicillium. Use 0.8 to 1.5 fl. 0z. Nu-Zone 10ME per 100 lbs. seed.

For ready mix treaters, Nu-Zone 10ME may be applied directly to the seed. For slurry treaters, Nu-Zone 10ME may be diluted with water, not to exceed 7 ft. oz. additional water per 100 lbs of wheat and barley seed.

NOTETO USER: Combination treatments of Nu-Zone 10ME with products containing lindane may result in delayed emergence and stunting of wheat and barley, however, plants will usually outgrow this effect. Do not carry over seed treated with lindane to the next crop season. Minimize time between treating and planting for such treatments.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry place.

accepts and uses this material on these conditions.

Prohibitions: Do not contaminate water, food or feed by storage or

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE-READ CAREFULLY

CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in secondance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and

Treatment of highly mechanically damaged seed or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Wilbur-Eills, no claims are made to guarantee germination of carry-over seed.

WILBUR-ELLIS Logo*, IDEAS TO GROW WITH* and NU-ZONE* are registered trademarks of WILBUR-ELLIS Company.

NET CONTENTS:

F-603

Distributed By:



#114 12 6114 #:16* P.O. BOX 16458 -- FRESNO, CALIFORNIA 93755



ACCEPTED AUG 5 2003 Under the Federal Insecticity, Fungoide, and Redenticide Act,

(