

2137

1113

PIA-16

1-17-81

1373

WILBUR-ELLIS 50% MALATHION SPRAY
Malathion Spray is a multipurpose insecticide that can be used on ornamentals, fruits, nuts, vegetables and pets. It controls aphids, spider mites, scale, mealybugs, whitefly, leafhoppers, thrips, tort caterpillars, cucumber beetles, grasshoppers, bees, roaches, ants, spiders and silverfish.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Do not contaminate food or food products. Food utensils such as teaspoons and tablespoons should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT
If swallowed: Contains petroleum solvent, do not induce vomiting. Call a physician immediately. If inhaled: Remove person to fresh air at once. If in eyes: Flush with plenty of water for 15 minutes. Call physician. If on skin: Wash thoroughly with soap and hot water. Note to Physician: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

PHYSICAL OR CHEMICAL HAZARDS
Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surfaces until sprays have dried.


ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes and ponds). Drift and runoff may be hazardous to aqua-

tic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE
It is in violation of Federal Law to use this product in a manner inconsistent with its labeling.
For listing of additional use sites, pests, and directions for dilution and use, see attached brochure.

STORAGE AND DISPOSAL
Storage: Store in a cool, dry location away from heat, flame, direct or indirect sunlight.
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Neither Wilbur-Ellis Company, nor the Seller MAKES ANY REPRESENTATIONS OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THE CONTENTS HEREOF, WHETHER AS TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER MATTER, EXCEPT AS INDICATED ON THIS LABEL. Neither Wilbur-Ellis Company nor the Seller shall be liable for any injury, damage or loss resulting from the handling, storage or use of this product not in strict accordance with the directions given herein.



EPA Reg. No.
2935-443
EPA Est. No.
70-KY-1
Wilbur-Ellis Co
P.O. Box 18452
Fresno, CA 93755
1000

Formerly produced by
GERMAIN'S

Wilbur-Ellis
Ideas to grow with

50% MALATHION SPRAY
A MULTI-PURPOSE INSECTICIDE

Kills: Aphids, spider mites, thrips, mealybugs, scale, whiteflies, fleas, and other listed insects
For use on:

Copy

ACTIVE INGREDIENTS:
Malathion: O, O-dimethyl phosphorodithioate 50.00%
of diethyl mercaptosuccinate 45.00%
Petroleum Hydrocarbon 5.00%
INERT INGREDIENTS: 50.00%
TOTAL 100.00%

CITRUS

VEGETABLES

50.0090

KEEP OUT OF REACH OF CHILDREN
CAUTION
← See side panel for Statement of Practical Treatment and additional Precautionary Statements
NET CONTENTS 32 FL. OZ. (1 QT.)

FLOWERS

PETS

Germain's® - Reg. TM of Germain Inc.

This product is to be in accordance with
Guidance for Phase 2
Change in Status

Neither Wilbur-Ellis Co. nor the Seller MAKES ANY REPRESENTATIONS OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THE CONTENTS HEREOF, WHETHER AS TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER MATTER, EXCEPT AS INDICATED ON THIS LABEL. Neither Wilbur-Ellis Co., nor the Seller shall be liable for any injury, damage or loss resulting from the handling, storage or use of this product not in strict accordance with the directions given hereon.

Wilbur-Ellis Co., P.O. Box 18458, Fresno, CA 93755

Wilbur-Ellis
Ideas to grow with™

50% MALATHION SPRAY

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

SEE CONTAINER LABEL FOR
INGREDIENT STATEMENT,
COMPLETE PRECAUTIONARY
STATEMENTS INCLUDING STATE-
MENT OF PRACTICAL TREATMENT.

EPA Reg. No. 2935-443
EPA Est. No. 70-KY-1

DIRECTIONS FOR USE

It is a violation of Federal law to use
this product in a manner inconsistent
with its labeling.

DIRECTIONS

Read entire label before spraying. Use strictly in accordance with label cautions, warnings & directions. Wilbur-Ellis 50% Malathion Spray mixes readily with water and is best applied through a hose-end applicator. Add the number of teaspoons or tablespoonfuls of spray, as indicated under rates, to each gallon of water to be used.

NOTE: 3 teaspoonfuls = 1 Tablespoonful = 1/2 fluid oz.

Number in parenthesis () indicates days required between last application and harvest. Spray thoroughly covering upper and lower leaf surfaces or other infected parts.

APPLICATION CHART

PROBLEM AREA	PESTS:	RATES:	NOTES:
FLOWERS & ORNAMENTALS	Aphids, Spiders, Mealybugs, Whitefly, Thrips, Rose Leafhoppers, Lace Bugs, Oyster Shell Scale, Japanese Beetle Adult, Eucynipid Scale.	2 teaspoonfuls	*Apply sufficient amount for good coverage
(7) COLE CROPS & LEAFY VEGETABLES (Broccoli, Brussels Sprouts, Cabbage, Kale, Mustard Greens, Turnips.)	Aphids, Cabbage Looper, Imported Cabbage Worm	2 teaspoonfuls	
(7) CITRUS: (Grapefruit, Limes, Lemons, Oranges, Tangerines.)	California Red Scale, Yellow Scale, Purple Scale, Black Scale, Soft Scale, Citricola Scale, Thrips	2 teaspoonfuls	Make no applications when trees are in bloom
DOMESTIC PETS	Fleas	2 tablespoonfuls	Wet the animal thoroughly, using a hand sprayer. Repeat treatments may be used within 2 to 3 weeks. DO NOT APPLY DIRECTLY TO DOGS & CATS UNDER ONE MONTH OF AGE.
HOUSEHOLD INSECTS	Roaches, Ants, Spiders, Silverfish, Crickets, Clover Mites, Earwigs and about the home	12 tablespoonfuls	Apply a coarse spray or or paint with brush to window sills, baseboards, under sinks, drain areas, closets & other areas frequented by these pests.

Injury may occur on Ferns, Hickory, Yuccum, Laurels, Crassula, Canas Jumper, Boston, Pteris and Maidenhair Ferns, Pelonias, Small-Leaf Spirea, Whitepine, Apples and Elms.

A. ACTIVE INGREDIENTS:

Malathion: 0,0-dimethyl phosphorodithioate
of diethyl mercaptosuccinate
INERT INGREDIENTS*

50.00%

50.00%

Total

100.00%

* Contains Xylene range aromatic solvent

1)
sk
M)