SEP 28 1903

Joanne Pratt Wilbur-Ellis Company 191 W. Shaw Ave., Suite 107 Fresno, CA 93704

Dear Ms. Pratt:

Subject: Added use

Black Leaf Snailicide

EPA Registration No. 2935-445

Amendment application of August 13, 1993

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rocenticide Act (FIFRA), sec. 3(c)(7)(A), is acceptable provided that you:

- 1. Submitted and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is ε closed for your records.

Sincerely yours,

DITE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide Rodenticide Branch Registration Division (H-7505C)

Enclosure

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read entire label. Heed directions and warnings. Water infested area, thoroughly, Scatter (PRODUCT NAME) on ground as to cover a large area—do not place in place or heaps. Apply at anytime of day, el-though it is preferable to treat in late afternoon. After application do not water treated area for 48 hours. For best results, apply in the evening. especially following rain or watering.

To kill stugs and snalls in ornamental gardens, planted borders, beds and ground covers, such as hy or dichondra or grass lawns: Scatter (PRODUCT NAME) lightly on surface of infested area at rate of 1 pound to 2000 square feet. Apply under and around flowers and shrubs, along edges of floweriess, as between lawn and walk or ground cover plants or lawn. In crevious, as between lawn and walk or with and on pround at home of forces and walk in shaded beginning. curb, and on ground at base of fences and walls in shaded locations.

VEGETABLES: including beans, tomatoes, paes, corn, sweet corn, carrots, cucumbers, peppers, cabbage, squash, broccoli, lettuce, radishes, artichokes, beets, brussel sprouts, spinach, caufillower, swiss chard, okra, rhubarb, celery, egg plant, head lettuce.

FRUITS: including strawbernes, care berries, blackbarries, avocados, cantaloupes, chemes, citrus, grapes, peaches, apples, plums and metors. Do not allow the granules to contact adible portion of any food or feed crop. Apply 3 or 4 weeks during the growing season, or as needed, DO NOT APPLY DIRECTLY ONTO PLANTS.

For hard-to-reach places or under dense foliage in shaded areas where those pasts may hide, place (PRODUCT NAME) in a cup or a similar receptacle and broadcast, with a sweeping motion, over the soil surface. Repeat in 10 days or when reinfestation occurs.

LAWN AND GENERAL GARDEN USE; for control of Anta, Cutworms, Earwigs, Fall Armyworms, Millipedes, and Sowbugs: Apply as directed above using 1 pound of (PRODUCT NAME) to 250 square lest. Ropest as required to control. For earwig control: Make applications particularly to daytime hiding places, including lewns, around base of trees, shrubs, along walks, fences and foundation of buildings. Keep children and pets off treated areas until this material has been washed into the soil and area is thoroughly dry. For best results, apply in the evening especially following rain or watering.

STORAGE AND DISPOSAL

Store in a cool, dry location away from children and pets. Do not store in direct sunlight. Do not reuse empty container, Wrap container and out in trash collection.

Neither Wither-Bis Company, nor the Saler MAKES ANY REPRESENTATIONS OR WARRANTES OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THE CONTENTS HEREOF, WHETHER AS TO MERCHANTABILITY, FITNESS ECT A PARTICULAR PURPOSE, OR ANY OTHER MATTER, EXCEPT AS HIGH CATEGORI THIS LABEL. Neither Wither-Elle Company, nor the Saler shall be liable for any valury, durage or loss resulting them the handing, storage or use of the profescribe in strict accordance with the directors given hereon.

NET WEIGHT 16 OZ. (1 LB.) WHOLE ELE CO., AO. BOR 1945A, France, CA 55754 F.1130 PRODUCT OF U.S.A. LITHO IN U.S.A. STOCK NO 42-500-6C



SNAIL. SLUG & INSE **KILLER GRANULES**

May be used around fruits and vegetables

May be used up to harvest Remains effective after rain or watering Granular formula - no pellets, no mounds Blends into lawns & orna mental garden areas

PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS WARNING:

KEEP OUT OF REACH OF CHILDREN AND PETS. May be fatal if swallowed. Do not take internally. Avoid contact with eyes, skin or clothing. Avoid breathing dust and vapor. Wash thoroughly after handling. Do not apply to edible portion of any food or feed crop. Keep pets off treated area. Do not allow animals to graze on treated plants. Do not store in direct sunlight.

ENVIRONMENTAL HAZARDS Do not apply directly to water .

contaminate water when disposing of equipment wash-waters. This pesticide may be fatal to dogs or other pats if eaten. Keep pets out of treated area.

111111111111111111111111111111111111111	
100	
KILLS: Snails,	
Slugs, (T)	
Earwigs, Sowgbugs,	
Cutworms, Ants.	•
within the	
ACTIVE BIGREDIENTE: (BY WT.) Cathoryl (1 exploint IN duallyborburnale)	
Metablikijda (2,4,5,5 tet senisky) 1,3,5,7 tet senjojda edanej 2,50% NERT NGREDIĐITS: 52,50% TOTAL 500,00%	

KEEP OUT OF REACH OF CHILDREN WARNING EMERICANICAN

THE PETITIONE MAY BE FATAL TO CHILDREN AND DOOS OF OTHER PETS IF EATEN KEEP CHILDREN AND PETS CUT OF TREATED AREA POLLOW DIRECTIONS AND USE WITH CAME, BAITS MUST BE SCATTERED AND AND THESE, SEE LEFT SIDE PANEL FOR ADDITIONAL WARRINGS AND CAUTIONS.

NET WEIGHT 16 OZ. (1 LB.)

REST AVAILA