

NOTICE OF PESTICIDE:

REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT
Wilbur-Ellis Baytan FL

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Wilbur-Ellis Company
191 W. Shaw Ave., Suite 107
Fresno, CA 93704

PM 21
2935-459
J. L. ...

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA Section 3(C)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 2935-459."
 - b. Add "Total Ingredients.....100.00%" to the Ingredients statement.
 - c. Add the phrase "EPA Est. No. _____."
 - d. Add the phrase "Net Contents _____."

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

[Handwritten Signature]

1-5-70

e. Change the footnote referencing the active ingredient to read "active ingredient" rather than just "active".

f. Under the Storage and Disposal section include "...landfill, or incineration, or by..." in the third sentence of that paragraph.

g. Under the Application section change "Food Rot" in wheat and barley to "Foot Rot."

Submit one (1) copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Susan T. Lewis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

WILBUR-ELLIS COMPANY

BAYTAN® FL

SEED TREATMENT FUNGICIDE

ACCEPTED
with Conditions
in EPA Letter Dated:

SEP 05 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

2935-159

Active Ingredient:

Beta-(4-Chlorophenoxy)-Alpha-(1,1-Dimethylethyl)	
1H-1,2,4-Triazole-1-Ethanol**	30.00%
Inert Ingredients	70.00%
	<u>100.00%</u>

**Contains 2.65 pounds active per gallon
U.S. Patent No. 3,952,002

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL INFORMATION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May cause eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wash contaminated clothing with soap and water before reuse. This product may cause an allergic reaction in sensitive individuals.

STATEMENTS OF PRACTICAL TREATMENT

✓ If eyes are contaminated, immediately flush with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

✓ If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by gently touching back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

✓ If on skin, wash skin immediately with soap and water. If irritation occurs, get medical attention.

✓ If inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferable mouth-to-mouth. Get medical attention.

SYMPTOMS OF POISONING

No specific symptoms. Acute poisoning is accompanied by general depression and illness. In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically.

REC. NO. 24. NC.
N. 2014. 32

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams and ponds. Apply only as specified on this label. Do not contaminate water when disposing of equipment wash water. ✓ Do not apply this product through any type of irrigation system. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes).

DIRECTIONS FOR USE

✓ It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions, Conditions of Sale and Notice of Warranty before using BAYTAN FL Fungicide.

✓ CONDITIONS OF SALE: Baytan FL systemic fungicide has a specific mode of action. At the recommended application rate and with uniform distribution on the seed, crop tolerance is normally very good. New genotypes or varieties of seed should always be evaluated for sensitivity to Baytan. Under adverse environmental conditions such as cold, wet soils or seed planted at depths greater than 1½ inches, plant emergence may be slightly delayed. Wilbur-Ellis Company offers, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual weather, or failure to follow label directions are beyond the control of Wilbur-Ellis Company and are, therefore, the responsibility of the buyer.

SEED TREATMENT: Baytan FL maybe applied as a water-based slurry through commercial seed treatment equipment. The equipment must be accurately calibrated and certified to apply Baytan FL uniformly to the seed. The seed should be well-cured, sound and of good vigor prior to treatment. Prepare the slurry by mixing the specified dosage in enough water to make 8-16 fl. oz. of slurry per 100 lbs. of wheat, barley, oats, sorghum and rye or 8 fl. oz. of slurry per 100 lbs. of corn. Add dye to the resulting slurry to prevent inadvertent use of the treated seed as a food for man or feed for animals. Baytan treated seed should not be stored under high temperatures for extended periods of time. Corn, and grain sorghum maybe grazed 45 days after planting and wheat, barley, oats and rye maybe grazed 40 days after planting.

RECOMMENDED APPLICATION

At the application rate of 3/4 to 1½ fl. oz./cwt Baytan FL controls:

- Wheat: Loose Smut, Stinking Bunt (Smut), Flag Smut, Seedborne Septoria nodorum.
- Barley: Loose Smut, Covered Smut, Seedborne Septoria nodorum.
- Oats: Loose Smut, Covered Smut, Seedborne Septoria nodorum.
- Rye: Stripe Smut

At the application rate of 1¼ to 1½ fl. oz./cwt Baytan FL controls early season powdery mildew of wheat, barley, rye and oats and suppresses the early season infections by the following diseases:

Wheat: Leaf Rust, Stripe Rust, Take-All and Dry Land Foot Rot.

Barley: Leaf Rust, Stripe Rust, Barley Stripe, Take-All and Dry Land Foot Rot.

Oats: Crown Rust and Stripe Rust.

Rye: Rye Rust and Stripe Rust.

At the application rate of 3 fl. oz./cwt Baytan FL suppresses:

Corn; Head Smut.

At the rate of $1\frac{1}{2}$ fl. oz./cwt Baytan suppresses:

Sorghum: Covered Kernel Smut.

pg. 5 of 6

P. 64/b

BAYTAN FLOWABLE

SEED LABELLING: Seeds treated with Beta-(4-Chlorophenoxy)-Alpha-(1,1-Dimethylethyl)-1H-1,2,4-Triazole-1-Ethanol (Baytan). Do not use treated seed for food, feed or oil purposes.

USE PRECAUTION: All seed treated with this product must be adequately dyed. Any dye added to treated seed must be cleared for use under 40 CFR, PART 180.1001 (c) and (d).

NOTE TO USER: Combination treatments of BAYTAN FLOWABLE with products containing lindane may result in delayed emergence and stunting of wheat and barley, however, plants will usually out grow this effect. Do not carry over seed treated with lindane to the next crop season. Minimize time between treating and planting for such treatments.

✓ NOTICE OF WARRANTY

Treatment of highly mechanically damaged seed, of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, can result in reduced germination and/or reduction of seed and seedling vigor. Treat and germination test⁵ a sample of the seed lot before treating with a selected chemical treatment. Excess seed should not be carried over from one season to the next without re-testing germination. Due to seed quality conditions beyond the control of Wilbur-Ellis Company, no claims are made to guarantee germination of carry-over seed.

✓ Restriction: Do not use treated seed for seed, food or oil purposes.

STORAGE AND DISPOSAL

1. Prohibitions: Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.
2. Storage: Store in original container only and keep sealed. Store in a cool, dry place. Use caution when moving, opening, closing or pouring.
3. Pesticide Disposal: Wastes resulting from the use of this product may be disposed on site according to label instructions or at an approved waste disposal facility.
4. Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

or INCINERATION

BAYTAN® is a registered trademark of Bayer Ag, Germany