Fungicide, and Redenticities Act as amonded, for the posticide च्यायकर् 7846

STATEMENT OF PRACTICAL TREADMENT Reg. No. 235-46 IN SECTICIDE-FUNGICIDE SEED TREATMENT

If swellowed: Drink promptly large quantities of water, Avoid alcohol. Then induce vomiting by touching back of throat with finger. Call a physician immediately. Do not induce vamiling or give enything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh alt. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention,

If an attin: Remove contaminated clothing and useh affected areas with soap and water. Get medical attention.

It in eyes: Flush with planty of water. Call a physician.

NOTE TO PHYSICIAN: This product is an organophosphale insecticide. If symptoms of chotinesterase inhibition are present, stropine suitate by injection is entidoted. 2-PAM is also antidotal and may be administered but only in conjunction with atropine.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. May be fatal is swallowed. Harmful if swallow inhaled. May be absorbed through skin. May cause allerg's skin reactions. Do not breathe dust, vapor or fumes. Do not get in eyes. Avoid contact with skin and clothing. Treat outdoors in a well ventilated place. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating or smoking. ove and separately launder clothing before reuse. Do not contaminate feed or food. Do not use treated seeds for food, feed or oil purposes.

ENVIRONMENTAL HAZARDS

This posticide is toxic to lish, birds and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its.

ALWAYS READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRESENTED ARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND PEDERAL REGULATIONS.

Planter Box Applications: Use Agrox 2-Way on com, soybeans, beam 1-202, packet per bushel of seed in the planter box or drift.

For Seed Corn Beetles: While the above rate will provide some profe com beetles, preliminary results indicate that 4 to 6 oz/bushel (2.6 p.3 pour may be more effective for protection against the seed corn beetles. This is the mixing is required and electric eve monitors should be checked. may be more effective for protection against the seed con-mixing is required and electric eye monitors should be checked transfer

Use only recommended rates. Lower rates may not give dealined col

Note: When starting with an empty planter box, use the legislary proces

- Fill planter or drill box one-half full of seed;
- 2. Then add one-half the required amount of Agrac Stay and mix caughty with an axe handle or paddle (an axe handle or paddle used or seed treatment purposes only);
 3. Then add the remaining one-half of the seed and add the remaining one-half of the seed and thoroughly mix once more until 1 and is unit only covered.

Seed within one month of treatment.

4,2

PRODUCT INSUMMATION

Agrox 2-Way Dual Purpose Seed Country is a policially formulated combination of Diazinon for protection against seed country is seed corn maggots, and Captan for protection against fungus diseased of seed of the dings.

Regularly inspect planter plants in 1 days the rate of delivery through a grain drill, 1 ounce of graphite per bushel of seed in the delivery distributed as a drill fubricant. Adjust the seed drill to give the required rate of seed delivery through a grain drill, 1 ounce of graphite per bushel of seed delivery through a grain drill, 1 ounce of graphite per bushel of seed delivery through a grain drill to give the required rate of seed delivery through a grain drill to give

FOPULATION MONITORS

At the end of e plien as required depending on field conditions, clean the dectric eye mo is provided by the planter manufacturer, according to their directions. (amid wealther conditions, this cleanup process may need

est only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store secure treated goods beyond planting time.

A dust mask must be worn when mixing and loading this product.

Wear goggles or fac is sld when handling. Wash thoroughly with scap and water after handling. Remove cu. 4x rinated clothing and separately launder clothing before reuse.

Avoid repeal contact with skin, Applicators who make application of this product should ween the following protective clothing: long sleeved shirt, long pants and gloves. If equalization reaction results, consult a physician.

(with graphite) AGRICULTURAL USE ONLY

DUAL PURPOSE HOPPER BOX

Seedlings of For the Protection of Germi CORN, SOYBEANS, L.
against SEED CORN BEILLES, S.
DAMPING OFF, SEED EC ANI PEAS DRN MAGGOTS. AND SEEDLING BLIGHTS

ACTIVE INGREDIENTS	By Wt.
	36.67%
Related derivatives	
**Diazinon	25.00%
MERT INGREDIENTS COUNTY TO THE	
*N-Trichloromethythio 4 Colombia 2 dicarboximid	•
**O_O-Diethyl O-(2-Isopropy) - The Primidinyl) pho	sphorothicale
EPA Reg. No. 2005-185	EPA Est. No. 70-KY-1

KEEPOUT OF REACH OF CHILDREN DANGER

panel for additional precautionary statements.

ELECTRIC-EYE POPULATION MONITORS (cont.)

han lingds and arms with soap and water before using tailet facilities.

the bash gloves with scap and water before removing.

WORKER SAFETY RULES

ted exposure to cholinesterase inhibitors such as are contained in this product may, ioul warning, cause prolonged susceptibility to very small doses of any choknesterase inhibitors. Do not rub eyes or mouth with trands, If you lest sick in any way, stop work and get help right away. See practical treatment section of this label.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

freated seed must not be used for or mixed with food or animal feed, or processed for oil.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Protect from excessive heat. Store in a cool, dry place away from water, food and feed.

Do not store or transport near food or feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutally hazardous, Improper disposal of excess posticide, apray mixture, or rinsate is a violation of Fed-real Law. (I these wastes cannot be disposed of by use according to label instructions, contact your State. Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty each packet into application equipment. Then dispose of the packet in a canitary landfill or by incineration. If allowed by state and local authorities, dispose of by burning. If burned, stay out of smoke.

CONDITIONS OF SALE

he atstements made on this label are believed to be true and uccurate, but because no of use which are beyond our control, WILBUN-ELLIS COMFAIV does not make lauthorize any agost or representative to make any watering, guaranty of representations. **MOTICE: The statemen** or any agent or representative to make any moltainy, generally of represen-or implied, consorring this asstrate or the use thereof, except to combarally to on the tabel. Neither WILBUR-ELLES COMPANY and the seller shall be held responsible in any manner for any personal injury or property de ningo or less resulting to the buyer or to the other person from handling, storage or use of this motorial, not in accordance with directions. The impre assumes all risk and fieldlifty resulting from improper ng, storage or use and accepts and uses this meterial on these condit

rox is a registered trademark of ICI Canada, Inc Agent in Irregulation automatic of N.A. Cornole, NC. Ideas to grow with the a regulated trademark of Wilbur-Ellis Company. Logo TM of Wilbur-Ellis Company.

5.002

In Case of Emergency, Cali CHEMTREC 800/424-9300

BEST AVAILABLE COP

42714

Сору А

Always apply Agrox 2-Way to the seed prior to using any plantabilit; aid for vacuum planters.

よって