

GRANOLR\* FLOWABLE  
Insecticide Fungicide Seed Treatment

A dual purpose, ready-to-use, liquid formulation for control of smuts, seed decay and seedling blight and for temporary protection of seeds and seedlings against wireworms.

For on-the-farm treatment of seeds.

WHEAT - OATS - BARLEY - RYE

ACTIVE INGREDIENTS	By Wt.
Maneb (manganese ethylenebisdithiocarbamate). . .	21.0%
(equivalent to manganese metallic 0.42%)	
Lindane (gamma isomer of benzene hexachloride). . .	10.5%
INERT INGREDIENTS . . . . .	68.5%
TOTAL	100.0%

This product contains: 2.19 lbs. maneb per gallon  
1.09 lbs. lindane per gallon

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for additional precautionary information

EPA Est. No.

EPA Reg. No. 2935-468

\*GRANOL is a registered trademark of C-J-L Inc., Canada

NET CONTENT: 2.5 gallons

BEST AVAILABLE COPY

ACCEPTED  
JUN 5 1991

U.S. Environmental Protection Agency  
Pesticide Administration  
Pest. Reg. Div.  
Reg. No. 2935-468

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**WARNING:** Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Do not rub eyes or mouth with hands. See First Aid (Practical Treatment section).

**HANDLERS (MIXERS, LOADERS AND APPLICATORS) MUST WEAR THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT:** a long-sleeve shirt and long pants or a coverall, chemical resistant gloves, hat, socks, boots, disposable, paper dust mask which covers at least one-third of the face, and goggles or a face shield. During mixing and loading, a chemical resistant apron must also be worn.

**IMPORTANT** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before eating, smoking, or drinking.

After work take off all clothes and shoes. Shower using soap and water. Wear only clean clothes. Do not use contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment drenched with maneb must be destroyed according to state and local regulations.

**DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.**

Treat outdoors or in a well ventilated place. Avoid contamination of feed, food and foodstuffs.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with GRANOI Flowable must be labeled according with all applicable requirements of the Federal Seed Act.

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician and/or the Poison Control Center immediately.

Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger or, if possible, by administering syrup of ipecac.

Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin, wash with plenty of soap and water.

If in eyes, flush with plenty of water. Get medical attention if irritation persists.

If inhaled, remove victim to fresh air. Apply artificial respiration if indicated.

**BEST AVAILABLE COPY**

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. Cover or incorporate spilled treated seed. Dispose of all excess treated seeds by burial away from bodies of water. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label. In case of significant spill, call CHEMTREC 1-800-424-9300.

GRANOL Flowable is a special seed treatment formulation of maneb and lindane, which when used at the correct dosage rates, protects crops against seed-borne diseases such as stinking smut (bunt) of wheat, oat smuts, covered and false loose smuts of barley and bunt of rye. It also protects cereal crops against certain seed and soil-borne diseases such as root rot and seedling blight and for temporary protection of seeds and seedlings against wireworms. GRANOL Flowable is especially designed for on-the-farm treatment using a seed treater suitable for metering and mixing flowable seed treatments.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GRANOL Flowable is a ready-to-use seed treatment for on-the-farm use in suitable seed treating equipment at the following rate:

Wheat, Oats, Barley and Rye  
3 fl. oz. per bushel

Use only the recommended rate - lower amounts may not give the desired control. Higher amounts may cause seed injury. Seed should be well cured, dry and cleaned before treatment. For maximum benefits, avoid deep seeding and exceptionally early sowing under poor growing conditions.

Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Treated seed must not be used for or mixed with food or animal feed, or processed for oil.

NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dried with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21 CFR, Part 2.25. Any dye added must be cleared for use under 40 CFR, Part 180.1001.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. STORAGE: Keep container tightly closed when not in use. Store treated seed in a well-ventilated place away from water, food and feed. In case of spill or leak on floor or paved surfaces, absorb on sand, earth or synthetic absorbent and shovel into a leak-proof container. Wash area with a solution of 50% household bleach and water and let stand for 10 minutes. Then cover with hydrated lime and let stand for 1-2 hours.

Cover with absorbent and shovel into waste container. Rinse area with water and pick up with absorbent. Label and remove waste container to chemical waste area.

**BEST AVAILABLE COPY**

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by incineration, if allowed.

Local authorities, BY DURNING. If burned, stay out of smoke.

484

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms of the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

F-0389

Wilbur-Ellis Company  
P. O. Box 16458  
Fresno, CA 93755

BEST AVAILABLE COPY