

MAR 4 1991

~~345277985~~
171

Mr. Wayne M. Stringer
Wilbur-Ellis Company
Agricultural Services Corporate Office
191 W. Shaw Avenue, Suite 107
Fresno, CA 93704-2876

Dear Mr. Stringer,

Subject: Amendment - Updated Labeling
and Revised Confidential Statement of Formula (CSF)
AGROX D-L Plus Insecticide Fungicide Seed Treatment
EPA Registration Number 2935-469 (formerly 8203-28)
Your Submission Dated October 23, 1990 (Labeling)
and Submission Dated August 1, 1989 (CSF)

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy of the labeling is enclosed for your records.

The subject Confidential Statement of Formula (CSF) dated July 25, 1989, will be acceptable provided you make the following changes:

1. You must provide the upper and lower certified limits for diazinon and lindane based on the pure active ingredient rather than the technical or concentrate. Note that the lower limit of the actives must be the same as the label claim in pure active form. Please revise the label or the CSF so the information is correct and agrees.

2. On all four CSFs, the active ingredient Captan (EPA Registration No. 10182-197) is broken down into captan, related derivatives, and impurities. This is not correct. The information listed in items 13 a. and b. should be given based on the product as it is added to the formulation, not its individual components. Only items 14 a. and b. should be given in pure active form. Please revise.

3. On all four CSFs (i.e., 1 basic and 3 alternate formulations), all the ingredients must be listed in the same unit of measure (i.e., diazinon should be listed in kg not liter, in accordance with the other ingredients listed). Please revise.

LeMaster 11/21/90

2

4. Please review your calculations with respect to item no. 17. The total weight does not add up to 1000 but 984.85.

5. Since the active ingredient lindane is a List F chemical under RCRA guidelines, the Storage and Disposal statement should be revised to reflect the same. Please refer to PR Notices 83-3 and 84-1 for further information in this regard. (*not to be added as acutely hazardous*)

Sincerely,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

3
5/8" X 2 17/32" X 4 5/16" X 1 29

stock. Do not use on seed already treated with an insecticide other than malathion or methoxychlor (for control of stored grain insects). Regularly inspect planter plates and clean as required. If rate of seed delivery is sufficiently reduced through a grain drill, 1 ounce of graphite per bushel of seed should be added as a drill lubricant. Adjust the seed drill to give the required rate of seed delivery with the treated seed. Clean-up for Electric Eye Population Monitors: At the end of each day of use, clean out the electric-eye monitors with brushes provided by the planter manufacturer, according to their directions. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Treated seed must not be used for or mixed with food or animal feed, or processed for oil.

A dust mask must be worn when mixing and loading this product. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Protect from excessive heat. Store in a cool dry place away from water, food and feed. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty container by shaking and tapping sides and bottom to loosen clinging particles into application equipment. Then dispose of container in a sanitary landfill or by incineration, if allowed by State and local authorities.

WARRANTY STATEMENT Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.
Wilbur-Ellis Corporation, P.O. Box 16156,
Fresno, CA 93755

F-718

AGRICULTURAL
USE ONLY

NET WT. 1.8 oz.

AGROX® D-L PLUS

INSECTICIDE-FUNGICIDE SEED TREATMENT

For the Protection of Germinating Seeds and Seedlings of **CORN, SOYBEANS, BEANS AND PEAS** Against Damping Off, Seed Decay, Seedling Blights; also against Seed Corn Beetle (corn, beans), Seed Corn Maggots (corn, soybeans, beans and peas), and Wireworms (corn, soybeans and beans).

ACTIVE INGREDIENTS		By Wt.
Captan [N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide]	14.67%
Related derivatives	0.33%
Diazinon [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.00%
Lindane (Gamma isomer of benzene hexachloride)	25.00%
INERT INGREDIENTS (contains graphite)	45.00%
TOTAL	100.00%

AGROX is a registered trademark of C-I-L Inc., Canada

**KEEP OUT OF REACH OF CHILDREN
DANGER**

EPA Est. No. 70-KY-1

EPA Reg. No. 2935-469

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. May be fatal if swallowed or absorbed through skin. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Treat outdoors or in a well ventilated place. Applicators who apply this product manually or without the use of a closed-system treatment procedure must wear the following protective clothing during the application process: long-sleeved shirt; long pants; gloves; and a disposable, paper dust mask which covers at least one-third of the face. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating or smoking. Remove and separately wash clothing and decontaminate shoes before reuse. Avoid contamination of feed and foodstuffs. Do not use treated seeds for food, feed or oil purposes.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician and/or the Poison Control Center immediately. Drink promptly large quantities of water. Avoid alcohol. Then induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled, remove victim to fresh air. If not breathing apply artificial respiration. If in eyes, flush with plenty of water. Call a physician.

See side panel for additional precautionary statements.

AGROX D-L PLUS
WITH COMMENTS
in EPA Letter Dated

MAR 4 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the purpose of labeling under FIFRA Act, 2935

ENVIRONMENTAL

This pesticide is not toxic to other wildlife. It may be hazardous to wildlife. In the event are spilled and completely covered pose of all exposed burial away from feeding on treated. Keep out of lakes, not contaminate equipment or dis.

PRODUCT INFORMATION

D-L Plus is specific on seed previous or thiram. Do not use on previously treated with than malathion. Do not use on four AGROX D-L Plus. diazinon for protection corn beetles and lindane for worms and capta fungus diseases. Treatment supp fungicide to the seed from storage.

DIRECTIONS
It is a violation of product in a manner its labeling.

Planter Box Application:
D-L Plus at a rate per 50 pounds of seed in the planter box.
1) For Conventional and John Deere Plateless Planters: Pour enough AGROX D-L Plus into each seed box to treat one with an axe handle seed is uniformly.
2) For All Intern Planters: Pour into planter box. D-L Plus on top of bushels. Mix the handle or paddle. Use only at the Lower amounts control Excessive seed injury. Note: Do not use