SEP & 0 1991

Wilbur Ellis Company
191 N. Shaw Ave., Suite 107
Fresno, CA 93704

Lear Ds. Fratt:

Duigect: boylean Deed Treatment Commission

(From Conjutration No. 4935-47)

(Conjugations Dated Nay 14, 1931 From Conduction

(Conjugations Detection For Continuous Conjugations)

(Conjugation Conjugation For Conjugation From Conjugation For Conjugation For Conjugation From Co

The property of the property o

- 1. But itycite all sate requires for redistrationy sere istration of your end set of our birth exetted a(c)(a) when the element is birth our region attable similar , to belone to so, it such data.
- 2. have heren 6 10., Thus ou it sutherization for this expect to use their data to an sent the subject grendent. He have no record or receiving a letter true their sutherization the use of their late.
- 3. Paying the Direction for the Auction of the land;
 3. Palluant
 - For use on wheat over edd the confound restriction: "Lo not allow livestock to graze or reod on treated green wheat forage."
 - n. For use on snybean send add the tollowing restriction: "Lo not graze or feed treated soybean vines or hay to livestor."
 - c. for this product and the restriction: "no not tank mix or apply in combination with copper functions."

BEST AVAILABLE COPY

- 4. Dubmit rive (5) printed copies or your final princed labeling before you release the product for shipment.
- Subsit a new Confidential Statement of Formula that reflects the upper and lower limits of the active ingredients in this product, in accordance with FR Hotice 91-2.

It these conditions are not complied with, the registration will be subject to cancellation in accordance with rirka Section $\phi(c)$, roun release for subject of the product constitutes for taken of these conditions.

bill all copy of the larel is enclosed for your records.

Simple is vours,

descript if control of the cont

1.210 Buch

Early wes Planette WUDWY, UJ-20-31



3/15

ACCRPTED
with COMMENTS
in EPA Letter Details

AGROSOLTM* FLOWABLE

Sept 10, 1991
Systemic Commercial Seed Treatment Fungicide

Under the Federal Insecticida. Pungicide, and Religionale Act as amended, for the pesticida, registered under EPA Rev. No.

Contains Thiabendazole

A LEVE CHIEREDIENTS	By Wt.
Captan	
Related Derivatives	. 0.63%
**Thiabendazole	. 0.53%
INERT INGREDIENTS:	· 69.47%
ተለጣን ነ	100 009

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide **2-(4-thiazolyl) benzimidazole

This product contains: 2.77 lb. captan per gallon

0.06 lb. related derivatives

per gallon

0.05 lb. thiabendazole per gallon

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If in eyes, flush with plenty of water. Call a physician.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention. Note to Physician: This product contains a petroleum distillate.

If on skin, wash with plenty of soap and water.

See side panel for additional precautionary information

EPA Est. No. 37429-GA-1

EPA Reg. No 2935-471

NET CONTENTS 250 Gallons
*Agrosol is a registered trademark of C-I-L Inc., Canada

475

Precautionary Statements Hazards to Humans and Domestic Animals Danger

Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse. Wash with soap and water after handling and before eating, drinking or smoking.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources. Do not apply directly to water areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water.

PRODUCT INFORMATION

AGROSOL Flowable is a seed treatment fungicide specially prepared for commercial seed treatment. When used at the correct dosage rates, AGROSOL Flowable will protect soybean and wheat seeds from soil and seed borne diseases that cause damping-off, seed decay and seedling blights. The systemic action of the thiabendazole present in Agrosol will supress pod and stem blight (Phomopsis spp.) of soybeans during germination and early seedling stages.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS

SHAKE OR STIR WELL BEFORE USING. Use at temperatures above 40°F.

SOYBEANS: Use AGROSOL Flowable in liquid and slurry treaters at the rate of 1.5 fl. oz. per bushel of soybean seed (2.5 fl. oz. per 100 lbs. of soybean seed).

WHEAT: Use AGROSOL Flowable in liquid and slurry treaters at the rate of 1.5 fl. oz. per bushel of wheat seed (2.5 fl. oz. per 100 lbs. of wheat seed).

NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product is adequately dyed with a suitable color to prevent its accidental use as a food for man or feed for animals. Refer to 21 CFR. Part 2.25. Any die added must be cleared for use under CFR, Part 180.1001.

Avoid contamination of feed, food and foodstuffs.



5015

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with Agrosol Flowable must be labelled in accordance with all applicable requirements of the Federal and State seed laws.

Mixers/loaders when mixing and loading this product must wear a long-sleeve shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store above 32°F. Product stored at lower temperature will reconstitute to satisfactory utility if warmed to approximately 70°F and thoroughly shaken or stirred before use. Store treated seed in a ventilated place away from water, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconcitioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

P.O. Box 16458 Fresno, CA 93755

F-887

