

29 SEP 1992

Ms. Joanne Pratt  
Wilbur-Ellis Company  
191 W. Shaw Ave., Suite 107  
Fresno, CA 93704

Dear Ms. Pratt:

Subject: Agrosol Flowable Systemic Commerical Seed  
Treatment Fungicide  
EPA Registration No. 2935-471  
Applications Dated August 25, 1992 and September 16, 1992  
Requesting Amendment To Add Claim for Suppression  
of Scab and Common Bunt of Wheat

The proposed amendment referred to above, submitted in connection with registration under Section 3 of the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable provided that you:

- o Submit five (5) printed copies of your final printed labeling before you release the product for shipment.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA, Section 6(e). Your release for shipment of the product constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Joanne I. Miller  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (H-7505C)

Enclosure

E. Wilson: Diskette No. ABC4: 09-25-92

Wilbur-Ellis

Ideas to grow with\*

AGROSOL®  
FLOWABLE

20f3

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention. Note to Physicians: This product contains a petroleum distillate.

If on skin: Wash with plenty of soap and water.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse. Wash with soap and water after handling and before eating, drinking or smoking.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources. Do not apply directly to water areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water.

PRODUCT INFORMATION

AGROSOL Flowable is a seed treatment fungicide specially prepared for commercial seed treatment. When used at the correct dosage rate, AGROSOL Flowable will protect soybean and wheat seeds from soil and seedling diseases that cause damping-off, seed decay and seedling blight. The systemic action of the thiabendazole present in Agrosol will suppress and control blight (Phomopsis spp.) of soybeans during germination and early seedling stages. Copy 4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE OR STIR WELL BEFORE USING. Use at temperatures above 40°F.

SOYBEANS: Use AGROSOL Flowable in liquid slurry form at the rate of 1.5 fl. oz. per bushel of soybean seed (2.5 fl. oz. per 100 lbs. of soybean seed).

WHEAT: Use AGROSOL Flowable in liquid slurry form at the rate of 1.5 fl. oz. per bushel of wheat seed (2.5 fl. oz. per 100 lbs. of wheat seed).

NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or animal. Refer to 21 CFR, Part 2.25. Any dye added must be cleared under 21 CFR, Part 160.1001.

Avoid contamination of feed and food. Do not allow livestock to graze or feed on treated green manure. Do not graze or feed treated soybean vines or hay to livestock. Do not mix or apply in combination with copper fungicides.

Treated seed must not be used for or mixed with food or animal feed, or processed for animal consumption. Seed treated with AGROSOL Flowable must be labeled in accordance with applicable requirements of the Federal and State seed laws.

Mixers/loaders when mixing and loading this product must wear a long-sleeved shirt and long pants, overall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

Systemic Commercial Seed Treatment Fungicide

Contains Thiabendazole

ACTIVE INGREDIENTS	By Wt.
*Captan.....	29.37%
Related derivatives.....	0.63%
**Thiabendazole.....	0.53%
INERT INGREDIENTS.....	69.47%

\*N-Trichloromethyl-4-cyano-1,3,5-triazole-2-carbamide TOTAL: 100.00%  
\*\*2-(4-Thiazolyl) benzimidazole

This product contains: 1.5 fl. oz. captan per gallon  
0.63 fl. oz. related derivatives per gallon  
0.53 fl. oz. thiabendazole per gallon

EPA Reg. No.

EPA Est. No. 70-KY-1

KEEP OUT OF REACH OF CHILDREN

DANGER

See label panel for additional precautionary statements.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store above 32°F. Product stored at a lower temperature will reconstitute to satisfactory utility if warmed to approximately 70°F and thoroughly shaken or stirred before use. Store treated seed in a ventilated place away from water, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof, except in connection with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage of loss resulting to the buyer or to the other person from handling, storage or use of this material, except in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

AGROSOL is a registered trademark of ICI Canada, Inc.  
in EPA Letter Dated:

29 SEP 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No.

2935-471  
In case of Emergency,  
Call CHEMTREC 800/424-9300

BEST AVAILABLE COPY

Copy A

In wheat, Agrosol Flowable suppresses seed-borne infections of scab and common bunt (stinking smut) during seed germination and early seedling stages.